

# GEJST



## LIRIS

---

Kasper Friis Egelund & Thalea Schmalenberg, 2024

**Type** Wall lamp

---

The Liris collection represents the culmination of an intensive design process, research, and craftsmanship, embodying Gejst Design's DNA of functionality and aesthetic expertise.

Created with precision and care, Liris is poised to establish itself at a high level in decorative lighting solutions.

Design duo Thalea Schmalenberg and Kasper Friis Egelund found inspiration in the elegance of the traditional paper fan.

Their fascination with its simple and poetic expression, as well as its materials and interactive properties, sparked the creation of their design concept: Liris.

The aim was to blend the playful, handcrafted essence of a fan with a modern industrial foundation.

By enhancing light quality through the integration of a small elevated LED light source, they transformed the folded fan into both a lampshade and a reflector.



When positioned against a wall, the lamp emits a soft, evenly dispersed ambient glow.

The fusion of Liris' timeless craftsmanship with modern technology resulted in a collection that resonates with both craftsmanship, tradition, and modern aesthetics.

---

# GEJST



## SPECIFICATIONS





Product category	Lamp - Indoor
Product no.	Brass: 40112 Black: 40122
EAN code	Brass: 5712731401128 Black: 5712731401227
Country of origin	PRC
Tarif	9405.11.90.90
Materials	Steel/Cotton fabric laminated PVC sheet
Colour	Brass or Black
Product dimensions (H x L x W)	45,5 cm x 9 cm x 27,5 cm
Packaging dimensions (H x L x W)	30 cm x 11 cm x 13 cm
Box content	screws and plugs
Product weight	0,800 Kg

# GEJST

## SPECIFICATIONS



Installation	Can be installed with or without the round wall cover.
Cleaning	Use a soft duster
Light source	3W LED Estimated LED lifetime 30.000 hours
Electrical	220-240V 50Hz
Dimmable	3-step dimmer
Light Output	42,5 Lumen
Light quality	82,4 CRI
Color temperature	2700 Kelvin (Warm)
Certifications	<b>CE</b>     <b>IP20</b>