


VALE SYSTEM – P

PENDANT

MANUFACTURED IN CANADA

CAINE HEINTZMAN / 2019



VAL-1-P-ANT-27-ELV-120

DESCRIPTION

Vale optimises functionality through its multidirectional luminescence while diffusing soft ambient light.

TYPE

Pendant

DIMENSIONS

– Luminaire: 102 x 16 x 23cm /
40" x 6.25" x 9"

CERTIFICATIONS




* APPLICATION: DRY INDOOR LOCATION ONLY


TECHNICAL INFORMATION

- Input Voltage:
110–120V, 220–240V, 110–277V
- Lamping:
Integral 20W 24V DC LED
CRI 90+, 50,000 hours
- Lumens:
1388 lumens delivered
- Power Supply:
Phase Dimming, 0-10V, DALI

COLOUR TEMPERATURE OPTIONS



DIM TO WARM





MATERIALS

- Aluminum
- Acrylic

FRAME FINISHES



LENS FINISH


















SERIES	UNIT	TYPE	FINISH	CCT	PS	VOLTAGE IN
VAL	<input type="checkbox"/> 1	P	<input type="checkbox"/> ANT (ANTHRACITE)	<input type="checkbox"/> 27 (2700K)	<input type="checkbox"/> ELV <input type="checkbox"/> 010 <input type="checkbox"/> DAL	<input type="checkbox"/> 120
	<input type="checkbox"/> 2		<input type="checkbox"/> SIL (SILICA)	<input type="checkbox"/> 30 (3000K)		<input type="checkbox"/> 230
	<input type="checkbox"/> 3		<input type="checkbox"/> RST (RUST)	<input type="checkbox"/> 35 (3500K)		<input type="checkbox"/> 277*
	<input type="checkbox"/> 4			<input type="checkbox"/> 41 (4100K)		
	<input type="checkbox"/> 5			<input type="checkbox"/> DW (DIM TO WARM)		
	<input type="checkbox"/> 6					

*277 ONLY AVAILABLE WITH 010

PLEASE SELECT MODEL FROM FOLLOWING PAGE














VALE – HORIZONTAL, X-AXIS

CONNECTIVITY	VALE 1	VALE 2	VALE 3	VALE 4	VALE 5	VALE 6
SIDE-TO-SIDE	VAL-1-P-X  <input type="checkbox"/>	VAL-2-P-X-SS  <input type="checkbox"/>	VAL-3-P-X-SS  <input type="checkbox"/>	VAL-4-P-X-SS  <input type="checkbox"/>	VAL-5-P-X-SS  <input type="checkbox"/>	VAL-6-P-X-SS  <input type="checkbox"/>
END-TO-END	VAL-1-P-X  <input type="checkbox"/>	VAL-2-P-X-EE  <input type="checkbox"/>	VAL-3-P-X-EE  <input type="checkbox"/>	VAL-4-P-X-EE  <input type="checkbox"/>	VAL-5-P-X-EE  <input type="checkbox"/>	VAL-6-P-X-EE  <input type="checkbox"/>
SIDE-TO-SIDE + END-TO-END				VAL-4-P-X-SE  <input type="checkbox"/>		VAL-6-P-X-SE1  <input type="checkbox"/>
						VAL-6-P-X-SE2  <input type="checkbox"/>

CUSTOM AVAILABLE

Vale can be expanded further than the shown options. For custom arrangements and special projects, please contact info@n-d.com

VALE – HORIZONTAL, Y-AXIS

CONNECTIVITY	VALE 1	VALE 2	VALE 3	VALE 4	VALE 5	VALE 6
SIDE-TO-SIDE	VAL-1-P-Y  <input type="checkbox"/>	VAL-2-P-Y-SS  <input type="checkbox"/>	VAL-3-P-Y-SS  <input type="checkbox"/>	VAL-4-P-Y-SS  <input type="checkbox"/>	VAL-5-P-Y-SS  <input type="checkbox"/>	VAL-6-P-Y-SS  <input type="checkbox"/>
END-TO-END	VAL-1-P-Y  <input type="checkbox"/>	VAL-2-P-Y-EE  <input type="checkbox"/>	VAL-3-P-Y-EE  <input type="checkbox"/>	VAL-4-P-Y-EE  <input type="checkbox"/>	VAL-5-P-Y-EE  <input type="checkbox"/>	VAL-6-P-Y-EE  <input type="checkbox"/>
SIDE-TO-SIDE + END-TO-END				VAL-4-P-Y-SE  <input type="checkbox"/>		VAL-6-P-Y-SE1  <input type="checkbox"/>
						VAL-6-P-Y-SE2  <input type="checkbox"/>

CUSTOM AVAILABLE

Vale can be expanded further than the shown options. For custom arrangements and special projects, please contact info@n-d.com

VALE – VERTICAL

CONNECTIVITY

VALE 1

VALE 2

VALE 3

VALE 4

VALE 5

VALE 6

SIDE-TO-SIDE

VAL-1-P-V



VAL-2-P-V-SS



VAL-3-P-V-SS



VAL-4-P-V-SS



VAL-5-P-V-SS



VAL-6-P-V-SS



END-TO-END

VAL-1-P-V



VAL-2-P-V-EE



VAL-3-P-V-EE



VAL-4-P-V-EE



VAL-5-P-V-EE



VAL-6-P-V-EE



SIDE-TO-SIDE + END-TO-END

VAL-4-P-V-SE



VAL-6-P-V-SE



CUSTOM AVAILABLE

Vale can be expanded further than the shown options. For custom arrangements and special projects, please contact info@n-d.com