


VALE SYSTEM – C/W

CEILING/WALL

MANUFACTURED IN CANADA

CAINE HEINTZMAN / 2021



VAL-1-CW-ANT-27-ELV-120

DESCRIPTION

Vale optimises functionality through its multidirectional luminescence while diffusing soft ambient light.

TYPE

Ceiling/Wall

DIMENSIONS

- Luminaire: 102 x 8 x 23cm / 40" x 3.25" x 9"

POWER OPTIONS NORTH AMERICA

- Coverplate
- Mounts to standard depth octagon box
- Remote power supply for multiple Vale arrangements


POWER OPTIONS WORLD MARKET

- Surface mounted
- Remote power supply only


TECHNICAL INFORMATION

- Input Voltage: 110–120V, 220–240V, 110–277V
- Lamping: Integral 10W 24V DC LED
CRI 90+, 50,000 hours
- Lumens: 694 lumens delivered
- Power Supply: Phase dimming, 0-10V, DALI

COLOUR TEMPERATURE OPTIONS



DIM TO WARM



CERTIFICATIONS



* APPLICATION: DRY INDOOR LOCATION ONLY



MATERIALS

- Aluminum
- Acrylic

FRAME FINISHES



LENS FINISH



SERIES	UNIT	TYPE	FINISH	CCT	PS	VOLTAGE IN
VAL	<input type="checkbox"/> 1	CW	<input type="checkbox"/> ANT (ANTHRACITE)	<input type="checkbox"/> 27 (2700K)	<input type="checkbox"/> ELV	<input type="checkbox"/> 120
	<input type="checkbox"/> 2		<input type="checkbox"/> SIL (SILICA)	<input type="checkbox"/> 30 (3000K)	<input type="checkbox"/> 010	<input type="checkbox"/> 230
	<input type="checkbox"/> 3		<input type="checkbox"/> RST (RUST)	<input type="checkbox"/> 35 (3500K)	<input type="checkbox"/> DAL	<input type="checkbox"/> 277*
	<input type="checkbox"/> 4			<input type="checkbox"/> 41 (4100K)		
	<input type="checkbox"/> 5			<input type="checkbox"/> DW (DIM TO WARM)		
	<input type="checkbox"/> 6					

*277 ONLY AVAILABLE WITH 010

PLEASE SELECT MODEL FROM FOLLOWING PAGE

VALE SYSTEM – C/W


CEILING/WALL

MANUFACTURED IN CANADA














CAINE HEINTZMAN / 2021

POSSIBLE ORIENTATIONS

The Vale Ceiling/Wall suspends horizontally or vertically on the ceiling or wall.

















VALE – HORIZONTAL

CONNECTIVITY	VALE 1	VALE 2	VALE 3	VALE 4	VALE 5	VALE 6
SIDE-TO-SIDE	VAL-1-CW  <input type="checkbox"/>	VAL-2-CW-SS  <input type="checkbox"/>	VAL-3-CW-SS  <input type="checkbox"/>	VAL-4-CW-SS  <input type="checkbox"/>	VAL-5-CW-SS  <input type="checkbox"/>	VAL-6-CW-SS  <input type="checkbox"/>
END-TO-END	VAL-1-CW  <input type="checkbox"/>	VAL-2-CW-EE  <input type="checkbox"/>	VAL-3-CW-EE  <input type="checkbox"/>	VAL-4-CW-EE  <input type="checkbox"/>	VAL-5-CW-EE  <input type="checkbox"/>	VAL-6-CW-EE  <input type="checkbox"/>
SIDE-TO-SIDE + END-TO-END				VAL-4-CW-SE  <input type="checkbox"/>		VAL-6-CW-SE1  <input type="checkbox"/> VAL-6-CW-SE2  <input type="checkbox"/>

CUSTOM AVAILABLE

Vale can be expanded further than the shown options. For custom arrangements and special projects, please contact info@a-n-d.com

VALE – VERTICAL

CONNECTIVITY	VALE 1	VALE 2	VALE 3	VALE 4	VALE 5	VALE 6
SIDE-TO-SIDE	VAL-1-CW  <input type="checkbox"/>	VAL-2-CW-SS  <input type="checkbox"/>	VAL-3-CW-SS  <input type="checkbox"/>	VAL-4-CW-SS  <input type="checkbox"/>	VAL-5-CW-SS  <input type="checkbox"/>	VAL-6-CW-SS  <input type="checkbox"/>
END-TO-END	VAL-1-CW  <input type="checkbox"/>	VAL-2-CW-EE  <input type="checkbox"/>	VAL-3-CW-EE  <input type="checkbox"/>	VAL-4-CW-EE  <input type="checkbox"/>	VAL-5-CW-EE  <input type="checkbox"/>	VAL-6-CW-EE  <input type="checkbox"/>
SIDE-TO-SIDE + END-TO-END				VAL-4-CW-SE  <input type="checkbox"/>		VAL-6-CW-SE  <input type="checkbox"/>

CUSTOM AVAILABLE

Vale can be expanded further than the shown options. For custom arrangements and special projects, please contact info@a-n-d.com