SAFETY DATA SHEET



1. Identification Product identifier

UNITED COATINGS DIATHON HT ROOF COATING

All Sizes Other means of identification

Recommended use	Acrylic elastomer coating	
Manufacturer/Importer/Supplier/	Distributor information	
Manufacturer		
Company name GAF 1 Campus Drive Parsippany, NJ 07054 USA		
Telephone 1-800–766–3411		
Emergency phone number	CHEMTREC 1-800-424-9300 Within USA and CANADA Outside USA and Canada: Collect Calls Accepted	1-800-424-9300 1 703-741-5970

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Carcinogenicity	Category 2
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 3
	Hazardous to the aquatic environment, long-term hazard	Category 3
OSHA defined hazards	Not classified.	

Label elements



	▼
Signal word	Warning
Hazard statement	Suspected of causing cancer. Harmful to aquatic life. Harmful to aquatic life with long lasting effects.
Precautionary statement	
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.
Response	If exposed or concerned: Get medical advice/attention.
Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%	
Aluminum Trihydroxide		21645-51-2	20 to <30	
Material name: UNITED COATINGS DIATHON HT ROOF COATING			SDS I	
Version #: 02 Issue date: 10-30-2015				1 /

Chemical name	Common name and synonyms	CAS number	%
Calcium Carbonate		1317-65-3	1 to <5
TITANIUM DIOXIDE		13463-67-7	1 to <5
Zinc Oxide		1314-13-2	1 to <5
Aqua Ammonia (10-30%)		1336-21-6	0.1 to <1
CARBAMIC ACID, 1H-BENZIMIDAZOL-2-YL, METHYL ESTER		10605-21-7	0.1 to <1
Paraffinic Oil		64742-65-0	0.1 to <1
PARAFFINIC PETROLEUM OIL		64742-54-7	0.1 to <1
Non-Hazardous Ingredients			60 to <70

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop orpersist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid prolonged exposure. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Aqua Ammonia (10-30%) (CAS 1336-21-6)	PEL	35 mg/m3	
		50 ppm	
Calcium Carbonate (CAS	PEL	5 mg/m3	Respirable fraction.
1317-65-3)		15 mg/m3	Total dust.
Paraffinic Oil (CAS	PEL	5 mg/m3	Mist.
64742-65-0)			
		2000 mg/m3	
TITANIUM DIOXIDE (CAS	PEL	500 ppm 15 mg/m3	Total dust.
13463-67-7)		15 119/115	Total dust.
Zinc Oxide (CAS	PEL	5 mg/m3	Respirable fraction.
1314-13-2)		F	E
		5 mg/m3 15 mg/m3	Fume. Total dust.
		io my/mo	າ ບເລ່າ ບັນອາ.
US. ACGIH Threshold Limit Values Components	Туре	Value	Form
-			
Aluminum Trihydroxide (CAS 21645-51-2)	TWA	1 mg/m3	Respirable fraction.
Aqua Ammonia (10-30%)	STEL	35 ppm	
(CAS 1336-21-6)			
	TWA	25 ppm	
Paraffinic Oil (CAS 64742-65-0)	TWA	5 mg/m3	Inhalable fraction.
PARAFFINIC PETROLEUM	TWA	5 mg/m3	Inhalable fraction.
OIL (CAS 64742-54-7)		-	
TITANIUM DIOXIDE (CAS 13463-67-7)	TWA	10 mg/m3	
Zinc Oxide (CAS	STEL	10 mg/m3	Respirable fraction.
1314-13-2)		-	-
	TWA	2 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide to Chem			_
Components	Туре	Value	Form
Aqua Ammonia (10-30%) (CAS 1336-21-6)	STEL	27 mg/m3	
		35 ppm	
	TWA	18 mg/m3	
Calcium Carbonate (CAS	TWA	25 ppm 5 mg/m3	Respirable.
1317-65-3)		5 mg/m5	Respirable.
		10 mg/m3	Total
Paraffinic Oil (CAS 64742-65-0)	Ceiling	1800 mg/m3	
	STEL	10 mg/m3	Mist.
Zinc Oxide (CAS 1314-13-2)	Ceiling	15 mg/m3	Dust.
1017 10-21	STEL	10 mg/m3	Fume.
	TWA	5 mg/m3	Dust.
rial name: UNITED COATINGS DIATHON		-	SDS

US. NIOSH: Pocket Guide Components	Туре	Value	Form
		5 mg/m3	Fume.
Biological limit values	No biological exposure limits noted for th	e ingredient(s).	
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		
Individual protection measure	s, such as personal protective equipment	:	
Eye/face protection	If contact is likely, safety glasses with side shields are recommended.		
Skin protection			
Hand protection	For prolonged or repeated skin contact u	use suitable protective glove	es.
Other	Wear suitable protective clothing.		
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.		
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
General hygiene considerations	Always observe good personal hygiene and before eating, drinking, and/or smok equipment to remove contaminants.		

9. Physical and chemical properties

	•
Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	10.78 lbs/gal

Percent volatile	48.9 %
Specific gravity	1.3
VOC	8.405595 g/l Material estimated 0.070146 lbs/gal Material estimated 0.134927 lbs/gal Regulatory estimated 16.168302 g/l Regulatory estimated

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity		
Components	Species	Test Results
Aluminum Trihydroxide (CA	AS 21645-51-2)	
Acute		
Oral		
LD50	Rat	> 5000 mg/kg
Aqua Ammonia (10-30%) (CAS 1336-21-6)	
<u>Acute</u>		
Oral		
LD50	Rat	350 mg/kg
CARBAMIC ACID, 1H-BEN	ZIMIDAZOL-2-YL, METHYL ESTER (CAS	10605-21-7)
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 2000 mg/kg
	Rat	2000 mg/kg
Oral		
LD50	Guinea pig	> 5000 mg/kg
	Mouse	11000 mg/kg
	Rat	> 5000 mg/kg
Zinc Oxide (CAS 1314-13-2	2)	
Acute	,	
Inhalation		
LC50	Mouse	> 5.7 mg/l, 4 Hours
Oral		
LD50	Mouse	7950 mg/kg

-	Species		Te	est Results
	Rat		>	5 g/kg
* Estimatos for product movil	ha haaad ah a	dditional componen	t data natabawa	
Skin corrosion/irritation	e based on additional component data not shown. Prolonged skin contact may cause temporary irritation.			
Serious eye damage/eye	Direct contact with eyes may cause temporary irritation.			
irritation	Diroot cont	all man by be may b		
Respiratory or skin sensitization	n			
Respiratory sensitization	Not availab	Not available.		
Skin sensitization	This produc	This product is not expected to cause skin sensitization.		
Germ cell mutagenicity	mutagenic	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Suspected of causing cancer.			
IARC Monographs. Overall	Evaluation of	f Carcinogenicity		
TITANIUM DIOXIDE (CA OSHA Specifically Regulate			2B Possibly carcinogenic 01-1050)	to humans.
Not listed. US. National Toxicology Pro		Report on Carcino	-	
Paraffinic Oil (CAS 64742 PARAFFINIC PETROLE	UM OIL (CAS	,	Known To Be Human Ca Known To Be Human Ca	rcinogen.
Reproductive toxicity			cause reproductive or dev	
Specific target organ toxicity - single exposure	Not classifie			
Specific target organ toxicity - repeated exposure	Not classifie	ed.		
Aspiration hazard	Not availab	le.		
Chronic effects	Prolonged i	nhalation may be ha	armful. Prolonged exposur	e may cause chronic effects.
12. Ecological information	n			
Ecotoxicity	Harmful to	aquatic life with long	g lasting effects.	
Components		Species		Test Results
Aqua Ammonia (10-30%) (CA	\S 1336-21-6)			
Aquatic				
Aquatic Fish	LC50	Western mosqu	uitofish (Gambusia affinis)	15 mg/l, 96 hours
Fish CARBAMIC ACID, 1H-BENZI		•	(, , , , , , , , , , , , , , , , , , ,	15 mg/l, 96 hours
Fish		′L, METHYL ESTEF	(, , , , , , , , , , , , , , , , , , ,	15 mg/l, 96 hours 0.009 - 0.015 mg/l, 96 hours
Fish CARBAMIC ACID, 1H-BENZI Aquatic	IMIDAZOL-2-1 LC50	′L, METHYL ESTEF	R (CAS 10605-21-7)	
Fish CARBAMIC ACID, 1H-BENZI Aquatic Fish	IMIDAZOL-2-1 LC50	′L, METHYL ESTEF	R (CAS 10605-21-7)	
Fish CARBAMIC ACID, 1H-BENZI Aquatic Fish TITANIUM DIOXIDE (CAS 13	IMIDAZOL-2-1 LC50	′L, METHYL ESTEF	R (CAS 10605-21-7)	
Fish CARBAMIC ACID, 1H-BENZI Aquatic Fish TITANIUM DIOXIDE (CAS 13 Aquatic	IMIDAZOL-2-\ LC50 3463-67-7)	/L, METHYL ESTEF Channel catfish Water flea (Dap	R (CAS 10605-21-7)	0.009 - 0.015 mg/l, 96 hours
Fish CARBAMIC ACID, 1H-BENZI Aquatic Fish TITANIUM DIOXIDE (CAS 13 Aquatic Crustacea	IMIDAZOL-2-\ LC50 3463-67-7) EC50	/L, METHYL ESTEF Channel catfish Water flea (Dap	R (CAS 10605-21-7) n (Ictalurus punctatus) phnia magna)	0.009 - 0.015 mg/l, 96 hours > 1000 mg/l, 48 hours
Fish CARBAMIC ACID, 1H-BENZI Aquatic Fish TITANIUM DIOXIDE (CAS 13 Aquatic Crustacea Fish Zinc Oxide (CAS 1314-13-2)	IMIDAZOL-2-\ LC50 3463-67-7) EC50	/L, METHYL ESTEF Channel catfish Water flea (Dap Mummichog (F	R (CAS 10605-21-7) n (Ictalurus punctatus) phnia magna)	0.009 - 0.015 mg/l, 96 hours > 1000 mg/l, 48 hours > 1000 mg/l, 96 hours
Fish CARBAMIC ACID, 1H-BENZI Aquatic Fish TITANIUM DIOXIDE (CAS 13 Aquatic Crustacea Fish Zinc Oxide (CAS 1314-13-2) Aquatic	IMIDAZOL-2-\ LC50 3463-67-7) EC50 LC50 LC50	/L, METHYL ESTEF Channel catfish Water flea (Dap Mummichog (F Fathead minno	R (CAS 10605-21-7) n (Ictalurus punctatus) ohnia magna) undulus heteroclitus) w (Pimephales promelas)	0.009 - 0.015 mg/l, 96 hours > 1000 mg/l, 48 hours > 1000 mg/l, 96 hours
Fish CARBAMIC ACID, 1H-BENZI Aquatic Fish TITANIUM DIOXIDE (CAS 13 Aquatic Crustacea Fish Zinc Oxide (CAS 1314-13-2) Aquatic Fish * Estimates for product may b Persistence and degradability	IMIDAZOL-2-1 LC50 3463-67-7) EC50 LC50 LC50 pe based on a	/L, METHYL ESTEF Channel catfish Water flea (Dap Mummichog (F Fathead minno	R (CAS 10605-21-7) n (Ictalurus punctatus) ohnia magna) undulus heteroclitus) w (Pimephales promelas)	0.009 - 0.015 mg/l, 96 hours > 1000 mg/l, 48 hours > 1000 mg/l, 96 hours
Fish CARBAMIC ACID, 1H-BENZI Aquatic Fish TITANIUM DIOXIDE (CAS 13 Aquatic Crustacea Fish Zinc Oxide (CAS 1314-13-2) Aquatic Fish	IMIDAZOL-2-1 LC50 3463-67-7) EC50 LC50 LC50 pe based on a	/L, METHYL ESTEF Channel catfish Water flea (Dap Mummichog (F Fathead minno	R (CAS 10605-21-7) n (Ictalurus punctatus) ohnia magna) undulus heteroclitus) w (Pimephales promelas) t data notshown.	0.009 - 0.015 mg/l, 96 hours > 1000 mg/l, 48 hours > 1000 mg/l, 96 hours
Fish CARBAMIC ACID, 1H-BENZI Aquatic Fish TITANIUM DIOXIDE (CAS 13 Aquatic Crustacea Fish Zinc Oxide (CAS 1314-13-2) Aquatic Fish * Estimates for product may b Persistence and degradability	IMIDAZOL-2-N LC50 3463-67-7) EC50 LC50 LC50 be based on av No data is a	rL, METHYL ESTEF Channel catfish Water flea (Dap Mummichog (F Fathead minno dditional componen available on the deg	R (CAS 10605-21-7) n (Ictalurus punctatus) ohnia magna) undulus heteroclitus) w (Pimephales promelas) t data notshown.	0.009 - 0.015 mg/l, 96 hours > 1000 mg/l, 48 hours > 1000 mg/l, 96 hours
Fish CARBAMIC ACID, 1H-BENZI Aquatic Fish TITANIUM DIOXIDE (CAS 13 Aquatic Crustacea Fish Zinc Oxide (CAS 1314-13-2) Aquatic Fish * Estimates for product may b Persistence and degradability Bioaccumulative potential Partition coefficient n-octar CARBAMIC ACID, 1H-BENZI	IMIDAZOL-2-N LC50 3463-67-7) EC50 LC50 LC50 be based on av No data is a	rL, METHYL ESTEF Channel catfish Water flea (Dap Mummichog (F Fathead minno dditional componen available on the deg	R (CAS 10605-21-7) n (Ictalurus punctatus) ohnia magna) undulus heteroclitus) w (Pimephales promelas) t data not shown. radability of this product.	0.009 - 0.015 mg/l, 96 hours > 1000 mg/l, 48 hours > 1000 mg/l, 96 hours

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.

> % by wt. 1 to <5 0.1 to <1

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

US federal regulations

CERCLA Hazardous Substance List (40 CFR 302.4)

	Pressure Hazard - No Reactivity Hazard - No		
SARA 302 Extremely hazard Not listed.	ous substance		
SARA 311/312 Hazardous chemical	No		
SARA 313 (TRI reporting) Chemical name		CAS number	,
Zinc Oxide Aqua Ammonia (10-30%)		1314-13-2 1336-21-6	
Other federal regulations	112 Hazardous Air Pollutants	<i></i>	

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

US state regulations

- US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100) Not listed
- US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Paraffinic Oil (CAS 64742-65-0) PARAFFINIC PETROLEUM OIL (CAS 64742-54-7) TITANIUM DIOXIDE (CAS 13463-67-7)

US. Massachusetts RTK - Substance List

Aqua Ammonia (10-30%) (CAS 1336-21-6) Calcium Carbonate (CAS 1317-65-3) Paraffinic Oil (CAS 64742-65-0) TITANIUM DIOXIDE (CAS 13463-67-7) Zinc Oxide (CAS 1314-13-2)

US. New Jersey Worker and Community Right-to-Know Act

Aqua Ammonia (10-30%) (CAS 1336-21-6) Calcium Carbonate (CAS 1317-65-3) CARBAMIC ACID, 1H-BENZIMIDAZOL-2-YL, METHYL ESTER (CAS 10605-21-7) TITANIUM DIOXIDE (CAS 13463-67-7) Zinc Oxide (CAS 1314-13-2)

US. Pennsylvania Worker and Community Right-to-Know Law

Aqua Ammonia (10-30%) (CAS 1336-21-6) Calcium Carbonate (CAS 1317-65-3) TITANIUM DIOXIDE (CAS 13463-67-7) Zinc Oxide (CAS 1314-13-2)

US. Rhode Island RTK

Aqua Ammonia (10-30%) (CAS 1336-21-6) CARBAMIC ACID, 1H-BENZIMIDAZOL-2-YL, METHYL ESTER (CAS 10605-21-7) Zinc Oxide (CAS 1314-13-2)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

TITANIUM DIOXIDE (CAS 13463-67-7) Listed: September 2, 2011

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

	endaning date of proparation of lact rottelon
Issue date	10-30-2015
Version #	02
HMIS® ratings	Health: 1* Flammability: 0 Physical hazard: 0
NFPA ratings	Health: 0 Flammability: 0 Instability: 0
Disclaimer	This information relates to the specific material designated and may not be valid for such material used on combination with any other materials or in any process. Such information is to the best of our knowledge and belief accurate and reliable as of the date compiled. However, no representation, warranty or guarantee , expressed or implied, is made as to its accuracy, reliability, or completeness. GAF cannot anticipate all conditions under which this information and product, or the products of other manufacturers in combination with this product, may be used. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his particular use. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release. We do not accept liability for any loss or damage that may occur from the use of this information. Nothing herein shall be construed as a recommendation for uses which infringe valid patents or as extending a license of valid patents.
Revision Information	Product and Company Identification: Converted to GAF SDS