



FUMEDOG

Product Catalog

1-800-980-3481
sales@fumedog.com



7 Superior Drive Rome, GA 30161
sales@fumedog.com
(800) 980-3481
www.fumedog.com

Our Story

We are just some good ol' boys from the foothills of the Appalachians who thought it was funny that every time we saw a "welding" video, five guys in matching jumpsuits and perfect hair ran out and started welding.

We started wondering if those companies even knew or cared who welders really are, or what they deal with.

We started wondering why all the descriptions sounded the same way and why none of it sounded like the way any welders we knew would actually talk.

Our purpose, is to build stuff for people like us.

We believe in the following:

Do it right the first time so you only work once.

Anything the people who pay us (customers) find interesting, we find fascinating.

Focus on the end result, what actually works.



FUMEDOG



FUMEDOG



FUMEDOG

Portable Weld Fume Extractor

(FumeDog-PT)

- A 1,200 CFM Portable fume extractor with filter cleaning system.
- Fume Arm included.
- Can be converted from ground mount to wall mount out of the box with no additional accessories.
- The unique Air Stream Filter Cleaner allows for 5-6 times the filter life over traditional reverse pulse systems depending on application.
- Steel construction, not plastic.

How fast will I get
my Fume Dog?

It hits the road in 24 to 48 hours.
After that it is up to God and UPS.



Specifications

Airflow: 1200 CFM
Motor: 1.5 HP
Power: 120v/1ph
Dimensions (in): 40.5" x 26" x 31.5"
Weight (lbs): 215 (no arm)
Arm Diameter (in): 8"

📞 1-800-980-3481

✉️ sales@fumedog.com



FUMEDOG

What is the return policy?

Sales are final. We had a few too many guys trying to use us as a free rental. However our warranty is for 1 year so if anything shows up broken or damaged, contact us.

Wall Mount Weld Fume Extractor

(FumeDog-WM)

Ships From Georgia.

See our manufacturing team.

1,200 CFM Wall Mounted Weld Fume Extractor

Includes Fume Arm.

Air Stream Filter Cleaner which extends filter life 5-6 times.

Can be converted from ground mounted to wall mounted out of the box with no additional accessories required.

Designed for 1-2 Shifts a day, Stick, MIG, or TIG welding.



📞 1-800-980-3481

✉️ sales@fumedog.com



FUMEDOG

Extraction Arm / Snorkel Hanging

- Made of metal, won't melt on you.
- Rotates 360 degrees.
- Hoses at the joints rated for 200 degrees farenheit.
- All the joints are external so you don't need to take the whole thing apart just to tighten it back up.
- Maximum Air Velocity.
- Low Pressure Drop.
- Easy To Use & Move.



Specifications

Airflow: 800 - 1200 CFM
Arm Diameter: 6 - 8 inches
Length: 7 ft, 10 ft, & 14 ft
Construction: Steel and Aluminum
Finish: Powder Coat

Applications

Welding
Dust Collection
Plasma Cutting
Mist Collection

Low friction and easy to operate
Capture at source EXTREME
capture zone
Externally articulated

☎ 1-800-980-3481

✉ sales@fumedog.com



FUMEDOG

Features

Maximum Air Velocity
Low Noise
Unique Cleaning System
Easy To Use & Move

Downdraft Table Fume Extractor (FumeDog-DDT)

400 FPM.
Powder Coated Steel.
Spark Trap and Spark Baffles.
3 in 1 configuration available.
It can be converted from a Downdraft Table, to Ground.
The unique Air Stream Filter Cleaner allows for 5-6 times
the filter life over traditional reverse pulse systems
depending on application.
Grinding or welding
Side walls are hinged to accommodate larger parts.
Designed for 1-2 Shifts, Grinding or Stick, MIG, or TIG Welding

Specifications

Airflow: 400 FPM
Work Surface (in): 36" x 42"
Motor: 1.5 HP
Power: 120v 1/ph
Finish: Powder Coat



☎ 1-800-980-3481

✉ sales@fumedog.com



FUMEDOG

Industrial Air Cleaner

(Ambient)

- A 1,200 CFM ambient weld fume extraction system with filter cleaning system.
- We offer free design so that you get the best airflow pattern.
- These systems are sized depending on the volume of the room, so to know how many you need it takes a little bit of math.

Specifications

Airflow: 1200 CFM
Motor: 1.5 HP
Power: 120v/1ph



What is the shipping policy?

Everything ships LTL on a pallet. DO NOT sign for it until you have inspected the shipment for damage or we can't help you.

If there is damage, make sure it is noted when you receive the package and we will take it from there.

📞 1-800-980-3481

✉️ sales@fumedog.com



FUMEDOG

Wall Mount Weld Fume Extractor with Filter

(Bulldog-FILT)

A 1,200 CFM wall mounted weld fume extraction / exhaust system.


Fume Arm included.
External joints for easy adjustment.
Integrated wall mount bracket.
Available in exhaust or filtered.
Exhaust or filter can come out of left or right side.
Replacement filters are standard size so we can't force you to pay
a ludicrous mark up for a filter you can only get from us.
Steel construction, not plastic.



Specifications

Airflow: 1200CFM
Motor: 1.5 HP
Power: 120v 1/ph
Dimensions (in): 45" x 24" x 23"
(without arm)
Weight: 215 (no arm)
Arm Diameter: 8"

 1-800-980-3481

 sales@fumedog.com



FUMEDOG

Bulldog-EX Wall Mount Weld Fume Extractor / Exhaust

(Bulldog-EX)

- A 1,200 CFM wall mounted weld fume extraction / exhaust system.
- Fume Arm included.
- External joints for easy adjustment.
- Integrated wall mount bracket.
- Available in exhaust or filtered.
- Exhaust or filter can come out of left or right side.
- Steel construction, not plastic.

What does 1200 CFM
even mean?

Listen, we can sit here drawing you little diagrams and showing you fan curves but it doesn't really mean much until you see it with your own two eyes.



Specifications

Airflow: 1200 CFM
Motor: 1.5 HP
Power: 120v 1/ph
Dimensions (in): 45" x 24" x 23"
(without arm)
Weight: 215 (no arm)
Arm Diameter: 8"

📞 1-800-980-3481

✉️ sales@fumedog.com



FUMEDOG

MEGA DRAFT airflow powered by
trademarked adjectives!
POWER PULSE cleaning system

Features

Maximum Air Velocity
Low Noise
Unique Cleaning System
Easy To Use & Move

Platen Downdraft Table Fume Extractor

(FumeDog-DDT-PLAT)

400 FPM.
Powder Coated Steel.
Spark Trap and Spark Baffles.
The unique Air Stream Filter Cleaner allows for 5-6 times
the filter life over traditional reverse pulse systems
depending on application.
Grinding or welding.

Specifications

Airflow: 400 FPM
Work Surface (in): 36" x 42"
Motor: 1.5 HP
Power: 120v 1/ph
Finish: Powder Coat




📞 1-800-980-3481

✉️ sales@fumedog.com



FUMEDOG



WHAT OUR CUSTOMERS ARE SAYING

We are satisfied with the overall performance.
The air quality is better in the lab and the booths
allowed us to add an additional 6 welding booths
in the space available. I would recommend your
product to anyone that has limited space.



FUMEDOG

Trusted By





FUMEDOG

7 Superior Drive Rome, GA 30161
sales@fumedog.com
(800) 980-3481
www.fumedog.com