

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

#### **SDS # :** 31514

# AZOLLA ZS 100

#### Date of the previous version: 2017-10-31

Revision Date: 2018-08-29

Version 3.02

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name	AZOLLA ZS 100
Number	150
Substance/mixture	Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

#### **Identified uses**

Hydraulic oil.

#### 1.3. Details of the supplier of the safety data sheet

Supplier

A - TOTAL UK LIMITED 183 Eversholt St, Kings Cross London, NW1 1BU UNITED KINGDOM Tel: +44 (0)20 7339 8000 Fax: +44 (0)20 7339 8033

B - TOTAL LUBRIFIANTS 562 Avenue du Parc de L'ile 92029 Nanterre Cedex FRANCE Tél: +33 (0)1 41 35 40 00 Fax: +33 (0)1 41 35 84 71

For further information, please contact:

Contact Point	A - HSE
E-mail Address	B - HSE A - rm.gb-msds@total.co.uk
	B - rm.msds-lubs@total.com

#### 1.4. Emergency telephone number

Emergency telephone: +44 1235 239670

UK: National Poisons Information Service (NPIS): NHS on 111 or a doctor

#### Section 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture



# AZOLLA ZS 100

**Revision Date:** 2018-08-29

Version 3.02

#### REGULATION (EC) No 1272/2008 \*\*\*

For the full text of the H-Statements mentioned in this Section, see Section 2.2.\*\*\*

#### Classification

The product is not classified as dangerous according to Regulation (EC) No. 1272/2008\*\*\*

#### 2.2. Label elements

Labelled according to

REGULATION (EC) No 1272/2008\*\*\*

Signal word None\*\*\*

Hazard Statements \*\*\* None\*\*\*

Precautionary statements None\*\*\*

#### 2.3. Other hazards

Physical-Chemical Properties	Contaminated surfaces will be extremely slippery.***
Environmental properties	The product may form an oil film on the water surface that may stop the oxygen exchange.***

#### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixture\*\*\*

Chemical nature Hazardous components	Mineral oil of petroleum origin.*** Do not contain hazardous substance nor substance with european workplace exposure limits in concentration above regulatory thresholds***
Additional information	Product containing mineral oil with less than 3% DMSO extract as measured by IP 346.***

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### Section 4: FIRST AID MEASURES

#### 4.1. Description of first aid measures

General advice	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.***
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and



<b>SDS #:</b> 31514	AZOLLA ZS 100	
	<b>Revision Date:</b> 2018-08-29 V	ersion 3.02
	continue flushing for at least 15 minutes. Keep eye wide open while rinsing.***	
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing before reuse. High pressure jets may cause skin damage. Take victim immediately to hospital.***	
Inhalation	Remove casualty to fresh air and keep at rest in a position comfortable for breathing. If no breathing, give artificial respiration.***	
Ingestion	Clean mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control centre immediately.***	
Protection of first-aiders	First aider needs to protect himself. See Section 8 for more detail. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; induce artific respiration with the aid of a pocket mask equipped with a one-way valve or othe respiratory medical device.***	
4.2. Most important sympto	oms and effects, both acute and delayed	
Eye contact	Not classified based on available data.***	
Skin contact	Not classified based on available data. High pressure injection of the products of skin may have very serious consequences even though no symptom or injury m apparent.***	
Inhalation	Not classified based on available data. Inhalation of vapours in high concentration cause irritation of respiratory system.***	on may
Ingestion	Not classified based on available data. Ingestion may cause gastrointestinal irrit nausea, vomiting and diarrhoea.***	ation,
4.3. Indication of any imme	ediate medical attention and special treatment needed	
Notes to physician	Treat symptomatically.***	
Section 5: FIRE-FIGHTING	MEASURES	
5.1. Extinguishing media		
Suitable extinguishing media	Carbon dioxide (CO 2). ABC powder. Foam. Water spray or fog.***	
Unsuitable Extinguishing Media	Do not use a solid water stream as it may scatter and spread fire.	
5.2. Special hazards arisin	g from the substance or mixture	
Special hazard	Incomplete combustion and thermolysis may produce gases of varying toxicity s carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. T be highly dangerous if inhaled in confined spaces or at high concentration. Com products include sulphur oxides (SO2 and SO3) and Hydrogen sulphide H2S. Phosphorous oxides. Nitrogen oxides (NOx). Mercaptans. Zinc oxides.***	hese may
5.3. Precautions for fire-fig	hters	



<b>SDS #</b> : 31514	AZOLLA ZS 100		
	Revision Date: 2018-08-29 Version 3.0		
Special protective equipment for fire-fighters	Wear self-contained breathing apparatus and protective suit.		
Other information	Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishin water must be disposed of in accordance with local regulations.		
Section 6: ACCIDENTAL RE	LEASE MEASURES		
6.1. Personal precautions,	protective equipment and emergency procedures		
General Information	Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.***		
6.2. Environmental precau	tions		
General Information	Do not allow material to contaminate ground water system. Prevent entry into waterways, sewers, basements or confined areas. Local authorities should be advised if significant spillages cannot be contained.***		
6.3. Methods and material	for containment and cleaning up		
Methods for containment	Dike to collect large liquid spills. If necessary dike the product with dry earth, sand or simila non-combustible materials.***		
Methods for cleaning up	Dispose of contents/container in accordance with local regulation. In case of soil contamination, remove contaminated soil for remediation or disposal, in accordance with local regulations.***		
6.4. Reference to other see	ctions		
Personal protective equipment	See Section 8 for more detail.		
Waste treatment	See section 13.		
Section 7: HANDLING AND	STORAGE		
7.1. Precautions for safe h	andling		

Advice on safe handling	For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapours or spray mist. Avoid contact with skin, eyes and clothing.***
Prevention of fire and explosion	Take precautionary measures against static discharges.***
Hygiene measures	Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Regular cleaning of equipment, work area and clothing is recommended. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.***



#### SDS #: 31514 AZOLLA ZS 100 Revision Date: 2018-08-29 Version 3.02 7.2. Conditions for safe storage, including any incompatibilities **Technical measures/Storage** Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep container tightly closed. Preferably keep in the original container. Otherwise, reproduce all conditions the statutory information from the labels onto the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Store at room temperature. Protect from moisture.\*\*\* Strong oxidising agents.\*\*\* Materials to avoid 7.3. Specific use(s) Specific use(s) Please refer to Technical Data Sheet for further information.\*\*\* Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION 8.1. Control parametres **Exposure limits** Mineral oil mist: USA: OSHA (PEL) TWA 5 mg/m3, NIOSH (REL) TWA 5 mg/m3, STEL 10 mg/m3, ACGIH (TLV) TWA 5 mg/m<sup>3</sup> (highly refined) Legend See section 16

#### 8.2. Exposure controls

#### **Occupational Exposure Controls Engineering measures** Apply technical measures to comply with the occupational exposure limits. Ensure adequate ventilation, especially in confined areas. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.\*\*\* Personal protective equipment **General Information** Protective engineering solutions should be implemented and in use before personal protective equipment is considered. The personal protective equipment (PPE) recommendations apply to the product AS DELIVERED. In case of mixtures or formulations, it is suggested that you contact the relevant PPE suppliers.\*\* **Respiratory protection** None under normal use conditions. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN 14387). Type A/P1. Warning ! filters have a limited use duration. The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses.\*\*\* Eye protection If splashes are likely to occur, wear:. Safety glasses with side-shields. EN 166.\*\*\*



<b>SDS #:</b> 31514	AZOLI	_A ZS 100	
	Revision I	Date: 2018-08-29	Version 3.02
Skin and body protection	Wear suitable protectiv 4/6.***	e clothing. Protective shoes or bo	oots. Long sleeved clothing. Type
Hand protection	Hydrocarbon-proof gloves. Fluorinated rubber. Nitrile rubber. In case of prolonged contact with the product, it is recommended to wear gloves complying with EN 420 and EN 374 standards, protecting at least for 480 minutes and having a thickness of 0,38 mm at least. These values are indicative only. The level of protection is provided by the material of the glove, its technical characteristics, its resistance to the chemicals to be handled, the appropriateness of its use and its replacement frequency. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.***		
Environmental exposure control	<u>S</u>		
General Information	The product should not	be allowed to enter drains, wate	r courses or the soil.
Section 9: PHYSICAL AND	CHEMICAL PROPE	RTIES	
9.1. Information on basic	physical and chemi	cal properties	
9.1. Information on basic Appearance Colour Physical state @20°C Odour Odour Threshold	physical and chemi	<u>cal properties</u> <u>Clear***</u> yellow*** liquid*** <u>characteristic</u> *** No information available	
Appearance Colour Physical state @20°C Odour Odour Threshold <u>Property</u> pH	physical and chemi	Clear*** yellow*** liquid*** characteristic***	<u>Method</u>
Appearance Colour Physical state @20°C Odour Odour Threshold		Clear*** yellow*** liquid*** characteristic*** No information available <u>Remarks</u> Not applicable***	<u>Method</u>
Appearance Colour Physical state @20°C Odour Odour Threshold <u>Property</u> pH Melting point/range Boiling point/boiling range	<u>Values</u> *** 254*** °C***	Clear*** yellow*** liquid*** characteristic*** No information available <u>Remarks</u> Not applicable*** Not applicable***	Cleveland Open Cup (COC)***
Appearance Colour Physical state @20°C Odour Odour Threshold <u>Property</u> pH Melting point/range	<u>Values</u>	Clear*** yellow*** liquid*** characteristic*** No information available <u>Remarks</u> Not applicable*** Not applicable***	
Appearance Colour Physical state @20°C Odour Odour Threshold <u>Property</u> pH Melting point/range Boiling point/boiling range Flash point *** Evapouration rate Flammability Limits in Air Upper *** Lower *** Vapour pressure	<u>Values</u> *** 254*** °C***	Clear*** yellow*** liquid*** characteristic*** No information available <u>Remarks</u> Not applicable*** Not applicable*** No information available*** No information available*** No information available*** No information available***	Cleveland Open Cup (COC)***
Appearance Colour Physical state @20°C Odour Odour Threshold <u>Property</u> pH Melting point/range Boiling point/boiling range Flash point *** Evapouration rate Flammability Limits in Air Upper *** Lower ***	<u>Values</u> *** 254*** °C*** *** 489*** °F***	Clear*** yellow*** liquid*** characteristic*** No information available <u>Remarks</u> Not applicable*** Not applicable*** No information available*** *** No information available*** No information available***	Cleveland Open Cup (COC)*** Cleveland Open Cup (COC)***



Version 3.02

<b>SDS #</b> : 31514	AZOLLA ZS 100	
	Revision Date: 2018-08-29	
Explosive properties Oxidising properties Possibility of hazardous reactions	Not explosive*** Not applicable*** None under normal processing***	
9.2. Other information		

Freezing point	No information available		
***	***		
Section 10: STABILITY AND	REACTIVITY		
10.1. Reactivity			
General Information	None under normal processing.***		
10.2. Chemical stability			
Stability	Stable under recommended storage conditions.		
10.3. Possibility of hazardo	us reactions		
Hazardous reactions	No dangerous reaction known under conditions of normal use.***		
10.4. Conditions to avoid			
Conditions to avoid	Keep away from open flames, hot surfaces and sources of ignition. Keep away from heat and sparks.***		
10.5. Incompatible materia	<u>ls</u>		
Materials to avoid	Strong oxidising agents.***		
10.6. Hazardous Decomposition Products			
Hazardous Decomposition Product	<ul> <li>Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. Phosphorous oxides. Nitrogen oxides (NOx). Mercaptans. Combustion products include sulphur oxides (SO2 and SO3) and Hydrogen sulphide H2S. Zinc oxides.***</li> </ul>		
Section 11: TOXICOLOGICA	L INFORMATION		

## 11.1. Information on toxicological effects

#### Acute toxicity Local effects Product Information

#### Skin contact

. Not classified based on available data. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent.\*\*\*



<b>SDS #</b> : 31514	AZOLLA ZS 100	
	Revision Date: 2018-08-29 Versi	<b>on</b> 3.02
Eye contact	. Not classified based on available data.***	
Inhalation	. Not classified based on available data. Inhalation of vapours in high concentration cause irritation of respiratory system.***	may
Ingestion	. Not classified based on available data. Ingestion may cause gastrointestinal irritat nausea, vomiting and diarrhoea.***	ion,
Acute toxicity - Component Inform	nation	
Sensitisation		
Sensitisation	Not classified based on available data.***	
Specific effects		
Carcinogenicity Germ cell mutagenicity	Not classified based on available data.*** Not classified based on available data.***	
Reproductive toxicity	Not classified based on available data.***	
Repeated dose toxicity		
Target Organ Effects (STOT)		
Specific target organ systemic toxicity (single exposure)	Not classified based on available data.***	
Specific target organ toxicity - repeated exposure	Not classified based on available data.***	
Aspiration toxicity	Not classified based on available data.***	
Other information		
Other adverse effects	Characteristic skin lesions (oil blisters) may develop following prolonged and repeat exposures (contact with contaminated clothing).***	ed

Section 12: ECOLOGICAL INFORMATION

#### 12.1. Toxicity

Not classified based on available data.\*\*\*

#### Acute aquatic toxicity - Product Information\*\*\*

No information available.\*\*\*

#### Acute aquatic toxicity - Component Information



# AZOLLA ZS 100

**Revision Date:** 2018-08-29

Version 3.02

No information available.\*\*\*

#### Chronic aquatic toxicity - Product Information No information available.\*\*\*

Chronic aquatic toxicity - Component Information No information available.\*\*\*

#### Effects on terrestrial organisms No information available.\*\*\*

12.2. Persistence and Degradability

**General Information** No information available.

#### 12.3. Bioaccumulative potential

Product Information	No information available.***			
<b>logPow Component Information</b> 12.4. Mobility in soil	No information available*** No information available.***			
Soil	Given its physical and chemical characteristics, the product generally shows low soil mobility.***			
Air	Loss by evaporation is limited.***			
Water	The product is insoluble and floats on water.***			
12.5. Results of PBT and vPvB assessment				
PBT and vPvB assessment	No information available.***			
12.6. Other adverse effects				
General Information	No information available.***			
Section 13: DISPOSAL CONSIDERATIONS				

#### 13.1. Waste treatment methods

Waste from residues / unused products Should not be released into the environment. Do not empty into drains. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. Where possible recycling is preferred to disposal or incineration.\*\*\*



AZOLLA ZS 100				
	<b>Revision Date: 2018-08-29</b>	Version 3.02		
Contaminated packageing	Empty containers should be taken to an approved waste handling site disposal.***	for recycling or		
EWC Waste Disposal No	According to the European Waste Catalogue, Waste Codes are not participation specific. Waste codes should be assigned by the user bas for which the product was used. The following Waste Codes are only 10.***	ed on the application		
Other information	Refer to section 8 for safety and protective measures for disposal per-	sonnel.***		
Section 14: TRANSPORT	INFORMATION			
ADR/RID_	not regulated			
IMDG/IMO	not regulated			
ICAO/IATA	not regulated			
ADN_	not regulated			

#### Section 15: REGULATORY INFORMATION

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### European Union

#### REACH

All substances contained in this mixture have been pre-registered, registered or are exempt from registration in accordance with Regulation (CE) No. 1907/2006 (REACh)\*\*\*

#### Further information

#### No information available\*\*\*

#### 15.2. Chemical Safety Assessment

Chemical Safety Assessment No information available\*\*\*

#### 15.3. National regulatory information

#### The United Kingdom

• Avoid exceeding occupational exposure limits (see section 8).



# AZOLLA ZS 100

Revision Date: 2018-08-29

Version 3.02

#### Ireland

• Avoid exceeding occupational exposure limits (see section 8).

#### Section 16: OTHER INFORMATION

#### Abbreviations, acronyms

ACGIH = American Conference of Governmental Industrial Hygienists bw = body weight bw/day = body weight/day EC x = Effect Concentration associated with x% response GLP = Good Laboratory Practice IARC = International Agency for Research of Cancer LC50 = 50% Lethal concentration - Concentration of a chemical in air or a chemical in water which causes the death of 50% (one half) of a group of test animals LD50 = 50% Lethal Dose - Chemical amount, given at once, which causes the death of 50% (one half) of a group of test animals LL = Lethal Loading NIOSH = National Institute of Occupational Safety and Health NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration NOEL = No Observed Effect Level OECD = Organization for Economic Co-operation and Development OSHA = Occupational Safety and Health Administration UVCB = Substance of unknown or Variable composition, Complex reaction products or Biological material DNEL = Derived No Effect Level PNEC = Predicted No Effect Concentration dw = dry weight fw = fresh water mw = marine water or = occasional release Legend Section 8 TWA: Time Weight Average STEL: Short Time Exposure Limit

+	Sensitiser	*	Skin designation
**	Hazard Designation	C:	Carcinogen
M:	Mutagen	R:	Toxic to reproduction

 Revision Date:
 2018-08-29

 Revision Note
 \*\*\* Indicates updated section.

 This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.



# AZOLLA ZS 100

**Revision Date: 2018-08-29** 

Version 3.02

End of Safety Data Sheet