

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

DURON™/MC UHP E6 10W-40



000003005532

Version 2.0

Revision Date 2018/04/09

Print Date 2018/04/09

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : DURON™/MC UHP E6 10W-40

Product code : DEU14BLK, DEU14BOX, DEU14DRM, DEU14C20, DEU14J20, DEU14

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : DURON UHP E6 10W-40 is a superior quality heavy duty, low SAPS, diesel engine oil specifically designed to meet ACEA E6 performance requirements. It is classified as an Ultra High Performance Diesel Engine Oil with extended drain performance. Applications include modern low emission diesel engines with cooled exhaust gas recirculation and exhaust after treatment technology.

1.3 Details of the supplier of the safety data sheet

Manufacturer or supplier's details
Petro-Canada Europe Lubricants Limited
Wellington House, Starley Way
Birmingham International Park Solihull B37 7HB
United Kingdom

E-mail address of person responsible for the SDS : EUSDS@petrocanadalsp.com

1.4 Emergency telephone number

Emergency telephone number : Petro-Canada Lubricants Inc.: +1 905-403-5770;
CHEMTREC Transport Emergency: 1-800-424-9300;
Poison Control Centre: Consult local telephone directory for emergency number(s).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

DURON™/MC UHP E6 10W-40



000003005532

Version 2.0

Revision Date 2018/04/09

Print Date 2018/04/09

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Additional Labelling:

EUH210 Safety data sheet available on request.

2.3 Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

| Chemical name | CAS-No. EC-No. Registration number | Classification | Concentration |
|--|--|---|---------------|
| lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based | 72623-86-0 276-737-9 01-2119474878-16-0001 | Asp. Tox. 1; H304 | 40 - 50 % |
| Mineral oil | | Asp. Tox. 1; H304 | 10 - 20 % |
| distillates (petroleum), hydrotreated heavy paraffinic | 64742-54-7 265-157-1 01-2119484627-25-0055 | Asp. Tox. 1; H304 | 1 - 10 % |
| phenol, dodecyl-, branched | 121158-58-5 310-154-3 | Skin irr/cor. 2; H315 Eye irr/damage 2; H319 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Repr. 2; H361 | 0.1 - 0.25 % |

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled : Move to fresh air.
Artificial respiration and/or oxygen may be necessary.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

DURON™/MC UHP E6 10W-40



000003005532

Version 2.0

Revision Date 2018/04/09

Print Date 2018/04/09

- Seek medical advice.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Wash skin thoroughly with soap and water or use recognized skin cleanser.
Wash clothing before reuse.
Seek medical advice.
- In case of eye contact : Remove contact lenses.
Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Obtain medical attention.
- If swallowed : Rinse mouth with water.
DO NOT induce vomiting unless directed to do so by a physician or poison control center.
Never give anything by mouth to an unconscious person.
Seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

- Risks : First aider needs to protect himself.

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

- Unsuitable extinguishing media : No information available.

5.2 Special hazards arising from the substance or mixture

- Specific hazards during firefighting : Cool closed containers exposed to fire with water spray.
- Hazardous combustion products : Carbon oxides (CO, CO₂), sulphur oxides (SO_x), calcium oxides (CaO_x), aldehydes, hydrogen sulphide (H₂S), alkyl mercaptans, sulfides, smoke and irritating vapours as products of incomplete combustion.

5.3 Advice for firefighters

- Further information : Prevent fire extinguishing water from contaminating surface water or the ground water system.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

DURON™/MC UHP E6 10W-40



000003005532

Version 2.0

Revision Date 2018/04/09

Print Date 2018/04/09

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Ensure adequate ventilation.
Evacuate personnel to safe areas.
Material can create slippery conditions.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.

6.2 Environmental precautions

Environmental precautions : If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Prevent further leakage or spillage if safe to do so.
Remove all sources of ignition.
Soak up with inert absorbent material.
Non-sparking tools should be used.
Ensure adequate ventilation.
Contact the proper local authorities.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
In case of insufficient ventilation, wear suitable respiratory equipment.
Avoid contact with skin, eyes and clothing.
Do not ingest.
Keep away from heat and sources of ignition.
Keep container closed when not in use.

Advice on protection against fire and explosion : None known.

Hygiene measures : Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash face, hands and any exposed skin thoroughly after handling.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

DURON™/MC UHP E6 10W-40



000003005532

Version 2.0

Revision Date 2018/04/09

Print Date 2018/04/09

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in a dry, cool and well-ventilated place. Keep in properly labelled containers. To maintain product quality, do not store in heat or direct sunlight.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment

Eye protection : Wear face-shield and protective suit for abnormal processing problems.

Hand protection

Material : neoprene, nitrile, polyvinyl alcohol (PVA), Viton(R).

Remarks : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Skin and body protection

: Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Respiratory protection

: Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Filter type

: organic vapour filter

Protective measures

: Wash hands and face before breaks and immediately after handling the product.
Wash contaminated clothing before re-use.
Ensure that eyewash station and safety shower are proximal to the work-station location.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

DURON™/MC UHP E6 10W-40



000003005532

Version 2.0

Revision Date 2018/04/09

Print Date 2018/04/09

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|--|--|
| Appearance | : viscous liquid |
| Colour | : No data available |
| Odour | : No data available |
| Odour Threshold | : No data available |
| pH | : No data available |
| Pour point | : -39 °C (-38 °F) |
| Boiling point/boiling range | : No data available |
| Flash point | : 237 °C (459 °F) Method: Cleveland open cup |
| Fire Point | : No data available |
| Auto-Ignition Temperature | : No data available |
| Evaporation rate | : No data available |
| Flammability (solid, gas) | : Low fire hazard. This material must be heated before ignition will occur. |
| Upper explosion limit | : No data available |
| Lower explosion limit | : No data available |
| Vapour pressure | : No data available |
| Relative vapour density | : No data available |
| Relative density | : No data available |
| Density | : 0.8604 kg/l |
| Solubility(ies) | |
| Water solubility | : insoluble |
| Partition coefficient: n-octanol/water | : No data available |
| Viscosity | |
| Viscosity, kinematic | : 92.8 cSt (40 °C / 104 °F) 14.2 cSt (100 °C / 212 °F) |
| Explosive properties | : Do not pressurise, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition. |



000003005532

Version 2.0

Revision Date 2018/04/09

Print Date 2018/04/09

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

10.2 Chemical stability

10.3 Possibility of hazardous reactions

Hazardous reactions : Hazardous polymerisation does not occur.
Stable under normal conditions.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : Reactive with oxidising agents, acids, alkalis, halogens and halogenated compounds.

10.6 Hazardous decomposition products

Hazardous decomposition products : May release CO_x, SO_x, CaO_x, H₂S, aldehydes, alkyl mercaptans, sulfides, methacrylate monomers, smoke and irritating vapours when heated to decomposition.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of exposure : Eye contact
Skin contact
Ingestion
Inhalation

Acute toxicity

Product:

Acute oral toxicity : Remarks: No data available

Acute inhalation toxicity : Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: No data available

Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal toxicity
Remarks: No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

DURON™/MC UHP E6 10W-40



000003005532

Version 2.0

Revision Date 2018/04/09

Print Date 2018/04/09

Components:

lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based:

- Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg,
- Acute inhalation toxicity : LC50 (Rat): > 5.2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
- Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg,

Skin corrosion/irritation

Product:

Remarks: No data available

Serious eye damage/eye irritation

Product:

Remarks: No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

- Toxicity to fish : Remarks: No data available
- Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available
- Toxicity to algae : Remarks: No data available
- Toxicity to bacteria :
Remarks: No data available
- Ecotoxicology Assessment
Chronic aquatic toxicity : This product has no known ecotoxicological effects.
Remarks: Test data and bridging principles were applied when the ecotoxicity of the phenol, dodecyl-, branched was considered during determination of the environmental classification of this mixture.

Components:

Phenol, dodecyl-, branched (Lubrizol):

- M-Factor (Acute aquatic toxicity) : 10

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006
DURON™/MC UHP E6 10W-40



000003005532

Version 2.0

Revision Date 2018/04/09

Print Date 2018/04/09

M-Factor (Chronic aquatic toxicity) : 10

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not relevant

12.6 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
Offer surplus and non-recyclable solutions to a licensed disposal company.
Waste must be classified and labelled prior to recycling or disposal.
Send to a licensed waste management company.
Dispose of product residue in accordance with the instructions of the person responsible for waste disposal.

SECTION 14: Transport information

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

ADR: Not Regulated

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

DURON™/MC UHP E6 10W-40



000003005532

Version 2.0

Revision Date 2018/04/09

Print Date 2018/04/09

ADN: Not Regulated

RID: Not Regulated

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water contaminating class : WGK 2 water endangering
(Germany)

The components of this product are reported in the following inventories:

- DSL : On the inventory, or in compliance with the inventory
- TSCA : All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.
- ELINCS : At least one component is not listed in EINECS but all such components are listed in ELINCS.

15.2 Chemical safety assessment

SECTION 16: Other information

Full text of H-Statements

- H304 : May be fatal if swallowed and enters airways.
- H315 : Causes skin irritation.
- H319 : Causes serious eye irritation.
- H361 : Suspected of damaging fertility or the unborn child.
- H400 : Very toxic to aquatic life.
- H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

- Aquatic Acute : Acute aquatic toxicity
- Aquatic Chronic : Chronic aquatic toxicity
- Asp. Tox. : Aspiration hazard
- Eye irr/damage : Serious eye damage/eye irritation
- Repr. : Reproductive toxicity
- Skin irr/cor. : Skin corrosion/irritation

Further information

- For Copy of SDS : Internet: lubricants.petro-canada.com/sds
Europe, telephone: 00-800-7387-6000
For Product Safety Information: 1 905-491-0565

- Prepared by : Product Safety: +1 905-491-0565

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

DURON^{TM/MC} UHP E6 10W-40



000003005532

Version 2.0

Revision Date 2018/04/09

Print Date 2018/04/09

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.