according to Regulation (EC) No. 1907/2006

HEAVY DUTY SYNTHETIC BLEND ATF



Page: 1 / 11

000003000811

Version 2.0 Revision Date 2018/10/25 Print Date 2018/10/25

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : HEAVY DUTY SYNTHETIC BLEND ATF

Product code : PCHDATFICT, PCHDATFIBC, PCHDATFP5R,

> PCHDATFP20, PCHDATFDRR, PCHDATFDRM, PCHDATFDCT, PCHDATF, PCHDATFBLK

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-A heavy duty synthetic blend automatic transmission fluid for stance/Mixture

use in commerical service in a variety of automatic transmis-

sion makes and as a hydraulic and power steering fluid for

mobile equipment.

1.3 Details of the supplier of the safety data sheet

Manufacturer or supplier's details

Petro-Canada Europe Lubricants Limited

Wellington House, Starley Way

Birmingham International Park Solihull B37 7HB

United Kingdom

E-mail address of person responsible for the SDS

EUSDS@petrocanadalsp.com

1.4 Emergency telephone number

Emergency telephone number: Petro-Canada Lubricants Inc.: +1 905-403-5770;

CHEMTREC Transport Emergency: 1-800-424-9300; Poison Control Centre: Consult local telephone directory for

emergency number(s).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Chronic aquatic toxicity, Category 3 H412: Harmful to aquatic life with long lasting ef-

fects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

: H412 Harmful to aquatic life with long lasting effects. Hazard statements

Precautionary statements Prevention:

P273 Avoid release to the environment.

Internet: lubricants.petro-canada.com/sds

TM Owned or used under license.

according to Regulation (EC) No. 1907/2006

HEAVY DUTY SYNTHETIC BLEND ATF



000003000811

Version 2.0 Revision Date 2018/10/25 Print Date 2018/10/25

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		,
	Registration number		
lubricating oils (petroleum), C15-	72623-86-0	Asp. Tox. 1; H304	30 - 50
30, hydrotreated neutral oil-based	276-737-9		
	01-2119474878-16-		
	0001		
Methacrylate copolymers		Eye irr/damage 2;	1 - 10
		H319	
solvent naphtha (petroleum),	64742-94-5	Asp. Tox. 1; H304	2.5 - 10
heavy arom.	265-198-5	Aquatic Chronic 2;	
		H411	
		STOT SE 3; H336	
Methacrylate copolymer		Eye irr/damage 2;	1 - 10
		H319	
bis(nonylphenyl)amine	36878-20-3 253-249-4	Aquatic Chronic 4; H413	1 - 2.5
Sulfurized long-chain alkyl acid	255-245-4	Skin irr/cor. 2; H315	1 - 10
ester		OKIII III/COI. 2, 11313	1 - 10
3-(isodecyloxy)propylamine	30113-45-2	Skin irr/cor. 1B; H314	0.1 - 0.25
	250-056-7	Aquatic Acute 1; H400	
		Aquatic Chronic 2;	
		H410	
		Eye irr/damage 1;	
		H318	
		Acute Tox. 4; H302	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled : Move to fresh air.

Artificial respiration and/or oxygen may be necessary.

Seek medical advice.

Internet: lubricants.petro-canada.com/sds

Page: 2 / 11

TM Owned or used under license.

according to Regulation (EC) No. 1907/2006

HEAVY DUTY SYNTHETIC BLEND ATF



000003000811

Version 2.0 Revision Date 2018/10/25 Print Date 2018/10/25

In case of skin contact : In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

Wash skin thoroughly with soap and water or use recognized

skin cleanser.

Wash clothing before reuse.

Seek medical advice.

In case of eye contact : Remove contact lenses.

Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Obtain medical attention.

If swallowed : Rinse mouth with water.

DO NOT induce vomiting unless directed to do so by a physi-

cian or poison control center.

Never give anything by mouth to an unconscious person.

Seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Risks : First aider needs to protect himself.

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Unsuitable extinguishing

media

No information available.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Cool closed containers exposed to fire with water spray.

Hazardous combustion prod: :

ucts

Carbon oxides (CO, CO2), nitrogen oxides (NOx), smoke and

irritating vapours as products of incomplete combustion.

5.3 Advice for firefighters

Further information : Prevent fire extinguishing water from contaminating surface

water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Ensure adequate ventilation. Evacuate personnel to safe areas.

Internet: lubricants.petro-canada.com/sds

Page: 3 / 11

TM Owned or used under license.

according to Regulation (EC) No. 1907/2006

HEAVY DUTY SYNTHETIC BLEND ATF



000003000811

Version 2.0 Revision Date 2018/10/25 Print Date 2018/10/25

Material can create slippery conditions.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

6.2 Environmental precautions

Environmental precautions : Do not allow uncontrolled discharge of product into the envi-

ronment.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Prevent further leakage or spillage if safe to do so.

Remove all sources of ignition. Soak up with inert absorbent material. Non-sparking tools should be used. Ensure adequate ventilation.

Contact the proper local authorities.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Use only with adequate ventilation.

In case of insufficient ventilation, wear suitable respiratory

equipment.

Avoid contact with skin, eyes and clothing.

Do not ingest.

Keep away from heat and sources of ignition. Keep container closed when not in use.

Advice on protection against

fire and explosion

None known.

Hygiene measures : Remove and wash contaminated clothing and gloves, includ-

ing the inside, before re-use. Wash face, hands and any ex-

posed skin thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Keep in a dry, cool and well-ventilated place. Keep in properly labelled containers. To maintain product quality, do not store

in heat or direct sunlight.

Page: 4 / 11

according to Regulation (EC) No. 1907/2006

HEAVY DUTY SYNTHETIC BLEND ATF



000003000811

Version 2.0 Revision Date 2018/10/25 Print Date 2018/10/25

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment

Eye protection : Wear face-shield and protective suit for abnormal processing

problems.

Hand protection

Material : neoprene, nitrile, polyvinyl alcohol (PVA), Viton(R).

Remarks : Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec-

essary.

Skin and body protection : Choose body protection in relation to its type, to the concen-

tration and amount of dangerous substances, and to the spe-

cific work-place.

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe

working limits of the selected respirator.

Filter type : organic vapour filter

Protective measures : Wash contaminated clothing before re-use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : viscous liquid

Colour : dark red

Odour : No odour or slight petroleum oil like.

Odour Threshold : No data available

pH : No data available

Internet: lubricants.petro-canada.com/sds

Page: 5 / 11

TM Owned or used under license.

according to Regulation (EC) No. 1907/2006

HEAVY DUTY SYNTHETIC BLEND ATF



000003000811

Version 2.0 Revision Date 2018/10/25 Print Date 2018/10/25

Pour point : $-45 \,^{\circ}\text{C} \, (-49 \,^{\circ}\text{F})$

Boiling point/boiling range

No data available

Flash point : 160 °C (320 °F)

Method: Pensky-Martens closed cup

Fire Point : 212 °C (414 °F)

Auto-Ignition Temperature : No data available Evaporation rate : No data available

Flammability (solid, gas) : Low fire hazard. This material must be heated before ignition

will occur.

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure : No data available
Relative vapour density : No data available
Relative density : No data available

Density : 0.8544 kg/l (15 °C / 59 °F)

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-

octanol/water

: No data available

Viscosity

Viscosity, kinematic : 34.3 cSt (40 °C / 104 °F)

7.8 cSt (100 °C / 212 °F)

Explosive properties : Do not pressurise, cut, weld, braze, solder, drill, grind or ex-

pose containers to heat or sources of ignition.

9.2 Other information

SECTION 10: Stability and reactivity

10.1 Reactivity

10.2 Chemical stability

10.3 Possibility of hazardous reactions

Hazardous reactions : Hazardous polymerisation does not occur.

Stable under normal conditions.

Internet: lubricants.petro-canada.com/sds

Page: 6 / 11

TM Owned or used under license.

according to Regulation (EC) No. 1907/2006

HEAVY DUTY SYNTHETIC BLEND ATF



Page: 7 / 11

000003000811

Version 2.0 Revision Date 2018/10/25 Print Date 2018/10/25

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid Reactive with oxidising agents, reducing agents and acids.

10.6 Hazardous decomposition products

Hazardous decomposition

products

May release COx, NOx, smoke and irritating vapours when

heated to decomposition.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of:

exposure

Eye contact Ingestion Inhalation

Skin contact

Acute toxicity

Product:

Acute oral toxicity : Remarks: No data available

Acute inhalation toxicity : Remarks: No data available

: Remarks: No data available Acute dermal toxicity

Components:

lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based:

: LD50 (Rat): > 5,000 mg/kg, Acute oral toxicity

Acute inhalation toxicity LC50 (Rat): > 5.2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg,

solvent naphtha (petroleum), heavy arom.:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg,

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg,

Internet: lubricants.petro-canada.com/sds

TM Owned or used under license.

according to Regulation (EC) No. 1907/2006

HEAVY DUTY SYNTHETIC BLEND ATF



Page: 8 / 11

000003000811

Print Date 2018/10/25 Version 2.0 Revision Date 2018/10/25

Skin corrosion/irritation

Product:

Remarks No data available

Serious eye damage/eye irritation

Product:

No data available Remarks

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : Remarks: No data available

aquatic invertebrates

Toxicity to daphnia and other : Remarks: No data available

Toxicity to algae : Remarks: No data available

Toxicity to microorganisms Remarks: No data available

12.2 Persistence and degradability

Product:

: Remarks: No data available Biodegradability

12.3 Bioaccumulative potential

No data available

Internet: lubricants.petro-canada.com/sds

TM Owned or used under license.

according to Regulation (EC) No. 1907/2006

HEAVY DUTY SYNTHETIC BLEND ATF



000003000811

Version 2.0 Revision Date 2018/10/25 Print Date 2018/10/25

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not relevant

12.6 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Offer surplus and non-recyclable solutions to a licensed dis-

posal company.

Waste must be classified and labelled prior to recycling or

disposal.

Send to a licensed waste management company.

Dispose of product residue in accordance with the instructions

of the person responsible for waste disposal.

SECTION 14: Transport information

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Remarks : ADR: Not Regulated

ADN: Not Regulated RID: Not Regulated

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water contaminating class

(Germany)

: WGK 2 water endangering

The components of this product are reported in the following inventories:

DSL : On the inventory, or in compliance with the inventory

TSCA : All chemical substances in this product are either listed on the

TSCA Inventory or are in compliance with a TSCA Inventory

exemption.

EINECS : On the inventory, or in compliance with the inventory

Internet: lubricants.petro-canada.com/sds

Page: 9 / 11

TM Owned or used under license.

according to Regulation (EC) No. 1907/2006

HEAVY DUTY SYNTHETIC BLEND ATF



Page: 10 / 11

000003000811

Version 2.0 Revision Date 2018/10/25 Print Date 2018/10/25

IECSC : On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

SECTION 16: Other information

Full text of H-Statements

H302 : Harmful if swallowed.

H304 : May be fatal if swallowed and enters airways. H314 : Causes severe skin burns and eye damage.

H315 : Causes skin irritation.

H318 : Causes serious eye damage.
H319 : Causes serious eye irritation.
H336 : May cause drowsiness or dizziness.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.H411 : Toxic to aquatic life with long lasting effects.

H413 : May cause long lasting harmful effects to aquatic life.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Acute aquatic toxicity
Aquatic Chronic : Chronic aquatic toxicity
Asp. Tox. : Aspiration hazard

Eye irr/damage : Serious eye damage/eye irritation

STOT SE : Specific target organ toxicity - single exposure

Skin irr/cor. : Skin corrosion/irritation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evalua-

Internet: lubricants.petro-canada.com/sds

TM Owned or used under license.

according to Regulation (EC) No. 1907/2006

HEAVY DUTY SYNTHETIC BLEND ATF



Page: 11 / 11

000003000811

Version 2.0 Revision Date 2018/10/25 Print Date 2018/10/25

tion, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

For Copy of SDS : Internet: lubricants.petro-canada.com/sds

Europe, telephone: 00-800-7387-6000

For Product Safety Information: 1 905-491-0565

Prepared by : Product Safety: +1 905-491-0565

Classification of the mixture: Classification procedure:

Aquatic Chronic 3 H412 Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REG_EU / EN

Internet: lubricants.petro-canada.com/sds TM Owned or used under license.