

Safety Data Sheet for Flexi Gel

According to US OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000, Regulation (EC) No. 1272/2008, Regulation (EC) No. 1907/2006, Commission Regulation EU No. 2015/830 and Regulation (EU) 2020/878

Date: 02-23-2024

Version: 1.0



SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 PRODUCT IDENTIFIER:

Commercial Product Name: Flexi Gel
Unique Product Code: JNO011
Trade Name: Flexi Gel
Chemical Composition/Product Form: Acrylates Copolymer, Isopropyl Alcohol, Butyl Acetate, Dimethicone, Microcrystalline Wax, Ethyl Trimethylbenzoyl Phenylphosphinate, Iron Oxide Yellow (CI 77492), Titanium Dioxide (CI 77891), Carbon Black (CI 77266), Iron Oxide Red (CI 77491)
CAS No: 25035-69-2, 67-63-0, 123-86-4, 63148-62-9, 63231-60-7, 51274-00-1, 13463-67-7, 1333-86-4, 1309-37-1

1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCES OR MIXTURES AND USES ADVISED AGAINST:

Intended use: This product is intended to be used as a nail care product
Recommended restrictions on use: For professional usage only

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET:

Company Name: JOIN THE NAIL ORDER LTD
Company Address: Unit 5 & 6, 142 Abercorn Street, Paisley, PA3 4DF
Business Telephone: +44 797 991 3457
Website: www.nailorder.co.uk
Email: info@nailorder.co.uk

1.4 EMERGENCY TELEPHONE NUMBERS (24-HOUR EMERGENCY CONTACT):

24-hour Emergency Contact: +44 797 991 3457

SECTION 2: HAZARDS IDENTIFICATION:

2.1 EMERGENCY OVERVIEW:

This SDS should be retained and available for employees and other users of this product. This is a personal care or cosmetic product that is safe for consumers and other users under intended and reasonably foreseeable use. This material is classified as hazardous under **U.S. OSHA regulations (29CFR 1910.1200) (HAZCOM 2012)** and **Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015)**.

2.2 LABELING AND CLASSIFICATION IN ACCORDANCE WITH REGULATION (EU) NO. 1272/2008 – 2017/776 (CLP)

Hazards Classification of Substance: SKIN SENS. 1B, AQUATIC CHRONIC 2, EYE IRRIT. 2, SKIN IRRIT. 2, SKIN SENS. 1, REPR. 2
Signal Word: Warning

Safety Data Sheet for Flexi Gel

According to US OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000, Regulation (EC) No. 1272/2008, Regulation (EC) No. 1907/2006, Commission Regulation EU No. 2015/830 and Regulation (EU) 2020/878

Date: 02-23-2024

Version: 1.0



Hazards Pictograms



Hazard Statements:

- H302:** Harmful if swallowed.
- H312:** Harmful in contact with skin
- H315:** Causes skin irritation.
- H317:** May cause an allergic skin reaction.
- H319:** Causes eye irritation.
- H332:** Harmful if inhaled.
- H335:** May cause respiratory irritation.
- H412:** Harmful to aquatic life with long lasting effects.

Precautionary Statements:

- P261:** Avoid inhale dust/fume/gas/fumes/vapor/spray.
- P264:** Wash thoroughly after handling.
- P271:** Use only outdoors or in a well-ventilated area.
- P272:** Contaminated work clothing should not be allowed out of the workplace.
- P273:** Avoid release to the environment.
- P280:** Wear protective gloves/protective clothing/Wear protective goggles/face protection.

Response Phases:

- P302+352 IF ON SKIN:** Wash with plenty of soap and water.
- P304+P340 IF INHALED:** Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 IF IN EYES:** Rinse cautiously with water for several minutes.
- P312:** Call a POISON CENTER/doctor if you feel unwell.
- P333+P313 If skin irritation or rash occurs:** Get medical advice/attention.
- P362:** Take off contaminated clothing and wash before reuse.
- P363:** Wash contaminated clothing before reuse.
- P337+P313 If eye irritation persists:** Get medical advice/attention.
- P403+P233** Store in a well-ventilated place. Keep container tightly closed.

Storage Statements:

Please refer to Section 7 for Storage and Section 13 for Disposal information.

Disposal Statements:

P501: Dispose of contents and/or container in accordance with local, regional, national and/or international regulation.

Safety Data Sheet for Flexi Gel

According to US OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000, Regulation (EC) No. 1272/2008, Regulation (EC) No. 1907/2006, Commission Regulation EU No. 2015/830 and Regulation (EU) 2020/878

Date: 02-23-2024

Version: 1.0



Please refer to Section 7 for Storage and Section 13 for Disposal information.

Hazard(s) not otherwise classified (HNOC): In addition to any other important health or physical hazards, this product may displace oxygen and cause rapid suffocation.

Supplemental Information: None

2.3 HEALTH HAZARDS OR RISKS FROM EXPOSURE:

2.3.1 SYMPTOMS OF OVEREXPOSURE BY ROUTE OF EXPOSURE:

The most significant routes of overexposure for this product are by contact with skin or eyes. The symptoms of overexposure are described in the following paragraphs.

Acute: Breathing can cause dizziness and unconsciousness.

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention and call a physician if symptoms develop or persist.

Skin Contact: Wash with soap and water. Cover the irritated skin with an emollient. Get medical attention if irritation develops. Cold water may be used.

Eye Contact: Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention.

Ingestion: DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.

Chronic: Severe eye exposure may cause blindness. Severe ingestion may result in death. Severe inhalation may cause lung inflammation and pulmonary edema.

Carcinogenic Effects: Not Available

Mutagenic Effects: Not available

Teratogenic Effects: Not available

Developmental Not available

Toxicity: Not available

Adverse effects: Not available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 TYPE OF PRODUCT:

Mixture

3.2 INGREDIENTS:

CHEMICAL NAME	PRODUCT IDENTIFIER CAS NO.	COMPOSITION%	CLASIFICATION FOR (CLP) 1272/2008
---------------	----------------------------	--------------	--------------------------------------

Safety Data Sheet for Flexi Gel

According to US OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000, Regulation (EC) No. 1272/2008, Regulation (EC) No. 1907/2006, Commission Regulation EU No. 2015/830 and Regulation (EU) 2020/878

Date: 02-23-2024

Version: 1.0



ACRYLATES COPOLYMER	25035-69-2	48.00%	SKIN IRRIT. 2, EYE IRRIT. 2 STOT SE 3
ISOPROPYL ALCOHOL	67-63-0	20.00%	EYE IRRIT. 2, SKIN SENS. 1
BUTYL ACETATE	123-86-4	20.00%	ORAL ACUTE TOX. 4
DIMETHICONE	63148-62-9	5.00%	AQUATIC CHRONIC 3
MICROCRYSTALLINE WAX	63231-60-7	2.00%	SKIN IRRIT. 2, SKIN SENS. 1 EYE IRRIT. 2, STOT SE 3
ETHYL TRIMETHYLBENZOYL PHENYLPHOSPHINATE	84434-11-7	1.00%	SKIN IRRIT. 2, SKIN SENS. 1 EYE IRRIT. 2, STOT SE 3
IRON OXIDE YELLOW (CI 77492)	51274-00-1	1.00%	EYE IRRIT. 2, SKIN SENS. 1
TITANIUM DIOXIDE (CI 77891)	13463-67-7	1.00%	EYE IRRIT. 2, SKIN SENS. 1
CARBON BLACK (CI 77266)	1333-86-4	1.00%	EYE IRRIT. 2, SKIN SENS. 1
IRON OXIDE RED (CI 77491)	1309-37-1	1.00%	EYE IRRIT. 2, SKIN SENS. 1

SECTION 4: FIRST-AID MEASURES

4.1 DESCRIPTION OF FIRST AID MEASURES:

4.1.1 FIRST AID MEASURES GENERAL:

Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

4.1.2 IN CASE OF INHALATION:

Remove to fresh air and keep at rest in a position comfortable for breathing. If breathing stops, give artificial respiration. In case of breathing difficulties administer oxygen by trained personnel. Seek medical attention immediately.

4.1.2 IN CASE OF SKIN CONTACT:

Rapid evaporation of the liquid may cause frostbite. In case of contact with liquid, thaw frosted parts with water, then remove clothing carefully. Wash with plenty of water. Consult a physician. Take off contaminated clothing and shoes immediately. Wash contaminated clothing before re-use.

4.1.3 IN CASE OF EYE CONTACT:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing and immediately get medical attention.

4.1.4 IN CASE OF INGESTION:

Safety Data Sheet for Flexi Gel

According to US OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000, Regulation (EC) No. 1272/2008, Regulation (EC) No. 1907/2006, Commission Regulation EU No. 2015/830 and Regulation (EU) 2020/878

Date: 02-23-2024

Version: 1.0



Ingestion is unlikely because of the physical properties and is not expected to be hazardous. As this product is a gas, refer to the inhalation section.

4.2 SYMPTOMS AND EFFECTS BOTH ACUTE AND DELAYED:

4.2.1 SYMPTOMS/INJURIES:

Causes skin and eye irritations. Material may be irritating to the mucous membranes and upper respiratory tract.

4.2.2 SYMPTOMS/INJURIES AFTER INHALATION:

May cause drowsiness or dizziness

4.2.3 SYMPTOMS/INJURIES AFTER SKIN CONTACT:

May cause skin irritation and itching.

4.2.4 SYMPTOMS/INJURIES AFTER EYE CONTACT:

Causes serious eye irritation.

4.2.5 SYMPTOMS/INJURIES AFTER INGESTION:

May cause irritation of the linings of the mouth, throat and gastrointestinal tract. Ingestion may cause nausea, vomiting and diarrhea.

4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:

No additional information available

SECTION 5: FIREFIGHTING MEASURES

5.1 SUITABLE EXTINGUISHING MEDIA:

Use the following fire extinguishing media:

Water Spray:	No
Carbon Di Oxide:	Yes
Alcohol Resistant Foam:	Yes
Dry Chemical:	Yes

5.2 SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:

Explosion Hazards:	No Information Available
Specific Hazards Arising from the Chemical:	This product is not flammable at ambient temperatures and atmospheric pressure.
Hazardous Combustion Products:	No Information Available
Reactivity:	Not Determined

5.3 ADVICE FOR FIRE FIGHTERS:

Firefighters should wear full firefighting turn-out gear (full Bunker gear) including **NIOSH** approved self-contained breathing apparatus (**SCBA**) with full face piece operated in the pressure demand or other positive pressure mode.

Special protective equipment and

Safety Data Sheet for Flexi Gel

According to US OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000, Regulation (EC) No. 1272/2008, Regulation (EC) No. 1907/2006, Commission Regulation EU No. 2015/830 and Regulation (EU) 2020/878

Date: 02-23-2024

Version: 1.0



precautions for firefighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighter's protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full face piece operated in the positive pressure demand mode when fighting fires.

Firefighting equipment/instructions:

In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Ventilate closed spaces before entering them. Keep run-off water out of sewers and water sources.

Specific methods:

Use water spray to cool unopened containers.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing gas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

6.2 ENVIRONMENTAL PRECAUTIONS:

Prevent further leakage or spillage if safe to do so. The product evaporates readily

6.3 SPILL AND LEAK RESPONSE:

Small Spills:

Ventilate the area

Large Spills:

Ventilate the area

SECTION 7: HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING:

Use with adequate ventilation. Wear suitable protective equipment during handling. Avoid breathing dust, fume or vapors. Wear protective gloves. Avoid contact with skin, eyes and clothing. Keep away from extreme heat and direct flame. Keep container tightly closed when not in use. Wash thoroughly after handling. Protect from moisture.

Safety Data Sheet for Flexi Gel

According to US OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000, Regulation (EC) No. 1272/2008, Regulation (EC) No. 1907/2006, Commission Regulation EU No. 2015/830 and Regulation (EU) 2020/878

Date: 02-23-2024

Version: 1.0



7.1.1 HYGIENE MEASURES:

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:

Technical Measures:

Ensure the ventilation system is regularly maintained and tested. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of mists and/or vapors below the recommended exposure limits. A washing facility/water for eye and skin cleaning purposes should be present. Comply with applicable regulations.

Storage Conditions:

Store locked up. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not handle or store near an open flame, heat or other sources of ignition.

7.3 SPECIFIC END USE(S):

No additional information available

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 EXPOSURE PARAMETERS:

Not Established as a Mixture

8.2 EXPOSURE CONTROLS:

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

Personal Protective Equipment:

avoid all unnecessary exposure. A hazard assessment of the work area for PPE requirements should be conducted by a qualified professional pursuant to OSHA regulations. For certain operations, additional personal protection equipment (PPE) may be required i.e. Protective goggle, gloves, protective clothing.

Respiratory protection:

Wear a self-contained breathing apparatus and appropriate personal protective equipment (PPE) or NIOSH approved respirator. Suggestions provided in this section for exposure control and specific types of protective equipment are based on readily available information. Users should consult with the specific manufacturer to confirm the performance of their

Safety Data Sheet for Flexi Gel

According to US OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000, Regulation (EC) No. 1272/2008, Regulation (EC) No. 1907/2006, Commission Regulation EU No. 2015/830 and Regulation (EU) 2020/878

Date: 02-23-2024

Version: 1.0



protective equipment. Specific situations may require consultation with industrial hygiene, safety, or engineering professionals. Care must be taken to assure that any respirator chosen is capable of protecting the user from both ammonia and ethyl alcohol vapors.

Eye Protection:

Safety glasses or goggles are recommended.

If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards.

Hand Protection:

Glove material: Viton (R) Gloves must be inspected prior to use. Replace when worn. Protective gloves against cold (EN 511)

Remarks: Supplementary note: The specifications are based on information and tests from similar substances by analogy. Due to varying conditions (e.g. Temperature or other strains) it must be considered that the usage of a chemical protective glove in practice may be much shorter than the permeation time determined in accordance with EN 374. Since actual conditions of practical use often deviate from standardized conditions according EN 374 the glove manufacturer recommends using the chemical protective glove in practice not longer than 50% of the recommended permeation time. Manufacturer's directions for use should be observed because of great diversity of types. Suitable gloves tested according EN 374 are supplied

Body Protection:

Use body protect appropriate to task being performed.

If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot protection, as described in U.S. OSHA 29 CFR 1910.136.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:

Appearance (Physical State and Color): Liquid, Transparent

Odor: Light

Safety Data Sheet for Flexi Gel

According to US OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000, Regulation (EC) No. 1272/2008, Regulation (EC) No. 1907/2006, Commission Regulation EU No. 2015/830 and Regulation (EU) 2020/878

Date: 02-23-2024

Version: 1.0



Odor Threshold:	Not Available
pH:	Not Applicable
Melting/Freezing Point:	Not Available
Boiling Point:	>93°C
Flash Point:	105°C
Evaporation Rate:	Not Available
Flammability (Solid; Gas):	Not Available
Upper/Lower Flammability or Explosion Limits:	Not Available
Vapor Pressure:	Not Available
Vapor Density:	Not Available
Relative Density:	Not Available
Density kg/m³ @ 21.1°C:	Not Available
Specific Gravity:	1.10
Solubility in Water:	Slightly Soluble in Water
Weight per Gallon:	Not Available
Partition Coefficient (n-octanol/water):	Not Available
Auto-Ignition Temperature:	Not Available
Decomposition Temperature:	Not Available

9.2 OTHER INFORMATION

No additional information is available at this time

SECTION 10: STABILITY AND REACTIVITY

Reactivity:	Stable under normal conditions. Hazardous polymerization does not occur.
Chemical Stability:	Product is considered stable and hazardous polymerization will not occur.
Possibility of Hazardous Reactions:	No Data Available
Conditions to Avoid:	No Data Available
Incompatible Materials:	No Data Available
Hazardous Decomposition Products:	No Data Available

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS:

No experimental toxicological data on the preparation is available. The toxicological classification for this mixture has been carried out by using the conventional calculation method of the **Regulation (EU) No. 1272/2008~2017/776 (CLP)**.

Safety Data Sheet for Flexi Gel

According to US OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000, Regulation (EC) No. 1272/2008, Regulation (EC) No. 1907/2006, Commission Regulation EU No. 2015/830 and Regulation (EU) 2020/878

Date: 02-23-2024

Version: 1.0



Skin corrosion/irritation:	No Data Available
Serious eye damage/irritation:	No Data Available
Respiratory or skin sensitization:	Not classified (based on available data, the classification criteria are not met)
Germ cell mutagenicity:	Not classified (based on available data, the classification criteria are not met)
Carcinogenicity:	Not classified. No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA, NTP or IARC.
Reproductive Toxicity:	Not classified (based on available data, the classification criteria are not met)
Specific target organ toxicity (single exposure):	Not classified (based on available data, the classification criteria are not met)
Specific target organ toxicity (repeated exposure):	Not classified (based on available data, the classification criteria are not met)
Aspiration Hazards:	Not classified (based on available data, the classification criteria are not met)
Potential adverse human health effects and symptoms:	Based on available data, the classification criteria are not met.
Symptoms/injuries after inhalation:	Not classified (based on available data, the classification criteria are not met)
Symptoms/injuries after skin contact:	Not classified (based on available data, the classification criteria are not met)
Symptoms/injuries after eye contact:	Not classified (based on available data, the classification criteria are not met)
Symptoms/injuries after ingestion:	Not classified (based on available data, the classification criteria are not met)

SECTION 12: ECOLOGICAL INFORMATION

12.1 TOXICITY

No experimental ecotoxicological data on the preparation as such is available. The ecotoxicological classification for this mixture has been carried out by using the conventional calculation method of the **Regulation (EU) No. 1272/2008~2017/776 (CLP)**.

12.2 PERSISTANCE AND DEGRADIBILITY:

No specific test data available for the mixture

12.3 BIO ACCUMULATIVE POTENTIAL:

No specific test data available for the mixture

Safety Data Sheet for Flexi Gel

According to US OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000, Regulation (EC) No. 1272/2008, Regulation (EC) No. 1907/2006, Commission Regulation EU No. 2015/830 and Regulation (EU) 2020/878

Date: 02-23-2024

Version: 1.0



12.4 MOBILITY IN SOIL:

No specific data available on this product.

12.5 RESULTS OF PBT AND vPvB ASSESSMENT:

No specific data available on this product.

12.6 OTHER ADVERSE EFFECTS:

Avoid release to the environment.

12.7 WATER ENDANGERMENT CLASS:

At present, there are no eco-toxicological assessments for this product.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations:

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Additional Information:

Handle empty containers with care because residual vapors are irritants.

Ecology – Waste Materials:

Avoid release to the environment.

SECTION 14: TRANSPORT INFORMATION

14.1 U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS:

This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows;

UN Identification Number: Not Regulated

Proper Shipping Name: None

Hazard Class Number and Description: None

Packing Group: None

DOT Label(s) Required: None

North American Emergency Response Guidebook Number: None

RQ Quantity: None

14.2 ENVIRONMENTAL HAZARDS:

Marine Pollutant:

The components of this product are not designated by the Department of Transportation to be Marine Pollutants (49 CFR 172.101, Appendix B).

14.3 SPECIAL PRECAUTION FOR USER: None

14.4 INTERNATIONAL AIR TRANSPORT ASSOCIATION SHIPPING INFORMATION (IATA) AND ICAO:

This product is considered as dangerous good.

Safety Data Sheet for Flexi Gel

According to US OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000, Regulation (EC) No. 1272/2008, Regulation (EC) No. 1907/2006, Commission Regulation EU No. 2015/830 and Regulation (EU) 2020/878

Date: 02-23-2024

Version: 1.0



14.5 INTERNATIONAL MARITIME ORGANIZATION SHIPPING INFORMATION (IMO):

This product is considered as dangerous good.

14.6 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND IBC CODE:

European Agreement Concerning the International Carriage of Dangerous Goods by Road (ADR):

This product is considered by the United Nations Economic Commission for Europe to be dangerous goods

SECTION 15: REGULATORY INFORMATION

COUNTRY	INVENTORY LIST	STATUS
UNITED STATES	TSCA	All ingredients are listed or otherwise compliant
EUROPE	EINECS or ELINCS	All ingredients are listed or otherwise compliant
CANADA	CEPA (DSL/NDL)	All ingredients are listed or otherwise compliant
AUSTRALIA	AICS	All ingredients are listed or otherwise compliant
JAPAN	ENCS	All ingredients are listed or otherwise compliant
SOUTH KOREA	KECI	All ingredients are listed or otherwise compliant
CHINA	IECSC	All ingredients are listed or otherwise compliant
PHILIPPINES	PICCS	All ingredients are listed or otherwise compliant

US EPA TSCA Requirements: No data available

Canada WHMIS Confidential Business Information (CBI): No data available

US EPA SARA TITLE III Reporting and Notification Requirements:

Subject to Section 302 (TPQ): No data available

Subject to Section 304 (RQ): No data available

Subject to Section 311 or 312: Refer to the health and physical classifications in section 2

Subject to Section 313: No data available

State Regulatory Information: Chemicals listed below may be specifically regulated by individual states. For details on state regulatory requirements you should contact the appropriate state agency.

SECTION 16: OTHER INFORMATION

Prepared By: Syed Muhammad Shamuel Shees (CSP®, CMIOSH®, PE®, Health and Safety Expert)

Date of Printing: 02-23-2024

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of

Safety Data Sheet for Flexi Gel

According to US OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000, Regulation (EC) No. 1272/2008, Regulation (EC) No. 1907/2006, Commission Regulation EU No. 2015/830 and Regulation (EU) 2020/878

Date: 02-23-2024

Version: 1.0



the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. This safety sheet cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary.

All health and safety information contained in this bulletin should be provided to your employees or customers. **JOIN THE NAIL ORDER LTD** assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, **JOIN THE NAIL ORDER LTD** assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Compliance with all applicable federal, state, and local laws and local regulations remains the responsibility of the user.