

1 Step Gel Polish v.2.0 2022 MSDS (Material Safety Data Sheet)

1. Company Information

Company:Beauty Hair Products LLTd 34 Lumina Way London EN11FS

Telephone: 0208 365 1300

Web: www.chromagel.co.uk

2. Product Information

Product model: 2899-11

Product classification: Soak off 3 in 1 gel polish

Product Application: combine base coat, top coat, gel polish 3 kinds gel Characteristics,

Directly used , then cured , it will very gloss and beautiful .

3. Composition/Information on Ingredients

| COMPOSITION&INGREDIENT INFORMATION | | | | | | | |
|------------------------------------|--|-------------|---------------|---------|--|--|--|
| No. | INCI NAME | CAS# | FUNCTION | % (W/T) | | | |
| 1 | ACRYLATES COPOLYMER | 25133-97-5 | Resin | 60-70 | | | |
| 2 | Hydroxyethyl methacrylate(HEMA) | 868-77-9 | dilution | 10-20 | | | |
| 3 | TRIMETHYLBENZOYL DIPHENYLPHOSPHINE OXIDE | 75980-60-8 | Light- curing | 1-3 | | | |
| 4 | HYDROXYCYCLOHEXYL PHENYL KETONE | 947-19-3 | Light- curing | 1-3 | | | |
| 5 | phenyl bis(2,4,6-trimethylbenzoyl)- phosphine oxide | 162881-26-7 | Light- curing | 1-3 | | | |
| | May Contain [+/-]: | | | | | | |
| 6 | CI 45410 | 13473-26-2 | pigment | 0.1-3 | | | |
| 7 | CI 15850 | 5281-04-9 | pigment | 0.1-3 | | | |
| 8 | CI 19140 | 12225-21-7 | pigment | 0.1-3 | | | |
| 9 | CI 77742 | 10101-66-3 | pigment | 0.1-3 | | | |

| 13 | CI 77288 | 1308-38-9 | pigment | 0.1-3 |
|----|----------|------------|---------|-------|
| 12 | CI 77891 | 13463-67-7 | pigment | 0.1-3 |
| 11 | CI 77499 | 12227-89-3 | pigment | 0.1-3 |
| 10 | CI 77510 | 25869-00-5 | pigment | 0.1-3 |

4. Psicochemical Poperty

Viscocity (25°C、mPa.s) 3300-4500 mPa.s

Odor Acrylate resin

PH 6.5

Density (g/cm3) 1.03-1.09

5. Hazards Identification

The products contain acrylic resin may cause skin, eye and respiratory tract Mild irritation Accidental ingestion: Harmful for health

Accidental into the eye: Stimulated

Inhalation: at the first beginning and long time short distance contact may Stimulate the Respiratory tract.

Skin contact: skin contact excess or repeating with glue, may stimulate skin, few person has

Skin allergy.

Sight contact: first contact or long time short distance contact may stimulate eyes

6.Rescue measures

Inhalation: remove to fresh air.

Skin contact: immediately flush skin with cleaning fluid or soap, stop contacting and get Medical attention when cause skin allergy.

Eye contact: immediately flush eyes with plenty of water for 15 minutes. Get medical Attention when still feels uncomfortable.

Accidental ingestion: Get immediate medical attention.

7. Handling and storage

Handling: use in the area with appropriate exhaust ventilation. Do not use in high temperature,

frozen, sparks and flame condition. Prevent directly contact with skin and clothing.

Storage: store in cool and dry condition. Do not fall the poured out gel back to the original

container.

Quality guarantee period: 12 months.

8. Personal protection

Accidental ingestion protection: paste mark like "Industrial Materials" or "Fasting" or other on

the obvious place of the package.

Skin and eyes protection: use gel in the ventilation and spacious environment. Suggest using

disposable gloves or fingering cot for direct user. Suggest using with automatic machine to reduce

body contacting.

9. Stability and Activity

Stability: may affect the stability in environment that exposure to the light, high temperature.

Storage temperature: 8 - 28 °C

Hazardous decomposition products: Oxides of carbon. Oxides of sulfur. Oxides of nitrogen. Oxides

of phosphorus. Other organic gas

Incompatibility: Strong oxidizing agents. Strong Acids & Alkaline.

10.Toxicological information

This product is free solvent, carcinogenic material. The general damage is contact

stimulation; excessive or repeated contact may stimulate skin; at the first beginning and long

time short distance contact may stimulate eyes. The main irritant is acrylic esters.

This product is a low toxicity, LD50>3000mg/kg

11. Ecological information

Avoid directly into the pool of water or sewer before curing. It is typical polymer after

curing, which is no direct damage to environment.

12. Fire prevention measure

Flash point: 105°C

Auto ignition temperature: not available

Flammable/blast minimum levels: not available

Flammable blast maximum levels: not available

Fire extinguishing way: foam fire extinguisher and dry-ice fire extinguishers

Special fire prevention measures: none

Unusual fire or explosion: uncontrollable polymerization at high temperature can cause explosion or crack of the bottle.

Harmful products of combustion: Oxides of carbon. Oxides of sulfur. Oxides of nitrogen. Oxides of phosphorus. Other irritating organic gas.

13. Handling guidelines

After use, the rest of the products of bottles, carton should be handled in accordance with the relevant management.

Due to this product with slight harm to environment before and after using, so there is no strict requirements' processing.

14.Transportation

This products does not contain the international confine of dangerous substances

15.Law

This product applies with regulations; do not belong to the security permission production products.

16.Others

Above details is the security information of Ran Sheng chemical . Any question or want to get more information, welcome to contact us.