CO-FD01 1080p 3000 lm

Project a big screen experience in the home or office. This affordable solution is easy-to-use, Full HD and compact.

Creating the big screen experience at home is easy when you've got this Full HD projector, it's ideal for the office or classroom too. You can achieve an impressive 391 inch display. It's simple to set up and includes 3,000 lumens of brightness for a clear and bright image. A long-lasting solution with the lamp life providing 18 years' worth of entertainment¹.

Bigger is better

Feel immersed in your favourite movies and games with this Full HD 1080p projector, that's capable of creating an impressive 391 inch display. Bringing the screen to life, 3LCD technology achieves a display that is up to three times brighter than competitor products².

Simple set up

We don't think a home projector should be any more complicated to use than a TV. That's why this projector is hassle-free and quick to set up with features such as keystone correction to help quickly position the image. Accessing your entertainment is easy too with the HDMI input for connecting games consoles and more. Best of all, these projectors are super easy to use, letting you watch, play, and do everything you love, only bigger and better.

Long-lasting solution

Looking for a long-term, hassle-free and affordable solution for watching your favourite movies? With this model's long-lasting lamp light source, you'll be able to watch a film every day for 18 years¹.

High-quality, bright images

Even in bright rooms, this powerful yet affordable Full HD 1080p projector delivers exceptionally bright yet colourful images with clear details. It's all thanks to 3LCD technology, which produces an equally high White and Colour Light Output of 3,000 lumens.

KEY FEATURES

- Enjoy the big screen experience Supersize your favourite films, games and sporting events at home
- Easy to set up Keystone correction, HDMI
- Long-lasting solution 18 years¹ worth of entertainment
- Affordable, high-tech equipment Enjoy this Full HD 1080p projector
- Impressive, bright display Equally high White and Colour Light Output of 3,000 lumens





DATASHEET / BROCHURE





PRODUCT SPECIFICATIONS

TECHNOLOGY	
Projection System	3LCD Technology, RGB liquid crystal shutter
LCD Panel	0,59 inch with MLA (D10)
IMAGE	
Color Light Output	3.000 Lumen- 2.000 Lumen (economy) In accordance with ISO 21118:2020
White Light Output	3.000 Lumen - 2.000 Lumen (economy) In accordance with ISO 21118:2020
Resolution	1080p
High Definition	Full HD
Aspect Ratio	16:9
Contrast Ratio	350 : 1
Light source	Lamp
Lamp	UHE, 188 W, 6.000 h durability, 12.000 h durability (economy mode)
Keystone Correction	Manual vertical: ± 30 °, Manual horizontal ± 30 °
Colour Video Processing	8 Bits
2D Vertical Refresh Rate	100 Hz - 120 Hz
Colour Reproduction	16.77 million colours
OPTICAL	
Throw Ratio	1,19 - 1,61:1
Zoom	Digital, Factor: 1 - 1,35
Lens	Optical
Screen Size	26 inches - 391 inches
Projection Distance Wide	0,9 m - 10,4 m
Projection Distance Tele	0,9 m - 10,4 m
Projection Distance Wide/Tel	e 1,64 m (60 inch screen
Projection Lens F Number	1,44
Projection Lens Focus	Manual
Offset	7:1
CONNECTIVITY	
Interfaces	USB 1.0-A, USB 1.0, HDMI 1.4
Epson iProjection App	n/a
ADVANCED FEATURES	
Security	Kensington lock, Padlock, Security cable hole
2D Colour Modes	Dynamic, Cinema, Presentation, sRGB, Blackboard, Vivid
Other features	A/V mute, Built-in speaker, Horizontal and vertical keystone correction, MHL audio/video
Video Oslan Madaa	interface, Quick Corner
Video Color Modes	Blackboard, Cinema, Dynamic, Presentation
GENERAL	
Power consumption	270 Watt (Peak), 214 Watt (Eco), 0,5 Watt (Energy saving standby)
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz
Product dimensions	295 x 211 x 87 mm (Width x Depth x Height)
Product weight	2,4 kg
Noise Level	Normal: 38 dB (A) - Economy: 29 dB (A)
Supported Temperature	Operation 5° C - 40° C
Supported Humidity	Operation -10% - 60%, Storage 10% - 90%
	If the projector is suspended from a ceiling or wall mount and installed in an environment with
	heavy oil smoke or places where oils or chemicals are volatilized, places where a lot of smoke
	or bubbles are used for event staging, or where aroma oils are frequently burned, it can make
	certain parts of our products susceptible to a material degradation which over time could
	break and cause the projector to drop from the ceiling.
	If you are concerned about the environment in which your prejector is installed as if you have
	If you are concerned about the environment in which your projector is installed, or if you have
	and a share an a share a share a same a superior of the subscript and the superior of the 1999 of the
	any other questions, please contact our support department and they can provide additional
l audau a bau	assistance.
Loudspeaker	assistance. 5 Watt
Loudspeaker Room Type / Application Positioning	assistance.

CO-FD01

WHAT'S IN THE BOX

- Main unit
- Power cable
- Quick Start Guide
- Remote control incl. batteries

EPSON[®]

- User manual (CD)
- Warranty card

OPTIONAL ACCESSORIES

- Adapter ELPAP11 Wireless LAN (5GHz) V12H005A01
- Ceiling Mount (White) ELPMB23 V12H003B23
- Soft Carry Case ELPKS69 EB-x05/x41/x42, EH-TW6 series V12H001K69

LOGISTICS INFORMATION

SKU	V11HA84240
EAN code	8715946708188
Country of Origin	Philippines
Layer	6 Units

CO-FD01

Based on watching an average 1hr 45mins film everyday and the lamp set in eco mode.
Colour brightness(colour light output) in brightest mode, measured by a third-party lab in accordance with IDNS 15.4. Colour brightness will vary depending on usage conditions. Top-selling Epson 3LCD projectors versus top selling 1-chip DLP projectors based on NPD sales data for May 2017 – April 2018.

