

EcoTank M3180



Print, scan, copy and fax with this EcoTank including 11,000 pages' worth of ink, and Ethernet, Wi-Fi and USB connectivity.

Mono EcoTank printer for business, with an extremely low TCO in a user-friendly, stylish and compact design. Print up to an amazing 11,000 pages with the included ink that comes in a bottle for mess-free, easy refills. Wi-Fi, USB and Ethernet connectivity, PCL support, and a fast FPOT of six seconds all help to keep productivity high.

Save money

A high ink yield combined with Epson's economical inkjet technology delivers a low TCO and a competitive cost per page.

Save time

This reliable cartridge-free printer features an enhanced ink filling system and easy-to-use ink bottles, keeping intervention to a minimum. Thanks to the ink tank being positioned at the front of the printer, with a clear view of the ink levels, this new design is compact and provides easy access for refilling. Its fast First Page Out Time (FPOT) of six seconds from sleep, and 20ppm print speed, mean you won't be waiting around for jobs.

Save energy

Unlike a laser, our inkjet technology doesn't need any heat during the printing process, helping to keep energy use low and reduce electricity bills.

Business features

Wi-Fi, Ethernet and USB connectivity and a compact footprint mean that it's easy to place on a desktop and connect to a user's PC or laptop.

DATASHEET / BROCHURE



KEY FEATURES

- **Low TCO and energy use**
Keep your printing costs extremely low
- **High ink yields**
Print up to 11,000 pages with the included ink
- **Save time**
Print, scan, copy and fax
- **Built for business**
Duplex printing and PCL support
- **Easy connectivity**
Wi-Fi, USB and Ethernet

PRODUCT SPECIFICATIONS

TECHNOLOGY

Printing Method	PrecisionCore™ TFP print head
Nozzle Configuration	400 Nozzles Black
Minimum Droplet Size	2.8 pl
Ink Technology	Pigment ink
Category	Home Office, Office Desktop, Office Workgroup
All-in-One Functions	Print, Scan, Copy, Fax

PRINT

First Page Out	Monochrome 6 Seconds
Printing Speed ISO/IEC 24734	20 pages/min Monochrome
Duplex Printing Speed ISO/IEC 24734	9 A4 Pages/min Monochrome
Maximum Printing Speed	39 pages/min Monochrome (plain paper 75 g/m ²)
Printing Resolution	1,200 x 2,400 DPI
Printing Volume	5,000 pages per month The maximum number of printed pages per month based on the performance capabilities of the printer, including ISO rated print speeds and paper handling capabilities.
Recommended Duty Cycle	200 - 1,500 pages per month
Colours	Black

For detailed information on printing speeds please visit <http://www.epson.eu/testing>.

SCAN

Single-sided scan speed (A4 black)	7 ipm with ADF scan
Single-sided scan speed (A4 colour)	7 ipm with ADF scan
Scanning Speed	7 ipm (Monochrome, 200 dpi; 7 ipm (Colour, 200 dpi;
Optical Resolution	1,200 DPI x 2,400 DPI (Horizontal x Vertical)
Optical Resolution (ADF)	1,200 DPI x 2,400 DPI (Horizontal x Vertical)
Output formats	BMP, JPEG, PICT, TIFF, PDF, PNG
Scanner type	Contact image sensor (CIS)

FAX

Type of fax	Walk-up black and white and colour fax capability
Fax Transmission Speed	Up to 33.6kbps / Approx. 3 sec/page
Error correction mode	CCITU/ITU Group3 fax with Error Correction Mode
Fax speed dials (max)	100 names and numbers
Page memory	Up to 180 pages (ITU-T No.1 chart)
Fax Functions	PC Fax, Auto Redial, Address Book, Broadcast Fax

COPY

Copy Speed	Up to 17 ipm Black *Simplex ADF 600 x 600 dpi (ISO/ IEC 24735)
Copy resolution (dpi)	600 x 600
Reduction / Enlargement	25 % - 400 %
Maximum number of copies	99
Maximum Copy Size	A4

EcoTank M3180

WHAT'S IN THE BOX

- Printer
- X2 ink bottles
- Warranty document

PRODUCT SPECIFICATIONS

EcoTank M3180

CONNECTIVITY

Interfaces	Hi-Speed USB - compatible with USB 2.0 specification, Ethernet interface (100 Base-TX / 10 Base-T), Wi-Fi Direct, Wireless LAN IEEE 802.11b/g/n
WLAN Security	WEP 64 Bit, WEP 128 Bit, WPA PSK (TKIP), WPA PSK (AES)

PAPER / MEDIA HANDLING

Paper Formats	A4 (21.0x29.7 cm), Legal
Automatic Document Feed	35 pages
Compatible Paper Weight	64 g/m ² - 90 g/m ²
Duplex	Yes
Output Tray Capacity	100 Sheets
Paper Tray Capacity	251 Sheets Standard, 251 Sheets Maximum
Standard paper tray(s)	1-Sheet paper tray, 250-sheet paper tray
Maximum paper input	251
Rear paper path (special media)	Yes
Number of paper trays	2

GENERAL

Recommended number of users	From: 1 To: 3
Energy Use	12 Watt (standalone copying, ISO/IEC 24712 pattern), 14 Watt (Printing), TEC 0.18 kWh/week
Supply Voltage	AC 220 V - 240 V
Product dimensions	375 x 347 x 346 mm (Width x Depth x Height)
Product weight	7.3 kg
Noise Level	6.9 B (A) according to ISO 7779 pattern with Epson Premium Glossy Photo Paper / Photo RPM mode - 56 dB (A) according to ISO 9296
Compatible Operating Systems	Mac OS 10.10.x, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X 10.11.x, Mac OS X 10.12.x, Mac OS X 10.6.8, Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Server 2003 R2 x64, Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista, Windows XP SP3, XP Professional x64 Edition SP2
Sound Power Noise	Operation: 6.9 B (A) Operation: 56 dB (A)
Mobile and Cloud printing services	Epson Connect (iPrint), Google Cloud Print
Power supply	220V, 240V

ADDITIONAL FEATURES

Memory	2 MB Included
Panel	Type: Color, Touchscreen, Diagonal: 6.1 cm
Media Handling	Automatic duplex (A4, plain paper), Rear specialty media feed

OTHER FEATURES

Emulations	PCL5e, PCL6
------------	-------------

SUPPLIES

- 110S EcoTank Pigment black ink bottle C13T01L14A 2,000 pages
- XP-5100 / WF-2860DWF / ET-3700 / ET-4750 / L6000 / ET-15000 Series Maintenance Box C13T04D100
- 110 EcoTank Pigment black ink bottle C13T03P14A 6,000 pages

LOGISTICS INFORMATION

SKU	C11CG93404 C11CG93404BY C11CG93403
EAN code	8715946655246
Country of Origin	Philippines
Layer	2 Units

EcoTank M3180

INK YIELD DATA



110 Mono ink bottle 110



6,000 pages*

* Quoted yields are extrapolated based on Epson original methodology from the print simulation of Test Patterns provided in ISO/IEC 19752. 11,000 pages yield based on two ink bottles included with this printer. 6,000 pages yield based on EcoTank ET-MX1XX Series Black Bottle XL ink bottle sold separately. Quoted yields are NOT based on ISO/IEC24711. Quoted yields may vary depending on the images that you are printing, the paper type that you are using, the frequency of your prints and environmental conditions such as temperature.

* Warranty offers are not available for all countries. Please contact your local Epson representative.

For further information please contact your local Epson office or visit www.epson-europe.com

Austria 01 253 49 78 333 Belgium +32 (0)2 792 04 47 Czech 800/142 052 Denmark 44 50 85 85 Finland 0201 552 091 France 09 74 75 04 04

(Cost of local call, operator charges may apply) Germany +49 (0) 2159/92 79 500 Greece +30 211 198 62 12 Hungary 06800 147 83 Ireland 01 436 7742

Italy 02-660321 10 (0,12 /min) Luxembourg +352 27860692 Middle East +9714 8872172 Netherlands +31 (0)20 708 5099 Norway +47 67 11 37 00

Poland 0-0-800 4911299 (0,16 zł/min) Portugal 707 222 111 Russia (095) 777-03-55 Slovakia 0850 111 429 South Africa (+2711) 465-9621

Spain 93 582 15 00 Sweden 0771-400135 (Mobilsamtal – 0,99 kr/min, Lokala samtal – 0,30 kr/min, Utlandssamtal – 0,89 kr/min) Switzerland 022 592 7923

Turkey (0212) 3360303 United Kingdom 0871 222 6702

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice.

EPSON®