MODEL 1036-7 WALL MOUNT AUTOPSY STATION, SINK LEFT



STANDARD DESIGN FEATURES

Width:	
Length:	
Working Height:	
Overall Height	61 in /155 cm

- All stainless steel construction with heliarc-welded seams and joints, ground and polished to a smooth finish
 Exhaust duct with 8 in./20 cm.
 X 10 in./25 cm. grill
 Full length specimen shelf
 (12 in./30 cm. wide x "length of the unit"
 Large radius on all inside corners for easy cleaning and required sanitation
 Large single-compartment sink with rapid and positive drainage
 Cart-to-sink locking mechanism with slide latch which can be accessed from either side of the carrier

- Large instrument drawer
 Plumbing and electrical lines are factory-installed and require only minimum installation
 GFCI duplex receptacle w/ waterproof cover
 Heavy-duty commercial waste disposer, 1/2 hp and switch
 Light fixture over the work area
 Deluxe aspirator with reverse flow for additional waste removal: "reverse


- Deluxe aspirator with reverse flow for additional waste removal: "reverse flow" feature instantly relieves suction clogging by providing a reverse pressure of water Hot and cold water fixture with convenient goose-neck faucet and wrist blade handles

- Spray hose assembly with cold water control valve, nozzle and 10 ft./3 m. of flexible hose
- Dissecting area rinse assembly with cold water valve
- Complete back-siphon protection provided by reduced pressure principle assembly

Plumbing fixtures can be located in various positions depending on your desired work environment

All measurements in inches/centimeters +-





All measurements in inches/centimeters +-



HYDRO ASPIRATOR



SPRAY HOSE ASSEMBLY



CART LATCH w/ LOCKING MECHANISM



Optional Features & Accessories

See pages 3-13 to 3-17 for a full list of sink station accessories.

Options based on available spaceWhen planning an order, we will assist you in selecting options to complete your system. Please feel free to contact us.

Custom layout and designs are available.

AUTOPSY STATION FEATURES & ACCESSORIES

Options based on available spaceWhen planning an order, we will assist you in selecting options to complete your system. Feel free to contact your sales associate.



LC-50 - 1/2 HP HEAVY DUTY COMMERCIAL DISPOSER Standard on most sinks. Variable power options. Available in 1/2, 1 or 2 HP.



SS-100, SS-200 - HEAVY DUTY COMMERCIAL DISPOSER Variable power options. Available in 1 or 2 HP.



OA-100-WM - CO2/NATURAL GAS VALVES
All brass with chrome plated finish. Wall
Mounted. Visually marked for type of
function required.



OA-101-WM - COMPRESSED AIR VALVE
All brass with chrome plated finish. Wall
Mounted. Visually marked for type of
function required.



OA-102-WM - VACUUM VALVES
All brass with chrome plated finish. Wall
Mounted. Visually marked for type of
function required.




OA-111 - EMERGENCY EYEWASH / HOSE ASSEMBLY

Hand controlled spray to provide a gentle flow of water to rinse eyes of foreign debris.



OA-112 - EYEWASH / FAUCET ASSEMBLY
Deck Mounted Eye wash for hands free
eye wash or can be removed for use as
a drench hose for eye, face, or body use
coverage.



OA-506 - SPRAY HOSE ASSEMBLY WITH BACKFLOW & RECOIL HOSE Wash off contaminants and debris with flexible and wide reaching recoil hose.



OA-113 - EYEWASH - FLIP DOWN STYLE Wall mounted polished chrome-plated brass single action pull down activated eye/face wash.



OA-150 - SPRAY HOSE ASSEMBLY
Easy grip assembly with flexible hose,
conveniently placed for easy spray cleaning.

SINK STATIONS

AUTOPSY STATION FEATURES & ACCESSORIES

Options based on available space When planning an order, we will assist you in selecting options to complete your system. Feel free to contact your sales associate.



OA-203 - ADDITIONAL MIXING FAUCET WITH VACUUM BREAKER Add an additional faucet with vaccuum breaker included.



OA-204 - HANDS FREE MIXING FAUCET Toggle a steady stream of water with this motion activated sensor.



OA-225 - SELECTA SPRAY HOSE ASSEMBLY ldeal for cleaning laboratory glassware, and variety of other instruments using either water or pressurized air.



OA-226 - SELECTA SPRAY HOSE ASSEMBLY ACCESSORIES Multi-purpose accessories for cleaning pipettes, syringes, catheters, curettes, endoscopes, cystoscopes, cannulae and a variety of other instruments.



OA-210 - VENT CONNECTION (TOP SINK)



LW480 - HYDRO ASPIRATOR
With built-in vacuum breaker and control lever used to reverse the flow of water directing it through the hose connections for drawing fluid or rinsing.



LW481 - ASPIRATOR EXTENSIONFabricated from chrome plated brass. and provides further safety against polluted backflow.



OA-206 - EXHAUST DUCT 8 x 10, Each




LW482 - NON-CLOGGING ASPIRATOR HEAD Prevents large debris from entering and clogging the system.



AHT - TROCAR TUBING
10 ft. min., priced per foot. Clear vinyl
Aspirator/Trocar tubing. Internal diameter of
.375 in. and outside diameter of .625 in.



AHS - ASPIRATOR DISCHARGE TUBING 3 ft. min., priced per foot. Splash tubing for aspirator drain, embalming and autopsy tops. Internal diameter of 1 in. and outside diameter of 1.25 in..




OA-115 - THREE SIDED RINSE ASSEMBLY
Provides a rinse to gently wash debris and
non-viable material away from the work area.
A sturdy stainless steel assembly controlled by
an on/off valve.



OA-116 - END RINSE ASSEMBLY
Provides a constant flow of water beneath
the dissecting area grid plates to wash debris
toward sink and drain. Includes cold water
control valve and back flow protection.




OA-202 - ELECTRIC ASPIRATOR
Diaphragm pump unit designed for high performance, powerful suction capability, when and where you need it at a moment's notice. Accommodates 600 ml. glass bottle or 1100 ml. disposable canisters.



LW418 - ELECTRONIC SCALE - PLATFORM *6.5 in. x 5.5 in. Platform, 2000g.*Compact, lightweight, portable and perfectly suited for laboratory and educational purposes. 2200 x 1 gm.



LW419 - ELECTRONIC SCALE - PLATFORM *6.6 in. x 6 in. Platform, 2100g.*Compact, lightweight, portable and perfectly suited for laboratory and educational purposes. 2200 x .1 gm.



LW425 - ELECTRONIC SCALE - PLATFORM 6 in. Platform, 2000g.

Compact, lightweight, portable and perfectly suited for laboratory and educational purposes. 2200 x .1 gm.




LW410 - SCALE POLE AND MOUNTING BRACKET For use with standard hanging autopsy scale. Pole can swivel left and right, and includes locking knob. 44 in. length.



OA-205 - STAINLESS STEEL SCALE SHELF All stainless steel construction adds storage space for accessories. 12 in. x 12 in.



LASER-ETCHED GRADUATED SINKKeep track of the volume of fluid used.




LW485 - EVIDENCE SCREENDesigned to prevent evidence from being washed down drain. Fabricated from perforated stainless steel. For use in 3.5 in. diameter drains.



LW487 - ORGAN RINSE BASKETDesigned to hang on the interior of the sink basin. Ideal for rinsing organs. Fabricated from stainless steel with a perforated bottom.

Options based on available spaceWhen planning an order, we will assist you in selecting options to complete your system. Feel free to contact your sales associate.

SINK STATIONS



LW385, LW386, LW387 - DISSECTING BOARDS Available in 24 in. x 18 in., 18 in. x 12 in. & 20 in. x 15 in.



LW389 - PHOTO-BLUE DISSECTING BOARD Manufactured from high-density polyethylene, providing an excellent cutting surface. Bottom corners have a non–skid rubber foot attached.




LW379 - DISSECTING BOARDS w/ 3 in. LEGSManufactured from high density polyethylene. Provides an excellent cutting surface.
20 in length x 15 in width x .7 in thick cutting board



LW379A - RAISED DISSECTING PLATFORMManufactured from high density polyethylene with adjustable legs. Provides an excellent cutting surface. Color is photo blue.



LW380 - INSTRUMENT DISSECTING TRAY
Stainless steel construction. Heavy gauge
material provides a highly stable work
surface. Tray creased toward center drain
with optional hose attachment to route flow.
Custom heights available.



LW392 - RAISED BODY BOARDSElevates body away from work surface.



MDA-20W - WALL-MOUNTED FORMALIN SPIGOT Conveniently placed formalin supply spout.



OA-201 - FORMALIN DISPENSING AND COLLECTION 2.5 gal. container and receptacle hold reserve formalin and collects waste. Foot controlled motor dispenses formalin at a steady flow.




OA-147-1, OA-147-2, OA-147-3
GLOVE BOX HOLDER Stainless Steel support to hold latex and nitrile glove boxes, holders come in a side or top load model. Available in 1, 2, & 3 capacity.



Options based on available spaceWhen planning an order, we will assist you in selecting options to complete your system. Feel free to contact your sales associate.



OA-144 - MAGNETIC INSTRUMENT HOLDER Conveniently store and organize your instruments.



LW390 - HEADREST (LW390A - available in aluminum)




OA-209-84, OA-209-114, OA-209-132 - STAINLESS STEEL LEG ASSEMBLY



OA-208 - INTEGRAL RAISED DISSECTING AREA



HEIGHT ADJUSTABLE SINK MOUNT STRUCTURE & SURGICAL LIGHTING



Pictured accessories may differ depending on your unit and other optional accessories. Please review the model's standard features to ensure accuracy of specifictions.