

PATHOLOGY GROSSING STATIONS

Model GL100 Elevating Pathology Grossing Station is our premiere unit. It comes standard with all required features for any grossing procedure. We carry a complete listing of optional accessories to fulfill anyone's personal needs.

STANDARD DESIGN FEATURES

Length:60 in./152 cm.
Height (Lowest):77 in./196 cm.
Height (Fully Extended):89.5 in./227 cm.
Width:32 in./81 cm.

- All stainless steel construction of the entire work area and all exterior closure panels
- Height adjustment from 32 in./81 cm. to 44 in./111 cm. via electro hydraulic mechanism
- Adjustable stainless steel shelf
- Ergonomic knee space adjustments allows for seated working height
- Exhaust duct for connection to building ventilation system with adjustable bellows
- Unit features both downdraft and backdraft ventilation
- Foot operated faucet control for hot and cold water
- Spray hose assembly with hand control
- Heavy-duty commercial waste disposer, 1/2 hp and switch
- Dissecting area rinse to provide a constant flow of water below the work area
- Top mounted LED light fixture
- Stainless C-fold paper towel holder
- Magnetic instrument holder
- Polyethylene dissecting board (Photo Blue)
- GFCI duplex receptacle w/waterproof cover

All measurements in inches/centimeters


We also carry Biopsy Bags



Call for more information
(800) 410-0100



72" Model Shown



MODEL GL100 ELEVATING PATHOLOGY WORKSTATION W/DOWNDRAFT & BACKDRAFT VENTILATION


Optional Accessories

See pages 7-14 to 7-16 for a full list of Grossing Station Accessories.

Options based on available space

When planning an order, we will assist you in selecting options to complete your system. Please feel free to contact us.

Custom layout and designs are available.



MODEL GL100 LAYOUT DRAWING & OPTIONAL FEATURES

PATHOLOGY GROSSING STATIONS

Options based on available space

When planning an order, we will assist you in selecting options to complete your system. Feel free to contact your sales associate.



OA-136 - MONITOR AND KEYBOARD MOUNT Allows full articulation of the flat panel monitor and keyboard, folds up right over the mount and extends up to 11".



OA-145 - CPU WALL MOUNT Designed for form factor, these mount fit CPU's from 4.6 to 8" wide. These units are constructed from heavy-duty aluminum, with neoprene padding to protect your CPU as it is clamped securely into the mount.




OA-124 - FLUORESCENT MAGNIFIER LIGHT Flexible spring-balanced arm, handle in shade permits easy positioning.



OA-109 - MICROPHONE ON FLEX ARM Easy-to-adjust, small-diameter, alternating gooseneck provides a steep low frequency attenuation to improve sound pickup without affecting voice quality.



OA-103-107 - HANDS FREE CONTROLS Available for easy On/Off control of the table rinse, mixing faucet, waste disposal, and hot/cold water.



SLSE50-DK - SURGICAL EXAM LIGHT Delivers best in class intensity and color. Dual lens optical system collects and concentrates light into a precise beam.




OA-110 - ARTICULATING CAMERA MOUNT Has an articulated arm with large locking knob with variable friction. Supplied with a quick release camera plate and secondary safety lock.



GL113 - REPLACEMENT FILTERS MODEL GL113 Activated filter for odorous and formaldehyde fumes.



OA-134 - DIGITAL VOICE RECORDER Easy to use voice recorder. Equipped with a front facing LCD screen, both convenient and compact.



OA-123 - FLEX ARM MAGNIFIER LIGHT Flexible spring-balanced arm, handle in shade permits easy positioning. Retractable magnifying extension for closer examination.



OA-156 - FLEX ARM LED LIGHT Adjustable to all angles using a 30" flexible arm and powerful LED bulb.

GROSSING STATION ACCESSORIES



OA-116 - TABLE END RINSE ASSEMBLY
Washes debris towards sink basin controlled by cold water valve or hands free control with back flow prevention.



OA-115 - 3 SIDED PERIMETER RINSE
Washes debris towards sink basin controlled by cold water valve or hands free control.



OA-151 - HOT AND COLD FOOT VALVE
Sturdily constructed dual hot/cold foot pedal helps temper water and keep your hands free while working.



OA-152 - HANDS FREE SOAP DISPENSERS
High-efficiency pump mechanism provides quick and precise dispensing. Easy-to-use button control and the wide opening makes refills fast, easy and mess-free. (2) models available: Deck and Wall Mount.



OA-100-102 - COMPRESSED AIR VALVES
All brass with chrome plated finish. Visually marked for type of function required.



OA-111 - EMERGENCY EYEWASH / HOSE ASSEMBLY
Hand controlled spray to provide a gentle flow of water to rinse eyes of foreign debris.



OA-150 - SPRAY HOSE ASSEMBLY
Easy grip assembly with flexible hose, conveniently placed for easy spray cleaning.



OA-153 - SPECIMEN RINSE
Single mesh fine with a plastic handle includes stainless holder that fits over sink.



OA-113 - FLIP EYEWASH ASSEMBLY
Wall mounted polished chrome-plated brass single action pull down activated eye/face wash.



OA-157 - FORMALIN CARBOY W/ SPIGOT
Space saving rectangular shape and chemical resistant holds 9 liters.



OA-118 - FORMALIN DISPENSING AND COLLECTION
2.5 gl container and receptacle hold reserve formalin and collects waste. Foot controlled motor dispenses formalin at a steady flow.



OA-126 - VENTILATED TRASH CONTAINER
Made of stainless steel, can be provided for waste disposal. Top lid removes to hold a 13 gallon trash liner and 1.5 in./3 cm. duct attaches to station exhaust system for fume removal, Container size: 13" X 13" x 29".

OA-108 - SELF CONTAINED VENTILATION ASSEMBLY

Consisting of 3 blowers with filters to clean and safely recycle air within your work area.





OA-129 - STAINLESS STEEL STORAGE CONTAINERS UTILITY DRAWER / PULL OUT WRITING PLATFORM

Constructed of all stainless steel, this drawer is ideal for additional storage of utensils, office supplies or personal items.



OA-133 - FORM HOLDER

Sturdy construction and can be mounted to store documents away from any fluids and risk of damage, (2) provided standard.



OA-154 - SHARPS DISPOSAL CONTAINER

Solution for disposal of needles, syringes, and lancets, as well as other types of sharps and small quantities of medical waste.



OA-139 - DIGITAL SCALE

Compact scales are lightweight, portable and perfectly suited for laboratory and educational purposes.


OA-147-1, OA-147-2, OA-147-3 GLOVE BOX HOLDER

Stainless Steel support to hold latex and nitrile glove boxes, holders come in a side or top load model. Available in 1, 2, & 3 capacity.



OA-158 - STAINLESS C-FOLD PAPER TOWEL HOLDER

Surface mounted towel dispenser. Fabricated of type 304, 22 gauge stainless. Tumbler lock holds front face in place.



OA-141 - SAFETY SPLASH GUARD

Mounted per customer specification. Articulating arm allows protection for both specimen and user from cross contamination.



OA-132 - STAINLESS STEEL STORAGE CONTAINERS

Containers set in a No. 4 finish, available in (2) sizes and are removable.



OA-125 - REMOVABLE MEASURING RULER

Provides a convenient measuring device. Easily accessed mounted in plain sight.



OA-146 - FULL PLEXIGLASS ENCLOSURE

Covers and protects the working area for a clean and sanitary area. Constructed of 0.5 in./1 cm. plexiglass, contains fumes and reduces contaminants.



OA-155 - DRY ERASE BOARD

Provides easy dry-erase writing for meetings, brainstorming and discussions, strong fiberboard and frame resist warping and bending.



OA-140 - SEISMIC ANCHORS

Securely holds your grossing station in place with sturdy gauge floor mount brackets. Engineered seismic calculations available at an additional cost.

GROSSING STATION ACCESSORIES