

## STANDARD DESIGN FEATURES

Standard size:

- Type 304 stainless steel constructionHeliarc-welded seams and joints, ground and polished to match adjoining surfaces
- (4) Hinged access doors (4) 18 ga./68 L. stainless steel perforated work surface panels recessed by .25 in./1 cm. to prevent fluids escaping.
- (4) GFCI duplex receptacle w/waterproof cover
- Backdraft/downdraft exhaust provided to each work area
- Handicap accessible
- WALL MOUNT configuration: 1 person, 2 person, etc.ISLAND MOUNT configuration: 2 person,
- 4 person, etc.

We carry Scalpel Blades, Scalpel Handles and Surgical Gloves.



Call for more information (800) 410-0100





LC-50 - 1/2 HP HEAVY DUTY COMMERCIAL DISPOSER Standard on most sinks. Variable power options. Available in 1/2, 1 or 2 HP.



100. SS-200 - HEAVY DUTY COMMERCIAL DISPOSER Variable power options. Available in 1 or 2 HP.



Pictured accessories may differ depending on your unit and other optional accessories. Not all accessories available for all models. Please review the model's standard features to ensure accuracy of specifications.



OA-100-DM - CO2/NATURAL GAS VALVES All brass with chrome plated finish. Deck Mounted. Visually marked for type of function required.



OA-101-DM - COMPRESSED AIR VALVE All brass with chrome plated finish. Deck Mounted. Visually marked for type of function required.



OA-102-DM - VACUUM VALVES All brass with chrome plated finish. Deck Mounted. Visually marked for type of function required.



OA-100-WM - CO2/NATURAL GAS VALVES All brass with chrome plated finish. Wall Mounted. Visually marked for type of function required.



OA-101-WM - COMPRESSED AIR VALVE All brass with chrome plated finish. Wall Mounted. Visually marked for type of function required.



OA-102-WM - VACUUM VALVES All brass with chrome plated finish. Wall Mounted. Visually marked for type of function required.



OA-111 - EMERGENCY EYEWASH / HOSE ASSEMBLY Hand controlled spray to provide a gentle

flow of water to rinse eyes of foreign debris.





OA-113 - EYEWASH - FLIP DOWN STYLE Wall mounted polished chrome-plated brass single action pull down activated eye/face wash.

## **CUSTOM LAYOUT AND DESIGN**

We understand that every project is unique. If you have special requirements, we can modify the stations to suit your needs. A custom layout can consist of modifications to allow larger or restricted work areas, additional utilities, shelving, drawers and ventilation.





OA-500 - TABLE END RINSE ASSEMBLY Washes debris towards sink basin controlled by cold water valve or hands free control with back flow prevention.



OA-501 - THREE SIDED RINSE ASSEMBLY
Provides a rinse to gently wash debris and
non-viable material away from the work area.
A sturdy stainless steel assembly controlled by
an ON/OFF valve.




Pictured accessories may differ depending on your unit and other optional accessories. Not all accessories available for all models. Please review the model's standard features to ensure

OA-507 - HOT AND COLD FOOT VALVE Sturdily constructed hot/cold foot pedal helps temper water and keep your hands free while working.



OA-215 - SPRAY RINSE WITH CONTROL VALVE AND VACUUM BREAKER Wall mounted spray rinse hose assembly.



OA-506 - SPRAY HOSE ASSEMBLY WITH BACKFLOW & RECOIL HOSE Wash off contaminants and debris with flexible and wide reaching recoil hose.



OA-204 - HANDS FREE MIXING FAUCET Toggle a steady stream of water with this motion activated sensor.



OA-511 - 3 WAY DIVERTER DRAIN
Change direction of drainage flow using a directional control knob.



203 - ADDITIONAL MIXING FAUCET


WITH VACUUM BREAKER Add an additional

faucet with vaccuum breaker included.

OA-505 - FULL PERFORATED GRID PLATES Specify Model.




DD - DOWNDRAFT VENTILATION ASSEMBLY - CONE



TD - TOTAL DOWNDRAFT VENTILATION ASSEMBLY



OA-525 - SINK COVER - PERFORATED



OA-502 - TIE DOWN BARS
Provides a conveniently placed bar to secure animals during surgery and necropsy procedures. 3 ft. section/2 ties multiply per table length and sides required.



OA-503 - NYLON TIE STRAP
Conveniently secure animals during surgery and necropsy procedures.



OA-510 - HYDRO-ASPIRATOR ASSEMBLY, DECK MOUNT With built-in vacuum breaker and control lever used to reverse the flow of water directing it through the hose connections for drawing fluid or rinsing.



LW481 - ASPIRATOR EXTENSION
Fabricated from chrome plated brass.
and provides further safety against
polluted backflow.



LW482 - NON-CLOGGING ASPIRATOR HEAD Prevents large debris from entering and clogging the system.



AHT - TROCAR TUBING
10 ft. min., priced per foot. Clear vinyl
Aspirator/Trocar tubing. Internal diameter of
.375 in. and outside diameter of .625 in.



AHS - ASPIRATOR DISCHARGE TUBING 3 ft. min., priced per foot. Splash tubing for aspirator drain, embalming and autopsy tops. Internal diameter of 1 in. and outside diameter of 1.25 in.



OA-152 - HANDS FREE SOAP DISPENSERS High-efficiency pump mechanism provides quick and precise dispensing. Easy-to-use button control and the wide opening makes refills fast, easy and mess-free. (2) models available: Deck and Wall Mount.



OA-526 - STAINLESS STEEL WORK AREA DIVIDERS



OA-154 - SHARPS DISPOSAL CONTAINER
Solution for disposal of needles, syringes, and lancets, as well as other types of sharps and small quantities of medical waste.



OA-126 - VENTILATED TRASH CONTAINER Stainless steel construction, removable top lid, holds 13 gallon trash liner, 1.5 in. duct attaches to station exhaust system for fume removal, Container size: 13 in. x 13 in. x 29 in.



OA-136 - MONITOR AND KEYBOARD MOUNT Allows full articulation of the flat panel monitor and keyboard, folds up over the mount and extends up to 11 in. Available as wall mount or 19 in. or 36 in. track.



OA-166 - SINGLE TABLET MOUNT Spring loaded cradle expands and contracts to fit most tablets. Securely holds with exceptional range of motion.



OA-167 - LAPTOP MOUNT
Allows full articulation of laptop platform, folds up over the mount and extends up to 11 in. Available as wall mount or 19 in. or 36 in. track.



OA-145 - CPU WALL MOUNT
Designed to fit CPU's from 4. 6, and 8 in. wide.
Units are constructed from heavy duty
aluminum, with neoprene padding to
protect your CPU as it is clamped securely
into the mount.

## **Build Your Own Mount**

Mortech can offer numerous configuration options, solutions and combinations:

- Over 2,000 modular arm designs that can be adapted to your needs.
- Custom bracket and attachment options to fit your specific device.
- Fully custom mounts to meet your unique challenge

#### **ARM SEGMENTS**




When configuring your custom setup, please consider these questions:

- Mounting to what surface?
- Mounting a flat panel monitor?
- Mounting a keyboard?
- Mount type?
- What arm segments?
- Arm segment length?
- Separate arms?
- Keyboard tray size?
- Keyboard tray type?





OA-124 - LED MAGNIFIER LIGHT
Flexible spring-balanced articulating arm,
handle in shade permits easy positioning.



OA-123 - FLEX ARM MAGNIFIER LIGHT
Flexible spring-balanced arm, handle in
shade permits easy positioning. Retractable
magnifying extension for closer examination.



OA-156 - FLEX ARM LED LIGHT
Adjustable to all angles using a 30 in. flexible arm and powerful LED bulb.



SLSE50-DK - SURGICAL EXAM LIGHT
Delivers best in class intensity and color. Dual
lens optical system collects and concentrates
light into a precise beam.



M184042 - SLMAG - MAGNIFYING EXAM LIGHT World class optics, performance and precision movement. The perfect combination of light quality, positionability and large viewing area.



WAVE - LED MAGNIFIER LIGHT Large viewing area and LED energy saving technology with a 3.5 diopter magnifier.




**LW418 - ELECTRONIC SCALE - PLATFORM** *6.5 in. x 5.5 in. Platform, 2000g.*Compact, lightweight, portable and perfectly suited for laboratory and educational purposes. 2200 x 1 gm.



**LW419 - ELECTRONIC SCALE - PLATFORM** *6.6 in. x 6 in. Platform, 2100g.*Compact, lightweight, portable and perfectly suited for laboratory and educational purposes. 2200 x .1 gm.



LW411 - SCALE POLE AND MOUNTING BRACKET For use with standard hanging autopsy scale. Pole can swivel left and right, and includes locking knob.



OA-141 - SAFETY SPLASH GUARD Mounted per customer specification. Articulating arm allows protection for both specimen and user from cross contamination.



LW425 - ELECTRONIC SCALE - PLATFORM 6 in. Platform, 2000g.

Compact, lightweight, portable and perfectly suited for laboratory and educational purposes. 2200 x .1 gm.



OA-158 - STAINLESS C-FOLD PAPER TOWEL HOLDER Surface mounted towel dispenser. Fabricated of type 304, 22 gauge stainless.



OA-159 - STAINLESS C-FOLD PAPER TOWEL HOLDER - OPEN DESIGN Surface mounted towel dispenser with open design.



OA-148-1 - ADJUSTABLE STAINLESS STEEL SHELF - ONE All stainless steel construction adds storage space for accessories. Adjustable shelf is 12 in. L x 7.5 in D.



OA-148-2 - ADJUSTABLE STAINLESS STEEL SHELF - TWO All stainless steel construction adds storage space for accessories. Adjustable shelf is 12 in. L x 7.5 in D.



OA-149 - STATONARY STAINLESS STEEL SHELF - ONE All stainless steel construction adds storage space for accessories. Stationary shelf is 12 in. L x 7.5 in D.



OA-252 - FOLDING EXTENSION SHELF Stainless steel construction adds storage space for accessories. Up to 36 in. W x 24 L. in.



OA-127 - UTILITY DRAWER
Constructed of all stainless steel, this drawer is ideal for additional storage of utensils, office supplies or personal items



OA-128 - WRITING PLATFORM
Sturdy stainless steel construction provides a reliable smooth surface for writing and conveniently hides away.



OA-129 - COMBO UTILITY DRAWER / WRITING PLATFORM Conveniently combines both accessories in one, a writing platform with storage drawer underneath.



OA-133 - FORM HOLDER
Sturdy construction and can be mounted to store documents away from any fluids and risk of damage, (2) provided standard.



OA-125-24, OA-504-48, OA-302-78 - REMOVABLE MEASURING RULER
Available in 24 in., 48 in. and 78 in. Provides a convenient measuring device, easily accessed and mounted in plain sight.

# Options based on available space

When planning an order, we will assist you in selecting options to complete your system. Feel free to contact your sales associate.



**LW385, LW386, LW387 - DISSECTING BOARDS** Available in 24 in. x 18 in., 18 in. x 12 in. & 20 in. x 15 in.



LW389 - PHOTO-BLUE DISSECTING BOARD Manufactured from high-density polyethylene, providing an excellent cutting surface. Bottom corners have a non-skid rubber foot attached.




LW379 - DISSECTING BOARDS w/ 3 in. LEGS Manufactured from high density polyethylene. Provides an excellent cutting surface. 20 in length x 15 in width x .75 in thick cutting board



LW379A - RAISED DISSECTING PLATFORM Manufactured from high density polyethylene with adjustable legs. Provides an excellent cutting surface. Color is photo blue.



LW380 - INSTRUMENT DISSECTING TRAY
Stainless steel construction. Heavy gauge
material provides a highly stable work surface.
Tray creased toward center drain with optional
hose attachment to route flow. Custom
heights available.



LW390 - HEADREST LW390-A - HEADREST - Aluminum LW390-B - HEADREST - Black



LW485 - EVIDENCE SCREEN
Designed to prevent evidence from being washed down drain. Fabricated from perforated stainless steel. For use in 3.5 in. diameter drains.



LW487 - ORGAN RINSE BASKET
Designed to hang on the interior of the sink
basin. Ideal for rinsing organs. Fabricated
from stainless steel with a perforated bottom.



OA-144 - MAGNETIC INSTRUMENT HOLDER Conveniently store and organize your instruments.



OA-520, OA-521 - DRAWER ASSEMBLY Add a utility drawer. Available in single and double.



OA-523 - MAGNAHELIC GAUGE Quickly indicates air or noncorrosive gas pressures--either positive, negative (vacuum) or differential.



OA-147-1, OA-147-2, OA-147-3 - GLOVE BOX HOLDER Stainless Steel support to hold latex and nitrile glove boxes, holders come in a side or top load model. Available in 1, 2, & 3 capacity.

## Also Available:

OA-524 -

FLUID HOLDING TANK, 50 GAL., WITH CASTERS

OA - 530 -

HEIGHT ADJUSTMENT, 6 IN., ELECTRIC

OA-535 -

HEIGHT ADJUSTMENT, 6 IN., HAND CRANK



OA-512 - FORMALIN CARBOY W/ SPIGOT Space saving rectangular shape and chemical resistant holds 9 liters.



OA-515 - FORMALIN DISPENSING AND
COLLECTION 2.5 gal. container and receptacle
hold reserve formalin and collects waste. Foot
controlled motor dispenses formalin at a steady flow.
Conveniently placed formalin supply spout included.

