

AXOR One Thermostatic module for concealed installation for 2 outlets



product features

- designed to run multiple outlets
- Eco-Function: flow rate regulation via lever handle
- depending on volume flow and installation situation approx. 50% flow rate reduction
- comfortable turning on / off of outlets with large Select-paddle
- multiple outlets can be run simultaneously
- Flow rate per user (at 3 bar): 24 l/min
- Flow rate by simultaneous use of all outlets (at 3 bar): 30 l/min
- thermostat cartridge, start/ stop cartridge
- safety stop at 40°C
- Maximum temperature can be adjusted on installation
- the thermostat offers the possibility for thermal disinfection
- Non-return valve
- Connection type: basic set
- Min. operating pressure: 1 bar
- Noise class: II
- Thermostat is delivered with buttons Handshower and RainLarge
- WRAS 2203012

Article Details

Technology



Certificates




AXOR One
Thermostatic module for concealed installation for 2 outlets




Product image



Scale drawing



Flowchart




AXOR One
Thermostatic module for concealed installation for 2 outlets



Exploded Drawing

Year of production: >11/16



AXOR One
Thermostatic module for concealed installation for 2 outlets



Spare part list

Year of production: >11/16

Pos.		Art. no.	Price	PU
1	handle for thermostat	92600140	-	1
2	handle fixing set	98932000	-	1
3	O-ring 57x2	98210000	-	1
4	escutcheon	92599140	-	1
5	hexagon socket screw M5x25	97664000	-	1
6	control panel	92612140	-	1
7	set of symbols	92541130	-	1
8	O-ring 13x2	98128000	-	1
9	set of lever collars	93121000	-	1
10	shut off unit	98536000	-	1
11	shut off unit	95758000	-	1
12	nut	98368000	-	1
13	safety set	92614000	-	1
14	nut	98913000	-	1
15	O-ring 26x1,5	98390000	-	1
16	thermostat cartridge	98282000	-	1
17	cartridge for exchanged connections	92373000	-	1
18	O-ring 21x1,5	98219000	-	1
19	O-ring 17x1,5	98137000	-	1
20	O-ring 11x2	98127000	-	1
21	non return valve (pressure-resistant up to 2 MPa)	92594000	-	1
22	extension 25 mm	45790000	-	1
a	base body	45710180	-	1