

AXOR Starck
Baton hand shower 2jet
 Surfaces: Art. no. : **28532000**



product features

- Shower head size: 68 x 24 mm
- Spray pattern: Rain, Mono
- spray type adjustment by turning
- Maximum flow rate (at 3 bar): 16.2 l/min
- Flow rate Mono (at 3 bar): 12.4 l/min
- Flow rate Rain (at 3 bar): 16.2 l/min
- minimum flow pressure: 1 bar
- Operating pressure: min. 1 bar/max. 6 bar
- rinseable screen seal
- Connection thread 1/2"
- WRAS 1805023
- WRAS 1805023 - WRAS 1805023 Approval letter

Article Details

Technology




Certificates



Product image




Scale drawing



AXOR Starck
Baton hand shower 2jet
 Surfaces: Art. no. : **28532000**



Flowchart




The consumption was measured in combination with the appropriate fittings (thermostat/mixer/ in-wall valve) to reflect actual application in practice.

AXOR Starck
Baton hand shower 2jet
Surfaces: Art. no. : **28532000**



Exploded Drawing

Year of production: >04/05



AXOR Starck
Baton hand shower 2jet
 Surfaces: Art. no. : **28532000**



Spare part list

Year of production: >04/05

Pos.		Art. no.	Price	PU
1	filter packing	94246000	-	1
2	selector assy	95511000	-	1
3	spray former	95411000	-	1
4	O-Ring 14x2,5	98189000	-	1
a	flow-restrictor-set	92019000	-	1