Гra		ion (EC) No. 1907	/2006 (REACH)	
levisi	-			
levisi	de name :	Lithofin AL	GFX	
Print c	on date :	30.01.2019	Version (Revisior	<b>n):</b> 4.0.3 (4.0.2)
	date :	01.02.2019		
SEC1	FION 1: Identific	ation of the subst	ance/mixture and of the compa	any/undertaking
	Product identifie			
	Lithofin ALGEX			
2			bstance or mixture and uses ad	vised against
	Relevant identi	<b>fied uses</b> I cleaning products, aque	our solution	
.3			only representative/downstrea	am user/distributor
	Distributor :		CDK Stone Pty Ltd	
	Street :		4-6 Freighter Rd	
	Postal code/city :		AUS-Moorabbin, Victoria 3189	
	Telephone :		+61 3 8552-6000	
	Telefax :		+61 3 8552-6001	
	Contact :		Technical Department E-mail: enquiries@cdkstone.com.au	
			Emergency telephone number: +61 (0)3 8552-6000 (Only available during office hours)	
	Supplier :		Lithofin AG	
	Street :		Heinrich-Otto-Str. 36	
	Postal code/city :		73240 Wendlingen	
	Telephone :		+49 (0)7024 9403-0	
	Telefax :		+49 (0)7024 9403-40	
	Contact :		Technical Department E-mail: info@lithofin.de	
			Emergency telephone number: +49 (0)7024 9403-0	
4	Emorgonov tolor	hono numbor	(Only available during office hours)	
	Emergency telep see section 1.3			
SECT	FION 2: Hazards	identification		
			·	
2.1	Classification a Aquatic Acute 1 ; H4	00 - Hazardous to the ad	ation (EC) No 1272/2008 [CLP] uatic environment : Acute 1 ; Very toxic to a aquatic environment : Chronic 2 ; Toxic to a	aquatic life.
	Eye Dam. 1 ; H318 -	- Skin corrosion/irritation	e irritation : Category 1 ; Causes serious eye n : Category 1B ; Causes severe skin burns a	
			ing to regulation (EC) No 1272/2008 [CLP].	
2.2		UH-phrases: see section	16.	
	Labelling accord Hazard pictogram		n (EC) No. 1272/2008 [CLP]	

Page : 1 / 12

Trade name : Display by the second secon	: 4.0.3 (4.0.2)
Signal word Danger Hazard components for labelling QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C 12-16-ALKYLDIMETHL, CHLORIDES ; CAS Alcohols, C12-15, branched and linear, ethoxylated and propoxylated ; CAS No. : 120313-48-6 Hazard statements	
Signal word Danger Hazard components for labelling QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C 12-16-ALKYLDIMETHL, CHLORIDES ; CAS Alcohols, C12-15, branched and linear, ethoxylated and propoxylated ; CAS No. : 120313-48-6 Hazard statements	
Signal word Danger Hazard components for labelling QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C 12-16-ALKYLDIMETHL, CHLORIDES ; CAS Alcohols, C12-15, branched and linear, ethoxylated and propoxylated ; CAS No. : 120313-48-6 Hazard statements	
Signal word Danger Hazard components for labelling QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C 12-16-ALKYLDIMETHL, CHLORIDES ; CAS Alcohols, C12-15, branched and linear, ethoxylated and propoxylated ; CAS No. : 120313-48-6 Hazard statements	
Hazard components for labelling QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C 12-16-ALKYLDIMETHL, CHLORIDES ; CAS Alcohols, C12-15, branched and linear, ethoxylated and propoxylated ; CAS No. : 120313-48-6 Hazard statements	
QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C 12-16-ALKYLDIMETHL, CHLORIDES ; CAS Alcohols, C12-15, branched and linear, ethoxylated and propoxylated ; CAS No. : 120313-48-6 Hazard statements	
H314 Causes severe skin hurns and eve damage	
H400 Very toxic to aquatic life.	
H411 Toxic to aquatic life with long lasting effects.	
Precautionary statements	
P102 Keep out of reach of children.	
P280 Wear protective gloves/protective clothing/eye protection/face prot	tection.
P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.	
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove and easy to do. Continue rinsing.	ve contact lenses, if preser
P405 Store locked up.	
P501 Dispose of contents/container in accordance with local and national	l regulations.

## Adverse human health effects and symptoms

Due to its pH value (see section 9), irritation of the skin and eyes cannot be ruled out.

# 2.4 Additional information

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### **Hazardous ingredients**

QUATERNARY AMMONIUM COMPOUN 68424-85-1	DS, BENZYL-C 12-16-ALKYLDIMETHL, CHLORIDES ; EC No. : 270-325-2; CAS No. :
Weight fraction :	≥ 15 - < 20 %
Classification 1272/2008 [CLP] :	Met. Corr. 1 ; H290 Skin Corr. 1B ; H314 Eye Dam. 1 ; H318 Acute Tox. 4 ; H302 Aquatic Acute 1 ; H400 Aquatic Chronic 1 ; H410
Alcohols, C12-15, branched and linear,	, ethoxylated and propoxylated ; EC No. : 639-733-1; CAS No. : 120313-48-6
Weight fraction :	≥ 1 - < 2,5 %
Classification 1272/2008 [CLP] :	Eye Dam. 1 ; H318 Skin Irrit. 2 ; H315 Aquatic Acute 1 ; H400 Aquatic Chronic 3 ; H412
Additional information	

#### A

All ingredients of this mixture are (pre)registered according to REACH regulation. Full text of H- and EUH-phrases: see section 16.

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

# **General information**

When in doubt or if symptoms are observed, get medical advice. Never give anything by mouth to an unconscious person or a person with cramps. If unconscious place in recovery position and seek medical advice.

01.02.2019

# Trade name :

Revision date : Print date : Lithofin ALGEX

e :

Version (Revision) :

4.0.3 (4.0.2)

# **Following inhalation**

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration. In case of respiratory tract irritation, consult a physician.

#### In case of skin contact

After contact with skin, wash immediately with plenty of water and soap. Immediately remove any contaminated clothing, shoes or stockings. Do not wash with: Cleaning agent, acidic Cleaning agent, alkaline Solvents/Thinner

#### After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

#### After ingestion

Call a physician immediately. Keep at rest. If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Do NOT induce vomiting.

#### Self-protection of the first aider

First aider: Pay attention to self-protection!

## 4.2 Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed Notes for the doctor

Treat symptomatically.

#### Special treatment

First Aid, decontamination, treatment of symptoms.

# **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media Water spray ABC-powder Foam

#### Unsuitable extinguishing media

Full water jet Strong water jet

# 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide Carbon dioxide (CO2)

# 5.3 Advice for firefighters

Use suitable breathing apparatus.

# Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

#### 5.4 Additional information

Use water spray jet to protect personnel and to cool endangered containers. Do not allow run-off from fire-fighting to enter drains or water courses. Do not inhale explosion and combustion gases. The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment (refer to section 8). Provide adequate ventilation. Remove persons to safety.

#### 6.2 Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

# 6.3 Methods and material for containment and cleaning up

#### For cleaning up

Suitable material for taking up: Universal binder Clean contaminated articles and floor according to the environmental legislation. Retain contaminated washing water and dispose it. Dispose of waste according to applicable legislation.

ling to Regulat	eet tion (EC) No. 1907/2006 (REA	CH)	
e name :	Lithofin ALGEX		
date :	30.01.2019	Version (Revision) :	4.0.3 (4.0.2)
e :	01.02.2019		
	e name :	e name : Lithofin ALGEX date : 30.01.2019	date : 30.01.2019 Version (Revision) :

# 6.4 Re

Safe Personal protection equipment: see section 8 Disposal: see section 13

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

When using do not eat, drink, smoke, sniff.

#### Protective measures

All work processes must always be designed so that the following is excluded: Inhalation of vapours or spray/mists Skin contact Eye contact Wear personal protection equipment (refer to section 8). Always close containers tightly after the removal of product. Do not breathe gas/fumes/vapour/spray. Use only in well-ventilated areas. If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means. Technical measures and the application of suitable work processes have priority over personal protection equipment.

#### Measures to prevent fire

The product is not: Flammable Usual measures for fire prevention.

Fire class : nein

Shake well before use

# Advices on general occupational hygiene

P362+P364 - Take off contaminated clothing and wash it before reuse.

# 7.2 Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed. Keep/Store only in original container. The floor should be leak tight, jointless and not absorbent. Ensure adequate ventilation of the storage area.

#### Hints on joint storage

Storage class (TRGS 510): 8B

Protect from frost nein

Recommended storage temperature 5 - 25 °C

# Further information on storage conditions

Keep locked up and out of reach of children. Keep container tightly closed in a cool, well-ventilated place.

# 7.3 Specific end use(s)

#### Recommendation

Observe technical data sheet. Observe instructions for use.

#### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

None

#### 8.2 Exposure controls

#### Appropriate engineering controls

Ensure adequate ventilation of the storage area. Technical measures and the application of suitable work processes have priority over personal protection equipment.

#### Personal protection equipment

#### Eye/face protection

Suitable eye protection Eye glasses with side protection goggles **Required properties DIN EN 166** 

# Skin protection

#### Hand protection

Suitable gloves type : Gloves with long cuffs

# Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

# Trade name :

Revision date : Print date :

# Lithofin ALGEX

30.01.2019 01.02.2019 Version (Revision) :

4.0.3 (4.0.2)

**Suitable material** : NBR (Nitrile rubber), 0,4mm, >8h; Butyl caoutchouc, 0,5mm, >8h; FKM (fluoro rubber), 0,7mm, >8h;

**Recommended glove articles** : Manufacturer KCL GmbH/Eichenzell-Germany; Ansell/Yarra City-Australia Or comparable articles from other companies.

Additional hand protection measures : Check leak tightness/impermeability prior to use.

**Remark** : Breakthrough times and swelling properties of the material must be taken into consideration. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Barrier creams are not substitutes for body protection.

#### Body protection

Protective clothing.

Suitable protective clothing : Chemical protection clothing Chemical resistant safety shoes

#### Required properties : alkali-resistant.

Protective clothing. : DIN EN ISO 20345 DIN EN 13034 DIN EN 14605 footwear : DIN EN 14404

Remark : Barrier creams are not substitutes for body protection.

#### **Respiratory protection**

Usually no personal respirative protection necessary. Respiratory protection necessary at: insufficient ventilation aerosol or mist formation. high concentrations spray application

#### Suitable respiratory protection apparatus

Combination filtering device (EN 14387) Half-face mask (DIN EN 140) ABEK-P1

#### Remark

Use only respiratory protection equipment with CE-symbol including four digit test number. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

## General health and safety measures

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500. When using do not eat, drink, smoke, sniff. Keep away from food, drink and animal feeding stuffs. Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing immediately. Wash contaminated clothing prior to reuse. Wash hands before breaks and after work. Apply skin care products after work. Do not breathe gas/fumes/vapour/spray.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Appearance :	Liquid
Colour :	blue

Colour	•	blue
Odour	:	perfumed

# Safety relevant basis data

ta				
(1013 hPa)	approx.	0	°C	
(1013 hPa)	approx.	99	°C	
(1013 hPa)		not determined		
		not applicable		closed cup (EN ISO 3679)
		not determined		
		No		UN Test L2:Sustained combustibility test
		not determined		
		not determined		
( 50 °C )	<	3000	hPa	
( 20 °C )		0,99	g/cm <sup>3</sup>	Pyknometer (DIN EN ISO 2811-1)
( 20 °C )	<	3	%	Test L1: Solvent separation test (UN)
( 20 °C )		miscible		
	approx.	8		DIN 19268
	( 1013 hPa ) ( 1013 hPa ) ( 1013 hPa ) ( 50 ℃ ) ( 20 ℃ ) ( 20 ℃ )	( 1013 hPa ) approx. ( 1013 hPa ) approx. ( 1013 hPa ) ( 50 °C ) < ( 20 °C ) < ( 20 °C ) < ( 20 °C ) <	( 1013 hPa ) approx. 0   ( 1013 hPa ) approx. 99   ( 1013 hPa ) not determined   ( 1013 hPa ) not determined   not applicable not determined   not determined not determined   ( 50 °C ) < 3000   ( 20 °C ) < 3   ( 20 °C ) < 3   ( 20 °C )  3	( 1013 hPa ) approx. 0 ℃   ( 1013 hPa ) approx. 99 ℃   ( 1013 hPa ) not determined not applicable   ( 1013 hPa ) not determined not determined   not determined not determined not determined   ( 50 °C ) < 3000 hPa   ( 20 °C ) < 3 %   ( 20 °C ) < 3 %

# Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

# Trade name :

Revisio Print d

# Lithofin ALGEX

ion date : date :	30.01.2019 01.02.2019		Version (Revision) :	4.0.3 (4.0.2)
log P O/W : Flow time :	( 23 °C )	approx.	not determined 13 s	(Mixture) ISO cup 4 mm (DIN EN ISO 2431)

Odour threshold : not determined Vapourisation rate : not determined VOC content-EC Wt % 0 approx. Décret no 2011-321 du not applicable **VOC-France** 23 mars 2011

(\* VOC-EC = "Volatile organic compound (VOC)" means any organic compound having an initial boiling point less than or equal to 250°C measured at a standard pressure of 101,3 kPa; VOC-value in g/L)

## 9.2 Other information

None

#### **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

#### 10.2 Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

#### **10.3 Possibility of hazardous reactions**

No hazardous reaction when handled and stored according to provisions.

#### 10.4 Conditions to avoid

Stable under recommended storage and handling conditions.

## **10.5 Incompatible materials**

The product develops hydrogen in an aqueous solution in contact with metals.

## **10.6 Hazardous decomposition products**

Does not decompose when used for intended uses.

# **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

#### Acute effects

There are no data available on the preparation/mixture itself. Data apply to the main component.

Acute oral toxicity	
Parameter :	LD50 ( QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C 12-16-ALKYLDIMETHL, CHLORIDES ; CAS No. : 68424-85-1 )
Exposure route :	Oral
Species :	Rat
Effective dose :	398 mg/kg
Parameter :	LD50 ( Alcohols, C12-15, branched and linear, ethoxylated and propoxylated ; CAS No. : 120313-48-6 )
Exposure route :	Oral
Species :	Rat
Effective dose :	> 2000 mg/kg
Acute dermal toxicity	
Parameter :	LD50 ( QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C 12-16-ALKYLDIMETHL, CHLORIDES ; CAS No. : 68424-85-1 )
Exposure route :	Dermal
Species :	Rat
Effective dose :	> 2500 mg/kg
Parameter :	LD50 ( Alcohols, C12-15, branched and linear, ethoxylated and propoxylated ; CAS No. : 120313-48-6 )
Exposure route :	Dermal
Species :	Rat

Safety Data She				( EN / D
ccording to Regulat	tion (EC) No.	. 1907/2006 (RE	ACH)	
rade name :	Lithofir	າ ALGEX		
evision date : rint date :	30.01.2019 01.02.2019		Version (Revision) :	4.0.3 (4.0.2)
Effective dose : Specific sympto There are no data a Irritant and co	oms in anima vailable on the pr	eparation/mixture itself		
Assessment/class				
Causes serious eye	e damage. Causes	severe burns.		
Sensitisation				
		eparation/mixture itself		
		pacute, subchron		
	•	eparation/mixture itself		
Carcinogenicity	arcinogenicit	ly, mutagenicity	and toxicity for reproduction	n)
		preparation/mixture itse	lf.	
No indication of h		icity.		
Germ cell mutage	-			
-	available on the p	preparation/mixture itse nutagenicity exist.	lf.	
Reproductive toxi	icity			
There are no data	available on the p	preparation/mixture itse	lf.	
Other informatio				
No indications of				
Overall Assessme			classification as CMR category 1A or 1	B according to CLP
STOT-single ex			classification as child category IA of II	
See SECTION 2.1 (c	-			
STOT-repeated				
-	-			
See SECTION 2.1 (c				
Aspiration haza				
See SECTION 2.1 (c	lassification).			
ECTION 12: Ecologi	ical informat	ion		
2.1 Toxicity				
		ere are no data availab	le on the preparation/mixture itself.	
Aquatic toxicity	•			
Chronic (long-ter		-		
Parameter :		NOEC ( QUATERNARY AN CHLORIDES ; CAS No. : (	MONIUM COMPOUNDS, BENZYL-C 12- 58424-85-1 )	16-ALKYLDIMETHL,
Species :		Daphnia	56121051)	
Effective dose :		0,025 mg/l		
Exposure time :		21 d		
Method :		OECD 211		
Acute (short-term				
Parameter :		CHLORIDES ; CAS No. :	IMONIUM COMPOUNDS, BENZYL-C 12-: 58424-85-1 )	ι6-ALKYLDIMETHL,
Species :		Daphnia		
Effective dose :		0,016 mg/l 48 b		
Exposure time : Parameter :		48 h EC50 ( Alcohols, C12-15, No. : 120313-48-6 )	branched and linear, ethoxylated and p	propoxylated ; CAS
Species :		Daphnia		
Effective dose :		> 1 - 10 ma/l		

Page : 7 / 12

> 1 - 10 mg/l 48 h

Effective dose :

Exposure time :

Safety Data She according to Regula	eet tion (EC) No. 1907/2006 (F	REACH)	( EN / D )
Trade name :	Lithofin ALGEX		
Revision date : Print date :	30.01.2019 01.02.2019	Version (Revision) :	4.0.3 (4.0.2)
Effects in sewa Observe local regul needs to be neutral	ations concerning effluent treatment. E	Before discharge into sewage plants the pro	oduct normally
12.2 Persistence and			
	ailable on the preparation/mixture itse	lf.	
Biodegradatio	1		
648/2004 on deterg	ents. Data to support this assertion ar	e biodegradability criteria as laid down in R e held at the disposal of the competent au ir direct request or at the request of a dete	thorities of the

#### 12.3 Bioaccumulative potential

There are no data available on the preparation/mixture itself.

#### 12.4 Mobility in soil

There are no data available on the preparation/mixture itself.

#### 12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6 Other adverse effects

There are no data available on the preparation/mixture itself.

#### 12.7 Additional ecotoxicological information

**Additional information** 

The product has not been tested.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Dispose according to legislation.

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

#### Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

#### Waste code product

Waste code (EWC/AVV): 07 06 08\*

# Waste code packaging

Waste code packaging: 15 01 10\*

#### Waste treatment options

29/35 - Do not empty into drains; dispose of this material and its container in a safe way. Delivery to an approved waste disposal company.

#### Appropriate disposal / Package

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Packing which cannot be properly cleaned must be disposed of.

#### 13.2 Additional information

These codes are assigned based upon the most common uses for this material and may not reflect contaminants resulting from actual use.

## **SECTION 14: Transport information**

#### 14.1 UN number

#### UN 1760

#### 14.2 UN proper shipping name

Land transport (ADR/RID) CORROSIVE LIQUID, N.O.S. (QUATERNARY AMMONIUM COMPOUNDS) Sea transport (IMDG) CORROSIVE LIQUID, N.O.S. (QUATERNARY AMMONIUM COMPOUNDS) Air transport (ICAO-TI / IATA-DGR)

according to Regulat	tion (EC) No	. 1907/2006 (RE/	ACH)	
Trade name :	Lithofi	n ALGEX		
Revision date : Print date :	30.01.2019 01.02.2019		Version (Revision) :	4.0.3 (4.0.2)
CORROSIVE LIQUID,	N.O.S. (QUATER	RNARY AMMONIUM COMP	OUNDS )	
14.3 Transport hazar	d class(es)			
Land transport (AD	• •			
Class(es) :		8		
Classification code	:	C9		
Hazard identification	on number (Ken	nler		
No.) :		80		
Tunnel restriction		E		
Special provisions	:	LQ 5   · E 1		
Hazard label(s) :		8 / N		
Sea transport (IMD	G)			
Class(es) :		8		
EmS-No. :		F-A / S-B		
Special provisions	:	LQ 5 I · E 1		
Hazard label(s) :		8 / N		
Air transport (ICAC	D-TI / IATA-DG	R)		
Class(es) :		8		
Special provisions	:	E 1		
Hazard label(s) :		8		
14.4 Packing group				
III				
14.5 Environmental h Land transport (AD Sea transport (IMD Air transport (ICAC	<b>R/RID)</b> : Yes <b>G)</b> : Yes (P)	R): Yes		
14.6 Special precauti				
None				
	k according	to Annox II of Ma	arnal and the IPC Code	
not required.	n according	to Annex II OI Ma	arpol and the IBC Code	

# $^{\rm 15.1}$ Safety, health and environmental regulations/legislation specific for the substance or mixture

## EU legislation

REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (clp) Directive 2008/98/EC of the European Parliament and of the Council on waste (2000/532/EC) EN 2:1992 (DIN EN 2:2005-01)

## Authorisations and/or restrictions on use

## **Restrictions on use**

Use restriction according to REACH annex XVII, no. : None, if handled according to order.

# **Restrictions of occupation**

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

# Other regulations (EU)

Regulation (EC) No. 648/2004 (Detergents regulation)

Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work. (Directive 2000/39/EC, Directive 2006/15/EC, Directive 2009/161/EC) REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the export and import of hazardous chemicals [PIC-Regulation] REGULATION (EU) No 98/2013 on the marketing and use of explosives procursors. Not applicable

REGULATION (EU) No 98/2013 on the marketing and use of explosives precursors: Not applicable.

Regulation (EC) No. 1005/2009 on substances that lead to the depletion of the ozone layer

Trade name :	Lithofin ALGEX		
Revision date : Print date :	30.01.2019 01.02.2019	Version (Revision) :	4.0.3 (4.0.2)
Not applicable.			
	wing substances that deplete the ozon	e layer: -	
	No 850/2004 [POP-Regulation]		
Not applicable.	vistant arganic pollutant (DOD)		
National regulation	sistent organic pollutant (POP): -		
-	any national regulations!		
Germany:			
	essment for activities involving hazardo	ous substances)	
TRGS 500 (Protectiv	,		
	of hazardous substances in non-statior instruction and information for worker		
Water hazard clas		.,	
	nt hazardous to water) Classification	according to AwSV	
Other regulations	, restrictions and prohibition regu	lations	
Switzerland			
VOCV-Regulati	on		
Maximum VOC	content (Switzerland) : < 3 Wt %	according to VOCV	
15.2 Chemical safety	assessment		
For this substance/m	ixture a chemical safety assessment ha	s not been carried out.	
15.3 Additional infor			

# SECTION 16: Other information

# 16.1 Indication of changes

02. Classification of the substance or mixture · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] · 07. Hints on joint storage - Storage class

# 16.2 Abbreviations and acronyms

ABC-Pulver	Extinguishing powder for fire class A, B and C
ABEK-P1	combination filter
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
AVV	Abfallverzeichnis-Verordnung (Waste Regulation)
AWSV	Ordinance on facilities for the handling of substances hazardous to water
BGR	BG rules and regulations
ca.	circa
CAS	Chemical Abstract Service
CLP	classification, labelling and packaging
CMR	Carcinogen, mutagen or toxic for reproduction
DIN	German Institute for Standardization
DNEL	Derived No-Effect Level
EAK/EWC/EAC/CWR/CER	European Waste Catalogue
EC50 / CE50	Effective Concentration 50%
EG / EC / CE	European Community
EN	European Standard
EUH	supplemental hazard statement of the european union
GefStoffV	Gefahrstoffverordnung (Hazardous Substances Ordinance)
GHS / SGH	Globally Harmonised System
H-Sätze	hazard statements
IATA-DGR	International Air Transport Association-Dangerous Goods Regulations
IBC-Code	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

Trade name : Revision date :	Lithofin ALGEX 30.01.2019 Version (Revision) :		4.0.3 (4.0.2	
Print date :	01.02.2019			
ICAO-TI	International Civil Aviation Organiza	ion-Technical Instructions		
IMDG-Code	International Maritime Dangerous Goods Code			
ISO	International Organization for Stand			
LC50 / CL50	Lethal Concentration 50%			
LD50 / DL50	Lethal Dose 50%			
log P O/W	Partition coefficient n-octanol/water			
MARPOL	International Convention for the Pre	vention of Pollution from Ships (marine	e pollution)	
NOAEL (DSET)	No observed adverse effect level			
NOEC (CSEO)	No observed effect concentration			
Nr.	Number			
OECD	Organisation for Economic Co-operation and Development			
PBT	persistent, bioaccumulative and toxi	C		
pН	Potentia hydrogenii			
PIC	prior informed consent			
PNEC	Predicted No-Effect Concentration			
POP	Persistent organic pollutants			
P-Sätze	precautionary statements			
REACH	Registration, Evaluation, Authorisati	on and Restriction of Chemicals		
RID	International Carriage of Dangerous	Goods by Rail		
STEL / LECT	short-term exposure limit			
TRGS	Technische Regeln für Gefahrstoffe	(Technical Rules for Hazardous Substa	nces)	
TWA / MPT	time-weighted average			
UN/ONU	United Nations			
VOC/COV/VOS/LZO	Volatile Organic Compound			
VOCV	Ordinance on the Incentive Tax on V	/olatile Organic Compounds (SR 814.02	18)	
vPvB	very persistent and very bioaccumu	ative		
WGK	Wassergefährdungsklasse (Water ha	zard class)		

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu. For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

#### 16.3 Key literature references and sources for data

Regulation (EC) No 1272/2008 (GHS)

ECHA: Registered substances (https://echa.europa.eu/information-on-chemicals/registered-substances) REACH Art. 59: -Candidate List of substances of very high concern for Authorisation (https://www.echa.europa.eu/candidate-list-table)

# <sup>16.4</sup> Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard statements for physical hazards : On basis of test data. Hazard statements for health hazards : Calculation method. Hazard statements for environmental hazards : Calculation method.

# 16.5 Relevant H- and EUH-phrases (Number and full text)

H290 May be corrosive to metals. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

## 16.6 Training advice

Trade name : Revision date : Print date :	Lithofin ALGEX 30.01.2019 01.02.2019	Version (Revision) :	4.0.3 (4.0.2
None 16.7 Additional infor	mation		
None			
knowledge. The information is sheet, for storage, processing	is intended to give you advice about th g, transport and disposal. The informa	ts of the product and is based on our pre- ne safe handling of the product named in tion cannot be transferred to other produ g, the information on this safety data shee	this safety data cts. In the case of