

Diversey™



F&B

Powerfoam

VF4

Heavy duty caustic foam cleaner

Description


Powerfoam is a caustic based alkaline foam cleaner, designed for heavy duty and periodic cleaning applications in the food, beverage and dairy industries.

Key properties

- Powerfoam contains an optimised blend of caustic alkali, organic sequestrants and high foaming surfactants/wetting agents.
- Powerfoam is very effective for removing heavy and baked-on soiling including animal and vegetable fats, starch and proteins. It is recommended for daily cleaning of oil fryers, ovens and smoke chambers and also for the periodic cleaning of heavy soil accumulations from floors, conveyors and other heavy equipment.
- Powerfoam is suitable for use with a wide range of foam application equipment.

Benefits

- Heavy duty cleaner.
- Penetrates even thick and carbonised soil.
- Can also be used for soak tank cleaning.
- Free-rinsing.



Diverclean™



Diversey™

F&B

Powerfoam

VF4

Heavy duty caustic foam cleaner

Use instructions

Use Powerfoam at concentrations between 3%-10% v/v depending on the type and degree of soiling. Rinse product contacting surfaces with potable water after use.

Powerfoam can be used for cleaning areas within a large processing room provided the room can be divided into distinct areas. No edible product or packaging material may be present in the area during cleaning and there can be no possibility of contamination of product or packaging material as a result of cleaning.

Technical Data Table

Appearance	Clear, brown liquid
Relative Density at 20°C	≈1.28(20°C)
pH (1% solution at 20°C)	≈12.7

The above data is typical of normal production and should not be taken as a specification.

Safe handling and storage information

Store in original closed containers or (where applicable) in an approved bulk tank, away from extreme temperatures. Full guidance on the handling and disposal of this product is provided in a separate Safety Data Sheet.

Product compatibility

Powerfoam when applied at the recommended concentration and temperature is suitable for use on the grades of stainless steel commonly found in the processed food industry. It is unsuitable for use on soft metals such as aluminium and galvanised materials. Always rinse surfaces thoroughly after use (within 1 hour). In the event of uncertainty it is advisable to evaluate individual materials before any prolonged use.

Safety Reminder

Please make sure your employees read and understand the product label and Safety Data Sheet before using this product. The label contains directions for use, and both the label and SDS contain hazard warnings, precautionary statements and first aid procedures. SDSs are available online at www.diversey.com or by calling Toll free: Australia, 1800 647 779 or New Zealand, 0800 803 615.

For additional information, please contact us at:
Diversey Australia Pty Ltd Toll free: 1800 647 779, Diversey New Zealand Ltd Toll free: 0800 803 615 www.diversey.com

© 2021 Diversey, Inc. All Rights Reserved.

Sep-21