

Certificate of Analysis

This Certificate of Analysis report is issued by Quality Assurance and confirms that this regulated product meets its product specification. The actual results are obtained from a 3rd party testing facility, and tests performed are part of quality control for this individual batch of product. Testing facility: Adamson Analytical Laboratories

GoLove CBD Naturals Intimate Serum: 200mg CBD / 40ml

Test #: M2303030084		Manufactured By:	GoLove CBD Naturals	
Lot #:	010923E	Manufacture Date:	1/2023	
Units Manufactured: 1550		Expiration Date:	1/2026	
		Batch Size:	120 kgs	

Physical & Organoleptic: KEY PROPERTIES AND SENSORY EVALUATION

Packaging:	White glass bottle. Finished.	Color:	white
pH:	4.40	Odor:	none
Specific gravity:	1.00 g/ml	CBD/unit:	200 mg
Bottle Size	40ml	Minor cannabinoids/unit:	LOQ
Sample Description:	thick, liquid	Total cannabinoids/unit:	200 mg

3rd Party Test Results: Cannabinoid profile, heavy metals, TPC and pathogens

See attatched.

Key Ingredient List:

COMPONENT	MANUFACTU	JRER	LOT NUMBER
Cannabidiol Isolate from 100% Industrial hemp oil/extract	Elixinol	ECS-IS	OCBD99-22206







🕵 A Tentamus Company

A Tentamus Company							
Order No: L2303033875	CoA Revision # 000			Page 1 of 2			
GoLove CBD 3701 Sacramento St. #107 San Francisco, CA 94118 94122	Sadie Allison	CoA Date: 3/10/23					
	<u>Certificate of Ana</u>	alysis					
Sample Name: GoLove Intimate Serum AAL No: M2303030084 Lot Number: 010923E Sample Description: serum, glass pump bottle Rush: Sample Condition: No Defects Found PO: 1049			Samp	le Received Date: 3/3	/23		
Test Parameter	<u>Result</u>	<u>Units</u>	LOQ	<u>Method</u> <u>Reference</u>	<u>Date</u> Completed		
Total Plate Count	< 10	cfu/g	10	USP<61> (I-0006)	3/10/23		
Yeast & Mold	< 10	cfu/g	10	USP<61> (I-0006)	3/8/23		
E.coli	Absent	-		USP<62> (I-0017)	3/7/23		
Pseudomonas Aeruginosa	Absent	-		USP<62> (I-0019)	3/7/23		
Salmonella	Absent	-		USP<62> (I-0018)	3/7/23		
Staphylococcus Aureus	Absent	-		USP<62> (I-0020)	3/7/23		
Arsenic	< 25	µg/kg	25	ICP-MS (D-3232)	3/10/23		
Cadmium	< 25	µg/kg	25	ICP-MS (D-3232)	3/10/23		
Lead	< 25	µg/kg	25	ICP-MS (D-3232)	3/10/23		
Mercury	< 25	µg/kg	25	ICP-MS (D-3232)	3/10/23		
CBD	201.4	mg/serviı	ng	HPLC (D-3302)	3/10/23		
CBD-A	< 0.001	%	0.001	HPLC (Phenomenex Modified)	3/10/23		
CBN	< 0.001	%	0.001	HPLC (Phenomenex Modified)	3/10/23		
d9-THC	< 0.002	%	0.002	HPLC (Phenomenex	3/10/23		

Adamson Analytical Laboratories, Inc., 220 Crouse Dr., Corona, CA 92879 FDA ESTABLISHMENT IDENTIFIER 3000204955 +1 (951) 549-9657 www.adamsonlab.com

Nodified)

Test Results are applicable only to the samples being tested within the limits of the testing procedures identified and are not necessarily indicative of the characteristics of any other samples from the same or other lots. Adamson Analytical Laboratories, Inc. shall not be liable under any circumstances for any amount in excess of the cost of the test performed. Measurement uncertainty can be provided upon request. Analyses made between receiving and CoA date.



Certificate of Analysis



💽 A Tentamus Company

Order No: L2303033875	Page 2 of					
GoLove CBD 3701 Sacramento St. #107 San Francisco, CA 94118 94122	Sadie Allison CoA Da			CoA Date: 3	ate: 3/10/23	
	<u>Certificate of An</u>	<u>alysis</u>				
Sample Name: GoLove Intimate Serum			Samp	le Received Date: 3	/3/23	
AAL No: M2303030084						
Lot Number: 010923E						
Sample Description: serum, glass pump bottle						
Rush:						
Sample Condition: No Defects Found						
PO: 1049						
				Method	Date	
Test Parameter	<u>Result</u>	<u>Units</u>	LOQ	Reference	Completed	
d9-THCA	< 0.002	%	0.002	HPLC (Phenomenex Modified)	3/10/23	

Approved by:

General Manager/CEO

+1 (951) 549-9657 www.adamsonlab.com

Adamson Analytical Laboratories, Inc., 220 Crouse Dr., Corona, CA 92879 FDA ESTABLISHMENT IDENTIFIER 3000204955

Test Results are applicable only to the samples being tested within the limits of the testing procedures identified and are not necessarily indicative of the characteristics of any other samples from the same or other lots. Adamson Analytical Laboratories, Inc. shall not be liable under any circumstances for any amount in excess of the cost of the test performed. Measurement uncertainty can be provided upon request. Analyses made between receiving and CoA date.