

This Certificate of Analysis report is issued by Quality Assurance and confirms that this regulated product meets its product specification. The actual results are obtained from a 3rd party testing facility, and tests performed are part of quality control for this individual batch of product. Testing facility: Adamson Analytical Laboratories

GoLove CBD Naturals Intimate Lubricant: 200mg CBD / 40ml

Test #:	M2009080168	Manufactured By:	GoLove CBD Naturals
Lot Number:	2459095	Manufacture Date:	09/02/2020
Batch #:	072120-01	Expiration Date:	11/01/2021
Units Manufactured:	753	Batch Size:	29,270 g

Physical & Organoleptic: KEY PROPERTIES AND SENSORY EVALUATION

Packaging:	White glass bottle. Finished.	Color:	white
pH:	4.03	Odor:	none
Specific gravity:	1.00 g/ml	CBD/unit:	202.02 mg
Bottle Size	40 ml	Minor cannabinoids/unit:	LOQ
Sample Description:	thick, liquid	Total cannabinoids/unit:	202.02 mg

3rd Party Test Results: Cannabinoid profile, heavy metals, TPC and pathogens

See attached.

Key Ingredient List:

COMPONENT	MANUFACTURER	LOT NUMBER
Cannabidiol Isolate from 100% Industrial hemp oil/extract	Elixinol	201-0001

GoLove CBD Naturals, Inc.

This GoLove Inc.™ product has been reviewed by Quality Assurance, has been found to have met all product specifications, and is released. This product contains less than 0.3% THC per hemp regulation.

Approved

John Renko

John Renko, B.S.E.

Go Love CBD
 John Renko
 1249 9th Ave
 San Francisco, CA 03885
 Phone: 94122
 Email: john@golovecbd.com

Receiving Date: 9/8/2020
 CoA Date: 9/28/2020

Certificate of Analysis

Sample Name: GoLove Intimate Lubricant
 Lot Number: 2459095M
 Sample Description: thick liquid, glass jar FINISHED
 Rush:
 PO: 1026

ANALYSIS	SPEC	RESULTS	METHOD
Aerobic/Total Plate Count		< 10 cfu/g	Microbiological (USP<61>)
Yeast & Mold		< 10 cfu/g	Microbiological (USP<61>)
4 Pathogens			()
TPC/Yeast & Mold Package			()
THC		< LOQ (0.05%)	HPLC (D-3216)
THCA		< LOQ (0.05%)	HPLC (D-3216)
Lead		< LOQ (0.005 mg/L)*	ICP-MS (D-3232)
Arsenic		< LOQ (0.01 mg/L)*	ICP-MS (D-3232)
Cadmium		< LOQ (0.001 mg/L)*	ICP-MS (D-3232)
Mercury		< LOQ (0.02 µg/L)*	ICP-MS (D-3232)
E. coli		Not Detected	Microbiological (USP<62>)
Salmonella		Not Detected	Microbiological (USP<62>)
Pseudomonas aeruginosa		Not Detected	Microbiological (USP<62>)
Staphylococcus aureus		Not Detected	Microbiological (USP<62>)
CBDA		< LOQ (0.05%)	HPLC (D-3216)
CBN		< LOQ (0.05%)	HPLC (D-3216)
CBD		4.81 mg/g	HPLC (D-3216)

**Tested at a third party laboratory.*

Approved on behalf of Peter VanCouvering by:



Matthew Harding

Quality Assurance Manager