

Certificate of Analysis

Kaycha Labs

25mg Watermelor N/A Matrix: Edible




Sample:CA10325001-011 Harvest/Lot ID: 210317GHWM2 Seed to Sale #N/A Batch Date :03/17/21 Batch#: 210317GHWM2 Sample Size Received: 4.7 gram Total Weight/Volume: N/A Retail Product Size: 4.7 gram Ordered : 03/23/21 sampled : 03/23/21 Completed: 03/31/21 Expires: 03/31/22 Sampling Method: SOP Client Method



Page 1 of 1

Mar 31, 2021 | The Georgia Hemp Company 2870 Peachtree Rd, #600

Atlanta, GA, 30305



033021.R01 032221.R01 032221.R02 Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection (HPLC-UV). (Method: SOP.T.30.050 for sample prep and Shimadzu High Sensitivity Method SOP.T.40.020 for analysis. LOQ for all cannabinoids is 0.5 mg/L). The results of total THC, total CBD and total Cannabinoids in plant sample are reported on a dry weight basis. Expanded measurements of uncertainties are statistically derived from QC data at 95% confidence level (k=1.96) for a normal distribution

113020.05

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit Of Quantitation (LQQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

ALB-09-1414

ALB-09-1414 80081-188 YO189AF00023 842751369 K47183I L32701I F2300-20

> Haifei Yin Lab Director

GEORGIA

State License # NA ISO Accreditation # L18-47-1

Signature

03/31/2021

Signed On