

LASH-V

MAXIMA
HOLD

EYELASH ADHESIVE

SAFETY DATA SHEET

Safety Data Sheet

Page 1 of 6

Version no.: 2

Date of Previous Revision: 3/9/2017

Date of current revision: 29/9/2021

Product name: Maximahold glue

Section 1: Identification of the substance/mixture

Product Name	Maximahold glue
Recommended Use	Adhesive for Eyelashes (cosmetic use)
Company Details	Salon Tech Co Pty Ltd
Address	Warehouse 4 Aspen Circuit Springvale VIC 3171, Australia
Telephone Number	+61 439 371 341
Emergency Telephone Number	Australia Poison Information centre: Phone 13-11-26 New Zealand: National Poison Information centre. Phone 0800-764-766 Global Links to Poison Centres and Clinical Toxicologists all over the World: http://www.eapcct.org/index.php?page=links

Section 2: Hazards Identification

Classification of the Substance or Mixture:

AUSTRALIA CLASSIFICATION

This material is hazardous according to criteria of Safe Work Australia - Hazardous Chemical Information System (HCIS)

Label Elements

Pictogram



Signal Word

Warning

Hazard Classification

Eye irritation – category 2
Specific target organ toxicity (single exposure) – category 3
Skin irritation – category 2

Hazard Statement(s)

H319 (Causes serious eye irritation)
H335 (May cause respiratory irritation)
H315 (Causes skin irritation)

Safety Data Sheet

Page 2 of 6

Version no.: 2

Date of Previous Revision: 3/9/2017

Date of current revision: 29/9/2021

Product name: Maximahold glue

Section 3: Composition/information on ingredients

Mixture

Ethyl Cyanoacrylate, Polymethyl Methacrylate, Ethoxyethyl Cyanoacrylate, Black 2 (CI 77266), Hydroquinone, Methyl Pyrrolidone, Polyamide Resin

Section 4: First Aid Measure

Description of first aid measure

Inhalation:	If not breathing, give artificial respiration or give oxygen by trained personnel. If signs or symptoms persist, seek medical attention. Remove victim to fresh air.
Skin Contact:	Seek medical attention if ill effect or irritation develops. Immediately remove product from skin with cloth. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
Eye Contact:	Do not attempt to pull apart bonded eyelid. Seek medical attention immediately. In case of eye contact, immediately rinse with clean water for 10 – 15 minutes. If itching, redness, or burning sensation develops, see a physician.
Ingestion:	If lips are bonded together, use warm water to gently separate lips apart. Do not induce vomiting. Saliva will cause cyanoacrylate to polymerize. Call a physician.

Note to physician Cured product does not pose a health risk

Seek medical advice or phone National Poison Information Centre Australia: Phone 13-11-26 (or) New Zealand: Phone 0800-764766

Global: <http://www.eapcct.org/index.php?page=links>

Section 5: Fire-Fighting measures

Type of hazard	Combustible. Flash point 92 deg C (197.6 deg F). Closed Cup.
Hazardous combustion products	Under fire conditions, hazardous fumes will be present. Combustible liquid and vapor.
Extinguishing media	Use dry chemical powder, water spray or foam. Do not use water jet.

Safety Data Sheet

Page 3 of 6

Version no.: 2

Date of Previous Revision: 3/9/2017

Date of current revision: 29/9/2021

Product name: Maximahold glue

Special procedures	As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA/OSH approved or equivalent) and full protective gear.
---------------------------	---

Section 6: Accidental Release Measures

Special precautions	Wear protective clothing.
Technical measures	Disposal of clean up materials may be governmentally regulated. Observe all applicable local, state and federal waste management regulations.
Environmental precautions	Prevent entry to sewers and public waters, or other environmental mediums.
Methods and material for containment and cleaning up	Small Spill: Absorb with an inert material and place in appropriate waste disposal container. Large Spill: Extinguish all sources of ignition. Stop spill or leak at source. Absorb with an inert material and place in an appropriate waste disposal container.

Section 7: Handling and Storage

Precautions in handling and storage	Keep away from sources of ignition. Good ventilation of workplace required.
Technical protective measures	Rapid polymerization occurs upon contact with water or alkaline substances. As a result, heat is generated. Skin inflammation or burns may occur upon contact during this polymerization.
Storage:	Store in dry, cool, well-ventilated area. Keep away from sources of ignition.
Handling	To avoid fire, minimize ignition sources. Avoid contact with eyes, skin, and clothing. In case of insufficient ventilation. Wear suitable respiratory equipment. May react in presence of moisture. May react or be incompatible with alkalies. Wash thoroughly after handling.

Section 8: Exposure Control/Personal Protection

Control parameters

Individual Protection Measures (PPE):

Safety Data Sheet

Page 4 of 6

Version no.: 2

Date of Previous Revision: 3/9/2017

Date of current revision: 29/9/2021

Product name: Maximahold glue

Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment.

Eye Protection: Use splash goggles when eye contact due to splashing is possible. Safety glasses.

Skin protection: Wear gloves

Hygiene measures: Emergency eye wash fountains and safety showers should be available in the Immediate vicinity of any potential exposure.

Section 9: Physical and Chemical Properties

Appearance	Liquid, black
Physical state at 20 degrees Celsius	Liquid
Boiling Point	190 degrees Celsius (374 degrees Fahrenheit)
Flash Point	92 degrees Celsius (197.6 degrees Fahrenheit)
Relative density, liquid (water=1)	1.05
pH	Not Applicable

Section 10: Stability and Reactivity

Stability and reactivity Water will cause polymerization

Hazardous decomposition products Nitrogen oxides.
Carbon oxides (carbon monoxide, carbon dioxide)
Unidentified organic compounds in fumes and smoke may be formed during combustion

Hazardous polymerization Yes
Heat generated during polymerization

Materials to avoid Alkali
Reducing agents
Water. Oxidizing agent
Alcohol
Acids
Amines

Conditions to avoid Exposure to light, water or moisture

Date of Previous Revision: 3/9/2017

Date of current revision: 29/9/2021

Product name: Maximahold glue

Section 11: Toxicological Information

Information on toxicological effects

Rat oral LD50 [mg/kg] >5000

Rabbit dermal LD50 [mg/kg] >2000

Other Irritation: Continuous high volume usage can irritate mucous membranes and the upper respiratory tract.
Sensitization: May cause sensitization.

Section 12: Eco-toxicity Information

Ecological effects information No data available

Use this product according to good working practices. Large quantities should not be discharged into waterways to prevent pollution of the waterways. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

Section 13: Disposal Considerations

Disposal instructions:

Applicable for industrial settings only: Care must be taken to prevent environment contamination from the use of this material. Dispose of product in accordance with all local, state / provincial and federal regulations.

Section 14: Transport Information

Land transport ADG/ADR/RID (cross-border)

Proper Shipping Name UN 1993, Flammable Liquid, n.o.s.

UN no 1993

H.I. nr 33

ADG/ADR/RID Special Provision: 640D
Group: II
Class: 3

Date of Previous Revision: 3/9/2017

Date of current revision: 29/9/2021

Product name: Maximahold glue

Section 15: Regulatory Information

Regulations

This product has been classified in accordance with the HCIS (Hazardous Chemical Information System) criteria Safe Work Australia

AICIS

Product is a cosmetic product and regulated under the Australian Industrial Chemicals Introduction Scheme

Section 16: Other Information

Disclaimer:

The information continued herein is based on the manufacturers own study and the work of others, implied, as to the accuracy, completeness or adequacy of the information contained herein, and neither the provider nor the manufacturer are liable to any party for any damages of any nature, including direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnishing of any information in the SDS, or in any other way related (directly or indirectly) to this SDS. The information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any other process.

End of document