

DIESEL MOWING TRACTORS

BUILT TO LAST



Our well-built diesel mowing tractors provide a professional cut with plenty of easy-to-use features. Adjust the cutting height from the dashboard dial, and finish the job quickly with the fuel-efficient, high-torque diesel engine.



X940 SERIES

POWERFUL & INTUITIVE

Our rugged X940, X948 and X949 models offer the perfect combination of performance, ease of use and comfort. Available in different configurations including 2 or 4 wheel drive and all wheel steer – we cater for varying requirements.



DIGITAL DASHBOARD

The digital instrument cluster reads very well in sunlight and ensures fast diagnostics. Features include a “best cut zone” target range for improved cut quality and “start sequence” indicators to catch any interlock issues on start-up.



EASY TO USE HYDRAULICS

Ergonomic levers hydraulically raise and lower the mower deck and attachments. A “float” position enables front-mounted equipment to follow ground contours. The intuitive controls enable easy operation.

DRIVE OVER DECK

You don't need tools or muscles to connect or disconnect these mower decks. Just reverse over them slowly until you hear the click (optional).





MOWER DECKS FOR X940 SERIES

These commercial grade decks are stamped from a single steel plate, then rust-proofed in a special dual process. The shaft drive is built to last, and the wet PTO clutch is virtually maintenance-free. With the optional MulchControl™ Function your side discharge mowerdeck converts into a Mulching mowerdeck in under 30 seconds. The side discharge deck is perfect in long grass.

Easy Cutting

Height Adjustment:


The dashboard dial adjusts cutting height in 6 mm (0.25 in) increments.



Greater blade overlap reduces the chance of any missed grass stems, even on turns.

Optional MulchControl™ provides the ability to change between mulching and side discharge.

Flat-top design provides a smooth underside for excellent cut quality, in addition to being durable and versatile.



Rolled outer edge adds strength to the deck and protects trees and fences while mowing.

Wide roller and adjustable gauge wheels limit turf scalping on rough or uneven terrain.

Deep deck design ensures great grass lift for an even cut.



RELIABLE, HIGH-TORQUE ENGINE

The 3-cylinder diesel engine offers high torque to power all attachments. Efficient combustion reduces exhaust emissions and increases fuel economy. The redesigned bonnet improves air management for lower operating temperatures.

ROLL-OVER PROTECTION

All X940 Series models are fitted with a rugged roll-over protection system (ROPS) to keep operators safe during operation. The bar can be folded down temporarily when working under trees or overgrowth.




HYDROSTATIC TRANSMISSION AND HYDRAULIC POWER STEERING

The X940 Series models are easy to operate and manoeuvre thanks to the Twin Touch™ pedals and standard power steering.



FULLY WELDED STEEL FRAME

A full length, fully welded steel frame provides maximum strength. The built-in front bumper accepts front weights and the nodular cast iron front axle maximises durability.



MULCH CONTROL

This feature boosts productivity by reducing collection volumes and emptying cycles significantly when bagging. If conditions are unsuitable for mulching, operators can switch to side discharge without leaving their seat.

ON ALL X940 SERIES MODELS

- Twin Touch™ Foot Pedals
- Cruise Control
- Deck Lift System: Hydraulic
- Deck Engagement: Electric
- Optional: Road Homologation Kit

COMMERCIAL MOWER DECK OPTIONS

122 cm / 48 in Side Discharge

137 cm / 54 in Side Discharge

152 cm / 60 in Side Discharge

- Cutting height 25 – 133 mm (1 – 5.25 in), increments 6 mm (0.25 in)



X940

18 kW (24.5 hp) at 3,400 rpm (Stage V)
Forward speed: 13.7 km/h (8.5 mph)
Hydraulic, 2 front wheel power steer
2-Wheel Drive

- Collection System: optional



X948

18 kW (24.5 hp) at 3,400 rpm (Stage V)
Forward speed: 13.7 km/h (8.5 mph)
Hydraulic, 2 front wheel power steer
4-Wheel Drive

- Collection System: optional



X949

18 kW (24.5 hp) at 3,400 rpm (Stage V)
Forward speed: 13.7 km/h (8.5 mph)
Hydraulic, 4 wheel power steer
4-Wheel Drive

- Collection System: optional

X950R

COMFORTABLE & RELIABLE

This supremely comfortable rear discharge, rear collect Diesel Mower Tractor has a high-torque diesel engine and heavy-duty wheel motors that can work hard all day – plus a rugged steel frame and mower deck for years of faithful service.



LOW DUMP

The collector fits and removes in seconds and is opened, raised and emptied by a separate hydraulic pump at low engine rpm. The high-capacity 570 litre low dump hopper means less time spent unloading, saving you time and money.



HIGH DUMP

With its generous 650 litre capacity, the high dump collector lets you go further before emptying. The collector offloads into the middle of your container or skip for smooth, even fills.



PRECISE

The outstanding 'tail follows trail' design makes it easy to mow near fences, walls and obstacles with the collection hopper. The bottom line: greater peace of mind and productive, hassle-free mowing.

PURE POWER

A fully welded steel frame. A commercial grade, stamped steel mower deck. Plus a high-torque, 3-cylinder diesel engine and heavy duty wheel motors for unrivalled strength and performance. All supported by the hydraulic power steering, adjustable steering wheel, ergonomic controls and high-back seat for comfort all day.



ULTRA-SONIC FILL DETECTION

Ever been caught out with a full hopper a long way from the unloading area? The Fill Sensor indicator monitors the real time fill status while you work – and being ultrasonic, it's reliably accurate, too.



Configurable: Choose a 122 cm (48 in) or 137 cm (54 in) Mower deck width.



Chute Performance Kit: this optional feature seals the gap between the deck and hopper so even really short clippings can't slip through onto your turf or pitch.



INTUITIVE

Operation made simple: the **multi-function lever** gives you fingertip control over deck and collection hopper.




DIGITAL DASHBOARD

Designed for improved visibility and diagnostics, the cluster has great features to improve cut quality and streamline your workflow.



POWERFUL

The 3-cylinder 18.5 kW (25.2 hp) diesel engine has ample torque for all your attachments. Its efficient combustion helps reduce emissions and fuel bills, while the bonnet improves air circulation for cooler running.



CUSTOMISE

With two mower deck widths, a choice of high or low dump and a host of practical options, the X950R diesel mowing tractor has everything you need to handle a wide range of tasks smoothly and profitably.



X950R

18.5 kW (25.2 hp) at 3,200 rpm (Stage V)
Forward speed: 14.5 km/h
Cruise Control
Hydraulic, 2 front wheel power steer
Rear Collection
Comfort Seat

- Twin Touch™ Foot Pedals
- Deck Lift System: Hydraulic
- Deck Engagement: Electric

COMMERCIAL REAR DISCHARGE MOWER DECK OPTIONS

122 cm / 48 in
137 cm / 54 in

COLLECTOR OPTIONS

Low Dump (570 ltr)
High Dump (650 ltr)*

* Front weights required for high dump.

OPTIONAL

Rear Deflector Kit
Collector Parking Stand
Road Homologation Kit
Front hitch
Front PTO
Cab

ATTACHMENTS

SOMETHING FOR EVERY JOB

Even the most robust machines need an extra boost now and then. Whatever the job you're dealing with, our collection of John Deere attachments will take your mower to new levels of performance and productivity.

FOR X950R AND X940 SERIES MACHINES



CAB

The all-new cab protects the operator in varying weather conditions and from the task at hand.



Seat: Choose either the comfort seat with adjustable back and optional armrests, or the new air-ride seat with full pneumatic suspension.



UTILITY CARTS

Choose from two durable utility carts. Both are easy to hook up and are designed to carry a wide range of materials safely.



Road Homologation Kit: This optional kit lets you use your machine on roads and in public environments.



SNOW AND MATERIALS BLADE

Clear 1.37 m (54 in) at a pass with this materials blade. It angles 27° right or left and is easy to fit / remove from the front hitch.



SNOW BLOWER

This industrial strength 2-stage tool clips onto your front hitch in moments using the enclosed snap pins.



POWER BROOM

Sweep debris or snow with this 1.32 m (52 in) wide broom. It's powered by the tractor's front PTO. Angles 27° right or left.



TYRES AND CHAINS

The tyre chain is recommended for extra traction when using winter attachments.




WEIGHTS & BRACKETS

These cast-iron weights are designed for safe operation on tractors with collection systems.

FOR X950R AND X940 SERIES MACHINES

HITCHES



Rear Receiver Hitch Kit And Hitch Drawbar Kit: Attach the ball hitch to the drawbar or rear hitch to enable towing.



Front Hitch: The QuickTatch front hitch makes it easy to hook up and control front attachments such as the snow blade and power broom. On-hitch hydraulics lift and pivot attachments.


FOR X950R MACHINES



PARKING STANDS

Connect or disconnect your collector system quickly and easily with this tailor-made stand for high and low-dump systems.

FOR X940 SERIES MACHINES



Rear 3-point Hitch: Easily hook up and lift heavy rear attachments with the optional 3-point hitch. Optional rear PTO sends engine torque to rear attachments such as a power harrow, sprayer or rear spreader.



Rear PTO: To deliver ample torque for rear implements, add a rear power take off.



WEIGHT CARRIER

Fit rear weights easily whenever you need extra ballast to work safely.



DEFLECTOR SHIELD

Switch your X950R diesel mowing tractor from rear collect to rear discharge easily with this practical deflector kit.



BRACKETS

For better forward visibility and a shorter overall tractor length, use these optional brackets to mount weights sideways.



BRUSH GUARD

Protect your tractor's front end with this stylish guard. Not compatible with Front-Quick-Hitch.



FRONT FENDER KIT X900 SERIES

Front "Special-Edition" fenders are available for protection from mud and debris. Fenders are mounting parts for both front wheels.