

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

RITO WATERSTOP PASTE
Supercedes Date: 15-Mar-2023

Revision date 20-Feb-2024 Revision Number 1.04

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name RITO WATERSTOP PASTE

Form This substance/ mixture contains nanoforms

Other means of identification

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Sealant

Uses advised against Not to be used in articles intended for direct or prolonged skin contact Not to be used in

production of toys or childcare articles Fabrics, textiles and apparel: bedding and clothing Gloves Footwear (shoes, boots) Paper products: tissue, towels, disposable dinnerware,

nappies, feminine hygiene products, adult incontinence products, writing paper

Reason why uses advised against Restricted substance per REACH Annex XVII

1.3. Details of the supplier of the safety data sheet

**Company Name** 

Bostik GmbH Industriestrasse 3 – 11

33829 Borgholzhausen, Germany

Tel: +49 (0) 5425 / 801 0 Fax: +49 (0) 5425 / 801 140

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

Ireland NPIC - National Poison Information Centre

Members of the Public: +353 (01) 8092166 (8.00 am to 10.00 pm - 7 days a week)

Healthcare Professionals: +353 (01) 8092566 (24 hour service)

**United Kingdom** Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri)

Europe 112

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

#### 2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

#### **Hazard statements**

Ireland - BE Page 1/18

RITO WATERSTOP PASTE Supercedes Date: 15-Mar-2023 Revision date 20-Feb-2024 Revision Number 1.04

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

#### **EU Specific Hazard Statements**

EUH208 - Contains Trimethoxyvinylsilane & N-(3-(trimethoxysilyl)propyl)ethylenediamine. May produce an allergic reaction EUH210 - Safety data sheet available on request

#### Precautionary Statements - EU (§28, 1272/2008)

P102 - Keep out of reach of children

#### 2.3. Other hazards

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

#### PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors.

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

Chemical name	EC No (EU Index No).	CAS No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-ter m)	REACH registration number
Bis(2,2,6,6-tetramethyl-4 -piperidyl) sebacate 0.1- <1 %	258-207-9	52829-07-9	Eye Dam. 1 (H318) Repr. 2 (H361f) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)	•	-	•	01-2119537297- 32-XXXX
Trimethoxyvinylsilane 0.1- <1 %	220-449-8 (014-049-00- 0)	2768-02-7	Skin Sens. 1B (H317) Acute Tox. 4 (H332) Flam. Liq. 3 (H226)	-	-	-	01-2119513215- 52-XXXX
Titanium dioxide 0.1- <1 %	236-675-5 (022-006-00- 2)	13463-67-7	[C]	-	-	-	01-2119489379- 17-XXXX
N-(3-(trimethoxysilyl)pro pyl)ethylenediamine 0.1- <1 %	217-164-6	1760-24-3	Eye Dam. 1 (H318) Skin Sens. 1B (H317) STOT SE 3 (H335)	-	-	-	01-2119970215- 39-XXXX
Dioctyltin oxide 0.1 - <0.5 %	212-791-1	870-08-6	STOT SE 2 (H371)	-	-	-	01-2119971268- 27-xxxx
Ethyl silicate 0.1 - <0.3 %	201-083-8 (014-005-00- 0)	78-10-4	Acute Tox. 4 (H332) Eye Irrit. 2 (H319) STOT SE 3 (H335) Flam. Liq. 3 (H226)	-	-	-	01-2119496195- 28-xxxx

#### Air contaminants formed when using the substance or mixture as intended

Chemical name	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)	REACH registration number
Methyl alcohol	200-659-6	Acute Tox. 3	STOT SE 1 ::	-	-	01-2119433307-

Ireland - BE Page 2/18

RITO WATERSTOP PASTE
Supercedes Date: 15-Mar-2023
Revision Number 1.04

67-56-1	(603-001-00-X)	(H301)	C>=10%		44-XXXX
		Acute Tox. 3	STOT SE 2 ::		
		(H311)	3%<=C<10%		
		Acute Tox. 3			
		(H331)			
		STOT SE 1			
		(H370)			
		Flam. Liq. 2			
		(H225)			

Full text of H- and EUH-phrases: see section 16

Classification according to Regulation (EC) No. 1272/2008 [CLP] - Notes

[C] - Components with occupational exposure limits and/or biological occupational exposure limits requiring monitoring

#### Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	EC No (EU Index No)	CAS No.	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Bis(2,2,6,6-tetramethyl- 4-piperidyl) sebacate	258-207-9	52829-07-9	-	-	-	-	-
Trimethoxyvinylsilane	220-449-8 (014-049-00-0)	2768-02-7	-	-	-	11	-
Titanium dioxide	236-675-5 (022-006-00-2)	13463-67-7	-	-	-	-	-
N-(3-(trimethoxysilyl)pr opyl)ethylenediamine	217-164-6	1760-24-3	-	-	1.5	-	-
Dioctyltin oxide	212-791-1	870-08-6	-	-	-	-	-
Ethyl silicate	201-083-8 (014-005-00-0)	78-10-4	-	-	4.9	11	-

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### **Notes**

See section 16 for more information

Chemical name	Notes
Titanium dioxide - 13463-67-7	V,W,10

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

General advice If medical advice is needed, have product container or label at hand.

**Inhalation** Remove to fresh air. If symptoms persist, call a doctor.

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Consult an

ophthalmologist.

Ireland - BE Page 3/18

RITO WATERSTOP PASTE

Supercedes Date: 15-Mar-2023

Revision date 20-Feb-2024

Revision Number 1.04

**Skin contact**Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

doctor.

**Ingestion** Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an

unconscious person. Call a doctor or poison control centre immediately. Small amounts

of toxic methanol are released by hydrolysis.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

**Effects of Exposure** No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing. Treat symptomatically.

#### **SECTION 5: Firefighting measures**

5.1. Extinguishing media

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable extinguishing media Full water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Thermal decomposition can lead to release of irritating gases and vapours.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2).

5.3. Advice for firefighters

Special protective equipment as precautions for fire-fighters

Special protective equipment and Wear self contained breathing apparatus for fire fighting if necessary.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Use personal protective equipment as required. Do not get

in eyes, on skin, or on clothing.

6.2. Environmental precautions

**Environmental precautions** Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section

12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment

Use a non-combustible material like vermiculite, sand or earth to soak up the product and

place into a container for later disposal.

**Methods for cleaning up**Take up mechanically, placing in appropriate containers for disposal.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

Ireland - BE Page 4/18

RITO WATERSTOP PASTE

Supercedes Date: 15-Mar-2023

Revision date 20-Feb-2024

Revision Number 1.04

#### 6.4. Reference to other sections

**Reference to other sections** See section 8 for more information. See section 13 for more information.

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation. Use personal protective equipment as required. Avoid

contact with skin, eyes or clothing.

**General hygiene considerations** Do not eat, drink or smoke when using this product. Wash hands before breaks and after

work. Take off contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Protect from moisture. Keep containers tightly closed in a dry, cool and well-ventilated

place. Keep away from food, drink and animal feedingstuffs.

Recommended storage

temperature

Keep at temperatures between 10 and 35 °C.

7.3. Specific end use(s)

Specific use(s)

Sealant.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Exposure Limits Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing This product contains titanium dioxide in a non-respirable form. Inhalation of

titanium dioxide is unlikely to occur from exposure to this product

Chemical name	European Union	Ireland	United Kingdom
Limestone	-	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
1317-65-3		TWA: 4 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup>
		STEL: 30 mg/m <sup>3</sup>	STEL: 30 mg/m <sup>3</sup>
		STEL: 12 mg/m <sup>3</sup>	STEL: 12 mg/m <sup>3</sup>
Methyl alcohol	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm
67-56-1	TWA: 260 mg/m <sup>3</sup>	TWA: 260 mg/m <sup>3</sup>	TWA: 266 mg/m <sup>3</sup>
	*	STEL: 600 ppm	STEL: 250 ppm
		STEL: 780 mg/m <sup>3</sup>	STEL: 333 mg/m <sup>3</sup>
		Sk*	Sk*
Silica, amorphous	TWA: 0.1 mg/m <sup>3</sup>	TWA: 6 mg/m <sup>3</sup>	TWA: 6 mg/m <sup>3</sup>
7631-86-9		TWA: 2.4 mg/m <sup>3</sup>	TWA: 2.4 mg/m <sup>3</sup>
		STEL: 18 mg/m <sup>3</sup>	STEL: 18 mg/m <sup>3</sup>
		STEL: 7.2 mg/m <sup>3</sup>	STEL: 7.2 mg/m <sup>3</sup>
Titanium dioxide	-	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
13463-67-7		TWA: 4 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup>
		STEL: 30 mg/m <sup>3</sup>	STEL: 30 mg/m <sup>3</sup>
		STEL: 12 mg/m <sup>3</sup>	STEL: 12 mg/m <sup>3</sup>
Dioctyltin oxide	-	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>
870-08-6		STEL: 0.2 mg/m <sup>3</sup>	STEL: 0.2 mg/m <sup>3</sup>
			Sk*
Ethyl silicate	TWA: 44 mg/m <sup>3</sup>	TWA: 5 ppm	TWA: 5 ppm
78-10-4	TWA: 5 ppm	TWA: 44 mg/m <sup>3</sup>	TWA: 44 mg/m <sup>3</sup>
		STEL: 15 ppm	STEL: 15 ppm

Ireland - BE Page 5/18

RITO WATERSTOP PASTE
Supercedes Date: 15-Mar-2023

Revision date 20-Feb-2024 Revision Number 1.04

•			
		CTEL 422 mg	(m²) CTFL : 420 m m/m²
		STEL: 132 mg/	/m³ STEL: 132 mg/m³
Derived No Effect Level (DNE	L) No information availab	ble	
Derived No Effect Level (DNE			
Bis(2,2,6,6-tetramethyl-4-pipe			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Short term	Inhalation	2.82 mg/m³	
Long term Systemic health effects			
worker	Dermal	1.6 mg/kg	
Long term			
Systemic health effects			
Trimethoxyvinylsilane (2768-	02-7)		
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker	Inhalation	27,6 mg/m³	
Systemic health effects Long term			
worker	Dermal	3,9 mg/kg bw/d	
Systemic health effects			
Long term			
Titanium dioxide (13463-67-7)			
Туре	Exposure route	Derived No Effect Level	Safety factor
	la la a la Cara	(DNEL)	
worker Long term	Inhalation	10 mg/m³	
Local health effects			
N-(3-(trimethoxysilyl)propyl)e			Cofety footon
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Long term	Inhalation	35.5 mg/m <sup>3</sup>	
Systemic health effects		_	
worker	Dormal	5 mg/kg bw/d	
Long term Systemic health effects	Dermal	5 mg/kg bw/d	
worker			
Short term	Dermal	5 mg/kg bw/d	
Systemic health effects worker			
worker			
Dioctyltin oxide (870-08-6)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker	Dermal	0.05 mg/kg bw/d	
Long term			
Systemic health effects worker	Inhalation	0.004 mg/m³	
Long term	maduon	0.00 i ilig/ili	
Systemic health effects			
Ethyl silicate (78-10-4)	Evposure route	Derived No Effect Level	Safaty factor
Type	Exposure route	(DNEL)	Safety factor
worker	Dermal	12.1 mg/kg bw/d	

Ireland - BE Page 6 / 18

RITO WATERSTOP PASTE
Supercedes Date: 15-Mar-2023

Revision date 20-Feb-2024 Revision Number 1.04

Short term Systemic health effects			
worker Systemic health effects Long term	Dermal	12.1 mg/kg bw/d	
worker Short term Systemic health effects	Inhalation	85 mg/m³	
worker Short term Local health effects	Inhalation	85 mg/m³	
worker Long term Systemic health effects	Inhalation	85 mg/m³	
worker Long term Local health effects	Inhalation	85 mg/m³	

Derived No Effect Level (DNEL)					
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
Consumer Long term Systemic health effects	Dermal	0.8 mg/kg			
Consumer Long term Systemic health effects	Oral	0.4 mg/kg			

Trimethoxyvinylsilane (2768-02-7)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
Consumer Systemic health effects Long term	Inhalation	18,9 mg/m³		
Consumer Systemic health effects Long term	Dermal	7,8 mg/kg bw/d		
Consumer Systemic health effects Long term	Oral	0,3 mg/kg bw/d		

Titanium dioxide (13463-67-7)					
Туре	Exposure route	Derived No Effect Level	Safety factor		
		(DNEL)			
Consumer	Oral	700 mg/kg bw/d			
Long term					
Systemic health effects					

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
Long term Systemic health effects Consumer	Oral	2.5 mg/kg bw/d		
Long term Systemic health effects Consumer	Inhalation	8.7 mg/m³		
Long term	Dermal	mg/kg bw/d		

Ireland - BE Page 7/18

RITO WATERSTOP PASTE Supercedes Date: 15-Mar-2023 Revision date 20-Feb-2024 Revision Number 1.04

Systemic health effects		
Consumer		

Dioctyltin oxide (870-08-6)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
Consumer Long term Systemic health effects	Oral	0.0005 mg/kg bw/d		
Consumer Long term Systemic health effects	Dermal	0.025 mg/kg bw/d		
Consumer Long term Systemic health effects	Inhalation	0.0009 mg/m³		

Ethyl silicate (78-10-4)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
Consumer Short term Systemic health effects	Dermal	8.4 mg/kg bw/d		
Consumer Long term Systemic health effects	Dermal	8.4 mg/kg bw/d		
Consumer Short term Systemic health effects	Inhalation	25 mg/m³		
Consumer Short term Local health effects	Inhalation	25 mg/m³		
Consumer Long term Systemic health effects	Inhalation	25 mg/m³		
Consumer Long term Local health effects	Inhalation	25 mg/m³		

# Predicted No Effect Concentration (PNEC)

Predicted No Effect Concentration (PNEC)	
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.018 mg/l
Marine water	0.0018 mg/l
Freshwater sediment	29 mg/kg
Marine sediment	2.9 mg/kg
Soil	5.9 mg/kg

Trimethoxyvinylsilane (2768-02-7)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.34 mg/l
Marine water	0.034 mg/l
Microorganisms in sewage treatment	110 mg/l

Titanium dioxide (13463-67-7)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Marine water	0.0184 mg/l
Freshwater sediment	1000 mg/kg

Ireland - BE Page 8 / 18

RITO WATERSTOP PASTE

Supercedes Date: 15-Mar-2023

Revision date 20-Feb-2024

Revision Number 1.04

Freshwater	0.184 mg/l	
Marine sediment	100 mg/kg	
Soil	100 mg/kg	
Microorganisms in sewage treatment	100 mg/l	
Freshwater - intermittent	0.193 mg/l	

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)			
Environmental compartment	Predicted No Effect Concentration (PNEC)		
Freshwater	0.062 mg/l		
Marine water	0.0062 mg/l		
Freshwater - intermittent	0.62 mg/l		
Freshwater sediment	0.05 mg/kg		
Marine sediment	0.005 mg/kg		
Soil	0.0075 mg/kg		
Sewage treatment plant	25 mg/l		

Dioctyltin oxide (870-08-6)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater sediment	0.02798 mg/kg dry weight
Marine sediment	0.002798 mg/kg dry weight
Microorganisms in sewage treatment	100 mg/l

Ethyl silicate (78-10-4)			
Environmental compartment	Predicted No Effect Concentration (PNEC)		
Freshwater	0.192 mg/l		
Marine water	0.0192 mg/l		
Freshwater sediment	0.18 mg/kg dry weight		
Marine sediment	0.018 mg/kg dry weight		
Soil	0.05 mg/kg		

#### 8.2. Exposure controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Eye protection must conform to

standard EN 166

Hand protection Wear suitable gloves. Recommended Use:. Nitrile rubber. Butyl rubber. Glove thickness

> 0.4 mm. Ensure that the breakthrough time of the glove material is not exceeded. Refer

to glove supplier for information on breakthrough time for specific gloves. The

breakthrough time for the mentioned glove material is in general greater than 480 min.

Gloves must conform to standard EN 374

Skin and body protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Wear a respirator

conforming to EN 140 with Type A/P2 filter or better.

**Recommended filter type:** Organic gases and vapours filter conforming to EN 14387. White. Brown.

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

#### SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateLiquidAppearancePasteColourGrey

Odour Characteristic.

Property Values Remarks • Method

Melting point / freezing point
Initial boiling point and boiling

No data available

No data available

No data available

Data technically impossible to obtain

Data technically impossible to obtain

range

Flammability No data available

Ireland - BE Page 9/18

**RITO WATERSTOP PASTE** Revision date 20-Feb-2024 Supercedes Date: 15-Mar-2023 **Revision Number** 1.04

None known

Not applicable. Insoluble in water.

Spindle Z3U @ 100 rpm @ 23 °C

Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Flash point > 61 °C CC (closed cup) No data available

Autoignition temperature **Decomposition temperature** 

рΗ

pH (as aqueous solution) No data available Kinematic viscosity No data available

Dynamic viscosity 27 - 35 Pa.s Water solubility Reacts with water. No data available Solubility(ies)

**Partition coefficient** No data available Vapour pressure No data available

Relative density 1.5

No data available **Bulk Density Density** ca. 1.5 g/cm<sup>3</sup> Relative vapour density No data available

**Particle characteristics** 

**Particle Size** No information available **Particle Size Distribution** No information available

9.2. Other information

Solid content (%) No information available

**VOC** content No data available

9.2.1. Information with regards to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

No information available

#### SECTION 10: Stability and reactivity

10.1. Reactivity

Product cures with moisture. Reactivity

10.2. Chemical stability

Stability Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical None.

impact

Sensitivity to static discharge

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Protect from moisture. Product cures with moisture.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

Ireland - BE Page 10/18

RITO WATERSTOP PASTE
Supercedes Date: 15-Mar-2023

Revision date 20-Feb-2024 Revision Number 1.04

#### 10.6. Hazardous decomposition products

**Hazardous decomposition** 

products

None under normal use conditions. Small amounts of methanol (CAS 67-56-1) are

formed by hydrolysis and released upon curing.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Information on likely routes of exposure

#### **Product Information**

**Inhalation** Based on available data, the classification criteria are not met.

**Eye contact** Based on available data, the classification criteria are not met.

**Skin contact** Based on available data, the classification criteria are not met.

**Ingestion** Based on available data, the classification criteria are not met.

#### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available.

Acute toxicity

#### **Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) >5000 mg/kg
ATEmix (dermal) >5000 mg/kg
ATEmix (inhalation-gas) >20000 ppm
ATEmix (inhalation-dust/mist) >5 mg/l
ATEmix (inhalation-vapour) >20 mg/l

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Bis(2,2,6,6-tetramethyl-4-piperi	LD50 (Rattus)> 2000 mg/kg	LD50 (Rattus) > 3 170 mg/kg	=500 mg/m <sup>3</sup> (Rattus) 4 h
dyl) sebacate	OECD 423	OECD 402	-
Trimethoxyvinylsilane	LD50 = 7120 -7236 mg/kg	= 3540 mg/kg (Oryctolagus	LC50 (4hr) 16.8 mg/l (Rattus)
	(Rattus) OECD 401	cuniculus)	OECD TG 403
Titanium dioxide	>10000 mg/kg (Rattus)	LD50 > 5000 mg/Kg	= 5.09 mg/L (Rattus) 4 h
N-(3-(trimethoxysilyl)propyl)eth	LD50 = 2295 mg/kg (Rattus)	LD50 > 2000 mg/kg	1.49 - 2.44 mg/L (Rat) 4 h
ylenediamine	EPA OPPTS 870.1100	(Oryctolagus cuniculus)	
		EPA OPPTS 870.1200	
Dioctyltin oxide	=2500 mg/kg (Rattus)	LD50 > 2000 mg/kg (Rattus)	-
		OECD 402	
Ethyl silicate	LD50 > 2500 mg/kg (Rattus)	= 5878 mg/kg (Oryctolagus	= 10 mg/L (Rat male) 4 h
	OECD 423	cuniculus) = 6300 μL/kg	> 16.8 mg/L (Rat female) 4 h
		(Oryctolagus cuniculus)	

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

Ireland - BE Page 11/18

RITO WATERSTOP PASTE
Supercedes Date: 15-Mar-2023

Revision date 20-Feb-2024 Revision Number 1.04

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit	Dermal			Non-irritant
Acute Dermal					
Irritation/Corrosion					

Titanium dioxide (13463-67-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit	Dermal			Non-irritant
Acute Dermal					
Irritation/Corrosion					

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

(_,_,_, , , , , ,_		(0=0=0 0: 0)				
Method	Species	Exposure route	Effective dose	Exposure time	Results	
OECD Test No. 405:	Rabbit	eye			Eye Damage	
Acute Eye						
Irritation/Corrosion						

Titanium dioxide (13463-67-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	Eye			Non-irritant
Acute Eye					
Irritation/Corrosion					

Respiratory or skin sensitisation

May produce an allergic reaction. OECD Test No. 406: Skin Sensitisation. No sensitisation responses were observed. No classification is proposed, based on conclusive negative data. May cause sensitisation in susceptible persons.

Product Information							
Method	Species	Exposure route	Results				
OECD Test No. 406: Skin Sensitisation	Guinea pig	Dermal	No sensitisation responses were observed				

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig		No sensitisation responses
Sensitisation	_		were observed

Titanium dioxide (13463-67-7)

The manual and the first of the second of of the s					
Method	Species	Exposure route	Results		
OECD Test No. 406: Skin	Guinea pig	Dermal	Not a skin sensitiser		
Sensitisation	-				
OECD Test No. 429: Skin	Mouse	Dermal	Not a skin sensitiser		
Sensitisation: Local Lymph Node					
Assay					

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Component Information

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Results
OECD Test No. 471: Bacterial Reverse	in vitro	Not mutagenic
Mutation Test		-

Ireland - BE Page 12/18

RITO WATERSTOP PASTE
Supercedes Date: 15-Mar-2023

Revision date 20-Feb-2024 Revision Number 1.04

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity**Based on available data, the classification criteria are not met.

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Method	Species	Results
OECD Test No. 414: Pre-natal Development	Rat, Rabbit	reproductive toxicant
Toxicity Study		

**STOT - single exposure** Based on available data, the classification criteria are not met.

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Dioctyltin oxide (870-08-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 422:	Rat	Oral	5 mg/kg	28 days	0.3 - 0.5 mg/kg
Combined Repeated Dose					bw/d May cause
Toxicity Study with the					damage to the
Reproduction/Developme					following organs:
ntal Toxicity Screening					Immune system
Test					

Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 413:	Rat	Inhalation vapour		90 days	0.058 NOAEL
Sub-chronic Inhalation					
Toxicity: 90-day Study					

Dioctyltin oxide (870-08-6)

Method Species		Exposure route	Effective dose Exposure time		Results
	Rat Rabbit			28 days	0.3 - 0.5  mg/kg bw/d

**Aspiration hazard** Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

#### **SECTION 12: Ecological information**

12.1. Toxicity

**Ecotoxicity** Based on available data, the classification criteria are not met.

Ireland - BE Page 13/18

RITO WATERSTOP PASTE Supercedes Date: 15-Mar-2023 Revision date 20-Feb-2024 Revision Number 1.04

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
Bis(2,2,6,6-tetramethyl- 4-piperidyl) sebacate 52829-07-9	EC50 72Hr 0.705 mg/l (Pseudokirchner ella subcapitata)	LC50 (96h) = 5.29 mg/l (Oryzias latipes)	-	LC50 48Hr 8.58 mg/l (Daphnia magna)		
Trimethoxyvinylsilane 2768-02-7	EC 50 (72h) > 957 mg/l (Desmodesmus subspicatus) EU Method C.3	LC50 (96h) = 191 mg/l (Oncorhynchus mykiss)	-	EC50(48hr) 168.7mg/l (Daphnia magna)		
Titanium dioxide 13463-67-7	LC50 (96h) >10000 mg/l (Cyprinodon variegatus) OECD 203	1	-	-		
N-(3-(trimethoxysilyl)pr opyl)ethylenediamine 1760-24-3	-	LC50 (96H) =597 mg/L (Danio rerio)Semi-static	-	EC50 (48h) =81mg/L Daphnia magna Static		
Dioctyltin oxide 870-08-6	EC50 (3hr) >1.000 mg/l (bacteria) (Activated Sludge, Respiration Inhibition Test)	LC50 (96hr) >0,09 mg/l (Brachydanio rerio (zebra)) (Acute Toxicity Test)	-	EC50 (48Hr) >0,21 mg/l (Daphnia magna (Dappnia magna)) (Daphnia sp. Acute Immobilisation Test)		
Ethyl silicate 78-10-4	EC 50 (72h) > 100 mg/L (Pseudokirchner iella subcapitata) OECD 201	,	-	-		

#### 12.2. Persistence and degradability

**Persistence and degradability** No information available.

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Method	Exposure time	Value	Results
OECD Test No. 303: Simulation Test	28 days	Total organic carbon (TOC)	24 % Moderate
- Aerobic Sewage Treatment A:			
Activated Sludge Units; B: Biofilms			

Trimethoxyvinylsilane (2768-02-7)

Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	28 days	BOD	51 % Not readily
Biodegradability: Manometric			biodegradable
Respirometry Test (TG 301 F)			

Dioctyltin oxide (870-08-6)

Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	755 hours	biodegradation	Not readily biodegradable 2
Biodegradability: Manometric			%
Respirometry Test (TG 301 F)			

#### 12.3. Bioaccumulative potential

#### Bioaccumulation

Ireland - BE Page 14/18

RITO WATERSTOP PASTE
Supercedes Date: 15-Mar-2023
Revision Number 1.04

**Component Information** 

Chemical name	Partition coefficient
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	0.35
Trimethoxyvinylsilane	1.1
N-(3-(trimethoxysilyl)propyl)ethylenediamine	-0.3
Dioctyltin oxide	6
Ethyl silicate	3.18

#### 12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB above the

threshold of declaration.

Chemical name	PBT and vPvB assessment
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	The substance is not PBT / vPvB
Trimethoxyvinylsilane	The substance is not PBT / vPvB
Titanium dioxide	The substance is not PBT / vPvB
N-(3-(trimethoxysilyl)propyl)ethylenediamine	The substance is not PBT / vPvB
Dioctyltin oxide	The substance is not PBT / vPvB
Ethyl silicate	The substance is not PBT / vPvB

#### 12.6. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

#### 12.7. Other adverse effects

No information available.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of contents/container in accordance with local, regional, national, and

international regulations as applicable.

**Contaminated packaging** Handle contaminated packages in the same way as the product itself.

**European Waste Catalogue** 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

#### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1 UN number or ID number
 14.2 UN proper shipping name
 14.3 Transport hazard class(es)
 14.4 Packing group
 14.5 Environmental hazards
 Not regulated Not regulated Not regulated Not applicable

14.6 Special precautions for user

Special Provisions None

#### IMDG

Ireland - BE Page 15/18

RITO WATERSTOP PASTE

Supercedes Date: 15-Mar-2023

Revision date 20-Feb-2024

Revision Number 1.04

14.1 UN number or ID number
 14.2 UN proper shipping name
 14.3 Transport hazard class(es)
 14.4 Packing group
 Not regulated
 Not regulated
 Not regulated
 Not regulated

14.5 Marine pollutant NP
 14.6 Special precautions for user Special Provisions None

14.7 Maritime transport in bulk according to IMO instruments

Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

#### Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number
14.2 UN proper shipping name
14.3 Transport hazard class(es)
14.4 Packing group
14.5 Environmental hazards
Not regulated Not regulated Not applicable

14.6 Special precautions for user

Special Provisions None

#### Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**European Union** 

Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

#### **SVHC: Substances of Very High Concern for Authorisation:**

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No.	Restricted substance per REACH Annex XVII
Dioctyltin oxide	870-08-6	20.

20 (6) DOT.

#### Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

#### **Export Notification requirements**

This product contains substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals

Chemical name	European Export/Import Restrictions per (EC) 649/2012 - Annex
	Number
Dioctyltin oxide	l.1

#### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Ireland - BE Page 16/18

RITO WATERSTOP PASTE
Supercedes Date: 15-Mar-2023

Revision date 20-Feb-2024 Revision Number 1.04

#### **Persistent Organic Pollutants**

Not applicable

# REGULATION (EU) 2019/1148 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on the marketing and use of explosives precursors

Not applicable

#### National regulations

#### 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

#### SECTION 16: Other information

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapour

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H332 - Harmful if inhaled

H335 - May cause respiratory irritation

H361f - Suspected of damaging fertility

H400 - Very toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

#### Notes relating to the identification, classification and labelling of substances

Note V: If the substance is to be placed on the market as fibres (with diameter < 3 μm, length > 5 μm and aspect ratio ≥ 3:1) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied

**Note W:** It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung

#### Notes relating to the classification and labelling of mixtures

**Note 10:** The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter ≤ 10 µm

SVHC: Substances of Very High Concern for Authorisation:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances

vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT RE: Specific target organ toxicity - Repeated exposure

STOT SE: Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

LOW: List of Wastes (see http://ec.europa.eu/environment/waste/framework/list.htm)

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IATA: International Air Transport Association

ICAO: ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air

IMDG: International Maritime Dangerous Goods

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

#### Legend SECTION 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

AGW Occupational exposure limit value BGW Biological limit value Ceiling Maximum limit value Sk\* Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used

Ireland - BE Page 17/18

RITO WATERSTOP PASTE

Supercedes Date: 15-Mar-2023

Revision date 20-Feb-2024

Revision Number 1.04

Acute oral toxicity	Calculation method	
Acute dermal toxicity	Calculation method	
Acute inhalation toxicity - gas	Calculation method	
Acute inhalation toxicity - Vapour	Calculation method	
Acute inhalation toxicity - dust/mist	Calculation method	
Skin corrosion/irritation	Calculation method	
Serious eye damage/eye irritation	Calculation method	
Respiratory sensitisation	Calculation method	
Skin sensitisation	On basis of test data	
mutagenicity	Calculation method	
Carcinogenicity	Calculation method	
Reproductive toxicity	Calculation method	
STOT - single exposure	Calculation method	
STOT - repeated exposure	Calculation method	
Acute aquatic toxicity	Calculation method	
Chronic aquatic toxicity	Calculation method	
Aspiration hazard	Calculation method	
Ozone	Calculation method	·

#### Key literature references and sources for data used to compile the SDS

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA\_RAC)

European Chemicals Agency (ECHA) (ECHA\_API)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

NIOSH (National Institute for Occupational Safety and Health)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

Prepared By Product Safety & Regulatory Affairs

Revision date 20-Feb-2024

**Revision note** SDS sections updated 1 12 16

Training Advice No information available

Further information No information available

#### Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Regulation (EC) No. 1272/2008 and Regulation (EC) No. 1907/2006 as amended by Regulation (EU) No. 2020/878

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

Ireland - BE Page 18/18