

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

EVO-STICK HIGH TEMPERATURE SILICONE PLUS BLACK

Supercedes Date: 26-Jan-2022

Revision date 21-Oct-2022 Revision Number 2.01

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name EVO-STICK HIGH TEMPERATURE SILICONE PLUS BLACK

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Sealant

Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik GmbH An der Bundesstrasse 16 33829 Borgholzhausen, Germany Tel: +49 (0) 5425 / 801 0

Fax: +49 (0) 5425 / 801 0

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

Ireland NPIC - National Poison Information Centre

Members of the Public: +353 (01) 8092166 (8.00 am to 10.00 pm - 7 days a week)

Healthcare Professionals: +353 (01) 8092566 (24 hour service)

United Kingdom Bostik: +44 (1785) 272650

Europe 113

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Chronic aquatic toxicity Category 3 - (H412)

2.2. Label elements

Hazard statements

H412 - Harmful to aquatic life with long lasting effects

Precautionary Statements - EU (§28, 1272/2008)

P273 - Avoid release to the environment

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards

Small amounts of acetic acid (CAS 64-19-7) are formed by hydrolysis and released upon curing.

Ireland - BE Page 1/12

Revision date 21-Oct-2022

Revision Number 2.01

EVO-STICK HIGH TEMPERATURE SILICONE PLUS BLACK

•

PBT & vPvB

Supercedes Date: 26-Jan-2022

This mixture contains substances considered to be persistent, bio-accumulating and toxic (PBT). This mixture contains substances considered to be very persistent and very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No (EU Index No).	CAS No.	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-ter m)	REACH registration number
Silica, amorphous 5 - <10 %	231-545-4	7631-86-9	[B]	-	-	-	01-2119379499- 16-XXXX
Triacetoxy(propyl)silane 1 - <3 %	241-816-9	17865-07-5	Skin Corr. 1B (H314) (EUH071)	-	-	-	01-2119966899- 07-XXXX
Silanetriol, methyl-, triacetate 1 - <2.5 %	224-221-9	4253-34-3	Skin Corr. 1C (H314) Acute Tox. 4 (H302) (EUH014)	-	-	-	01-2119962266- 32-XXXX
Octamethylcyclotetrasilo xane [D4] 0.01 - <0.1 %	(014-018-00- 1) 209-136-7	556-67-2	Repr. 2 (H361f) Aquatic Chronic 1 (H410) Flam. Liq. 3 (H226) [G]	-	10	10	01-2119529238- 36-XXXX

Air contaminants formed when using the substance or mixture as intended

Chemical name	EC No (EU Index No)	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-ter m)	REACH registration number
Acetic acid 64-19-7	(607-002-00 -6) 200-580-7	1 - <2.5	Skin Corr. 1A (H314) Flam. Liq. 3 (H226)	Eye Irrit. 2 :: 10%<=C<25% Skin Corr. 1A :: C>=90% Skin Corr. 1B :: 25%<=C<90% Skin Irrit. 2 :: 10%<=C<25%	-	-	01-211947532 8-30-XXXX

Full text of H- and EUH-phrases: see section 16

Classification according to Regulation (EC) No. 1272/2008 [CLP] - Notes

[B] - Substance with a Community workplace exposure limit

[G] - This substance meets the PBT criteria of REACH, annex XIII

This substance meets the vPvB criteria of REACH, annex XIII

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

	Chemical name	EC No (EU	CAS No	Oral LD50	Dermal LD50	Inhalation	Inhalation	Inhalation
ı		Index No)		mg/kg	mg/kg	LC50 - 4 hour -	LC50 - 4 hour -	LC50 - 4 hour -
						dust/mist -	vapour - mg/L	gas - ppm
						mg/L		

Ireland - BE Page 2/12

EVO-STICK HIGH TEMPERATURE SILICONE PLUS BLACK

Supercedes Date: 26-Jan-2022 **Revision Number** 2.01

Revision date 21-Oct-2022

Chemical name	EC No (EU Index No)	CAS No	Oral LD50 mg/kg	Dermal LD50 mg/kg	LC50 - 4 hour -	Inhalation LC50 - 4 hour - vapour - mg/L	
Silica, amorphous	231-545-4	7631-86-9	-	-	-	-	-
Triacetoxy(propyl)silane	241-816-9	17865-07-5	-	-	-	-	-
Silanetriol, methyl-,	224-221-9	4253-34-3	1600	-	-	-	-
triacetate							
Octamethylcyclotetrasil	(014-018-00-1)	556-67-2	-	-	-	-	-
oxane [D4]	209-136-7						

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice If medical advice is needed, have product container or label at hand.

Inhalation Remove to fresh air. If symptoms persist, call a doctor.

Immediately flush with plenty of water. After initial flushing, remove any contact lenses Eye contact

and continue flushing for at least 15 minutes. If eye irritation persists: Get medical

advice/attention.

Skin contact Wash off immediately with soap and plenty of water. In the case of skin irritation or

allergic reactions see a doctor.

Ingestion Do NOT induce vomiting. Rinse mouth thoroughly with water. Never give anything by

mouth to an unconscious person. Get medical attention immediately if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

None known. **Symptoms**

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. **Suitable Extinguishing Media**

Unsuitable extinguishing media Full water jet.

5.2. Special hazards arising from the substance or mixture

chemical

Specific hazards arising from the Thermal decomposition can lead to release of irritating gases and vapours.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2).

5.3. Advice for firefighters

Special protective equipment and Wear self contained breathing apparatus for fire fighting if necessary.

Ireland - BF Page 3/12

Revision date 21-Oct-2022

EVO-STICK HIGH TEMPERATURE SILICONE PLUS BLACK

Supercedes Date: 26-Jan-2022 Revision Number 2.01

precautions for fire-fighters

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Use personal protective equipment as required. Do not get

in eyes, on skin, or on clothing.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section

12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment

Use a non-combustible material like vermiculite, sand or earth to soak up the product and

place into a container for later disposal.

Methods for cleaning upTake up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation. Use personal protection equipment. Avoid contact with skin,

eyes or clothing.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and after

work. Take off all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Protect from moisture. Keep containers tightly closed in a dry, cool and well-ventilated

place. Keep away from food, drink and animal feedingstuffs.

Recommended storage

temperature

Keep at temperatures between 10 and 35 °C.

7.3. Specific end use(s)

Specific use(s)

Sealant.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits Small amounts of acetic acid (CAS 64-19-7) are formed by hydrolysis and released upon

curing

Ireland - BE Page 4/12

EVO-STICK HIGH TEMPERATURE SILICONE PLUS BLACK

Revision date 21-Oct-2022 Supercedes Date: 26-Jan-2022 Revision Number 2.01

Chemical name	European Union	Ireland	United Kingdom
Silica, amorphous	TWA: 0.1 mg/m ³	TWA: 6 mg/m ³	TWA: 6 mg/m ³
7631-86-9	_	TWA: 2.4 mg/m ³	TWA: 2.4 mg/m ³
		STEL: 18 mg/m ³	TWA: 0.1 mg/m ³
		STEL: 7.2 mg/m ³	STEL: 18 mg/m ³
		_	STEL: 7.2 mg/m ³
			STEL: 0.3 mg/m ³
Acetic acid	TWA: 25 mg/m ³	TWA: 20 ppm	TWA: 10 ppm
64-19-7	TWA: 10 ppm	TWA: 50 mg/m ³	TWA: 25 mg/m ³
	STEL: 50 mg/m ³	STEL: 20 ppm	STEL: 20 ppm
	STEL: 20 ppm	STEL: 50 mg/m ³	STEL: 50 mg/m ³

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)							
Octamethylcyclotetrasiloxane [D4] (556-67-2)							
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor				
worker Long term Systemic health effects	Inhalation	73 mg/m³					

Derived No Effect Level (DNEL)							
Octamethylcyclotetrasiloxane [D4] (556-67-2)							
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor				
Consumer Long term Systemic health effects	Inhalation	13 mg/m³					
Consumer Long term Systemic health effects	Oral	3.7 mg/kg bw/d					

Predicted No Effect Concentration No information available. (PNEC)

Predicted No Effect Concentration (PNEC)						
Octamethylcyclotetrasiloxane [D4] (556-67-2						
Environmental compartment	Predicted No Effect Concentration (PNEC)					
Freshwater	0.0015 mg/l					
Marine water	0.00015 mg/l					
Freshwater sediment	3 mg/kg					
Marine sediment	0.3 mg/kg					
Soil	0.54 mg/kg					
Sewage treatment plant	10 mg/l					

8.2. Exposure controls

Ensure adequate ventilation, especially in confined areas. **Engineering controls**

Personal protective equipment

Wear safety glasses with side shields (or goggles). Eye protection must conform to Eye/face protection

standard EN 166

Hand protection Wear suitable gloves. Recommended Use:. Nitrile rubber. Butyl rubber. Glove thickness

> 0.4 mm. Ensure that the breakthrough time of the glove material is not exceeded. Refer

to glove supplier for information on breakthrough time for specific gloves. The breakthrough time for the mentioned glove material is in general greater than 480 min.

Gloves must conform to standard EN 374

Skin and body protection Respiratory protection

Wear suitable protective clothing.

In case of inadequate ventilation wear respiratory protection. Wear a respirator

conforming to EN 140 with Type A/P2 filter or better.

Ireland - BE Page 5/12

Revision date 21-Oct-2022

Revision Number 2.01

EVO-STICK HIGH TEMPERATURE SILICONE PLUS BLACK

Recommended filter type: Organic gases and vapours filter conforming to EN 14387. White. Brown.

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateSolidAppearancePasteColourBlackOdourAcetic acid.

Supercedes Date: 26-Jan-2022

Odour threshold No information available

Property Values Remarks • Method

Melting point / freezing point
Initial boiling point and boiling

No data available
No data available

range

Flammability No data available

Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Flash point No data available
Autoignition temperature No data available

Decomposition temperature

pH Not applicable. Insoluble in water.

pH (as aqueous solution) No data available

Kinematic viscosity > 21 mm²/s @ 40°C

Dynamic viscosity No data available

Water solubility Reacts with water. Product cures

with moisture

Solubility(ies)

Partition coefficient

Vapour pressure

Relative density
Bulk Density
Density

No data available
No data available
1.03 1.05
No data available
1.03 - 1.05 g/cm³

Relative vapour density

No data available

None known

Particle characteristics

Particle SizeNo information availableParticle Size DistributionNo information available

9.2. Other information

Solid content (%) No information available

VOC content No data available

9.2.1. Information with regards to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Product cures with moisture.

10.2. Chemical stability

Ireland - BE Page 6/12

EVO-STICK HIGH TEMPERATURE SILICONE PLUS BLACK

Supercedes Date: 26-Jan-2022 Revision Number 2.01

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical

impact

hanical None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Product cures with moisture. Protect from moisture.

10.5. Incompatible materials

Incompatible materials Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition

products

None under normal use conditions. Stable under recommended storage conditions.

Revision date 21-Oct-2022

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact Based on available data, the classification criteria are not met.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	
Silica, amorphous	=7900 mg/kg (Rattus)	> 5000 mg/kg (Oryctolagus	>2.2 mg/L (Rattus) 1 h	
		cuniculus)		
Silanetriol, methyl-, triacetate	LD50 = 1600 mg/kg (Rattus)	-	-	
	OECD 401			
Octamethylcyclotetrasiloxane	LD50 > 4800 mg/kg (Rattus)	LD50 > 2400 mg/kg (Rattus)	=36 g/m³ (Rattus) 4 h	
[D4]	OECD 401	OECD 402		

Ireland - BE Page 7/12

EVO-STICK HIGH TEMPERATURE SILICONE PLUS BLACK

Supercedes Date: 26-Jan-2022 **Revision Number** 2.01

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation The assessment of the result of testing was done in accordance with the guideline of the

Commission 92/69/EEC.

Method Effective dose Exposure route Exposure time Results **Species** Rabbit Dermal Product score <=1 6 days Non-irritant

By analogy to another tested similar product: No irritation after contact to the eyes. (H319 Serious eye damage/eye irritation

is void). The assessment of the result of testing was done in accordance with the

Revision date 21-Oct-2022

guideline of the Commission 92/69/EEC.

Method	Species	Exposure route	Effective dose	Exposure time	Results
	Rabbit	eye		6 days	Product score <=1
		-		-	Non-irritant

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. Germ cell mutagenicity

Carcinogenicity Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. Reproductive toxicity

Chemical name	European Union		
Octamethylcyclotetrasiloxane [D4]	Repr. 2		

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic	Fish	Toxicity to	Crustacea	M-Factor	M-Factor
	plants		microorganisms			(long-term)
Silica, amorphous	EC50: =440mg/L	LC50:	-	EC50:		
7631-86-9	(72h,	=5000mg/L (96h,		=7600mg/L (48h,		

Ireland - BE Page 8/12

EVO-STICK HIGH TEMPERATURE SILICONE PLUS BLACK

Supercedes Date: 26-Jan-2022 Revision Number 2.01

Revision date 21-Oct-2022

	Pseudokirchneri ella subcapitata)	, , , , , , , , , , , , , , , , , , ,		Ceriodaphnia dubia)		
Triacetoxy(propyl)silane 17865-07-5	EC50 (72h): approx. 24 mg/l(Pseudokirc henriella subpicata)	LC50 (96h) = 108.89 mg/L	-	EC50 (48h) = 89.59 mg/L		
Silanetriol, methyl-, triacetate 4253-34-3	EC50 (72h): >500 mg/l (Pseudokirchner ella subcapitata)		-	EC50 (48h) >500 mg/l (Daphnia magna)		
Octamethylcyclotetrasil oxane [D4] 556-67-2		LC50: >1000mg/L (96h, Lepomis macrochirus) LC50: >500mg/L (96h, Brachydanio rerio)	-	EC50: =25.2mg/L (24h, Daphnia magna)	10	10

12.2. Persistence and degradability

Persistence and degradability No information available.

Silica, amorphous (7631-86-9)

Method	Exposure time	Value	Results
			The methods for determining biodegradability are not
			applicable to inorganic
			substances

Octamethylcyclotetrasiloxane [D4] (556-67-2)

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient	
Triacetoxy(propyl)silane	1.23	
Silanetriol, methyl-, triacetate	-2.4	
Octamethylcyclotetrasiloxane [D4]	6.49	

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product contains substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment	
Silica, amorphous	The substance is not PBT / vPvB PBT assessment does	
	not apply	
Triacetoxy(propyl)silane	The substance is not PBT / vPvB	
Silanetriol, methyl-, triacetate	The substance is not PBT / vPvB	
Octamethylcyclotetrasiloxane [D4]	PBT & vPvB	

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

Ireland - BE Page 9 / 12

EVO-STICK HIGH TEMPERATURE SILICONE PLUS BLACK

Supercedes Date: 26-Jan-2022 Revision Number 2.01

Component Information				
Octamethylcyclotetrasiloxane [D4] (556-67-2)				
Method	Results	Species		
Endocrine disrupting properties in accordance	Negative.			
with the criteria set out in Commission				
Delegated Regulation (EU) 2017/2100(3) or				
Commission Regulation (EU) 2018/605(4).				

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of contents/container in accordance with local, regional, national, and

Revision date 21-Oct-2022

international regulations as applicable.

Contaminated packaging Handle contaminated packages in the same way as the product itself.

European Waste Catalogue 08 04 09* waste adhesives and sealants containing organic solvents or other dangerous

substances

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1 UN number or ID numberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable

14.6 Special Provisions None

IMDG

14.1 UN number or ID number
14.2 Proper Shipping Name
14.3 Transport hazard class(es)
14.4 Packing group

Not regulated
Not regulated
Not regulated
Not regulated

14.5 Marine pollutantNP14.6 Special ProvisionsNone

14.7 Maritime transport in bulk Not applicable

according to IMO instruments

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID numberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable14.6 Special ProvisionsNone

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Ireland - BE Page 10/12

Revision date 21-Oct-2022

EVO-STICK HIGH TEMPERATURE SILICONE PLUS BLACK

Supercedes Date: 26-Jan-2022 Revision Number 2.01

European Union

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

EUH014 - Reacts violently with water

EUH071 - Corrosive to the respiratory tract

H226 - Flammable liquid and vapour

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H361f - Suspected of damaging fertility

H410 - Very toxic to aquatic life with long lasting effects

SVHC: Substances of Very High Concern for Authorisation:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

vPvB: Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE: Specific target organ toxicity - Repeated exposure

STOT SE: Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

LOW: List of Wastes (see http://ec.europa.eu/environment/waste/framework/list.htm)

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IATA: International Air Transport Association

ICAO: ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air

IMDG: International Maritime Dangerous Goods

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

Ireland - BE Page 11/12

Revision date 21-Oct-2022

Revision Number 2.01

EVO-STICK HIGH TEMPERATURE SILICONE PLUS BLACK

Supercedes Date: 26-Jan-2022

Legend SECTION 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

AGW Occupational exposure limit value BGW Biological limit value Ceiling Maximum limit value * Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	On basis of test data
Serious eye damage/eye irritation	On basis of test data
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)

European Chemicals Agency (ECHA) (ECHA_API)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

NIOSH (National Institute for Occupational Safety and Health)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

Prepared By Product Safety & Regulatory Affairs

Revision date 21-Oct-2022

Revision note SDS sections updated

Training Advice No information available

Further information No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Ireland - BE Page 12/12