

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

**BOSTIK CEMENTONE MORTAR PLASTICISER** 

Revision date 28-Feb-2023 Supercedes Date: 25-Jan-2023 **Revision Number** 1.05

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

**BOSTIK CEMENTONE MORTAR PLASTICISER Product Name** 

Other means of identification

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Building and construction work

Uses advised against None known

1.3. Details of the supplier of the safety data sheet

**Company Name** 

**Bostik Industries Limited** Bostik SA 420 rue d'Estienne d'Orves Newtown, Swords 92700 Colombes Co. Dublin Ireland Tel: +353 (1) 8624900 **FRANCE** Tel: +33 (0)1 49 00 90 00 Fax: +353 (1) 8402186

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

Ireland **NPIC - National Poison Information Centre** 

Members of the Public: +353 (01) 8092166 (8.00 am to 10.00 pm - 7 days a week)

Healthcare Professionals: +353 (01) 8092566 (24 hour service)

Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri) **United Kingdom** 

**Europe** 

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin sensitisation Category 1 - (H317)

#### 2.2. Label elements

Contains 2-methyl-2H-isothiazol-3-one [MIT]



Signal word Warning

Ireland - BE Page 1/11

**BOSTIK CEMENTONE MORTAR PLASTICISER** 

Supercedes Date: 25-Jan-2023 Revision Number 1.05

Revision date 28-Feb-2023

#### **Hazard statements**

H317 - May cause an allergic skin reaction

### Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray

P280 - Wear protective gloves

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P501 - Dispose of contents/ container to an approved waste disposal plant

#### 2.3. Other hazards

No information available.

#### PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors.

# SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not applicable

# 3.2 Mixtures

| Chemical name             | EC No (EU    | CAS No.   | Classification           | Specific            | M-Factor | M-Factor  | REACH          |
|---------------------------|--------------|-----------|--------------------------|---------------------|----------|-----------|----------------|
|                           | Index No).   |           | according to             | concentration limit |          | (long-ter | registration   |
|                           |              |           | Regulation (EC) No.      | (SCL)               |          | m)        | number         |
|                           |              |           | 1272/2008 [CLP]          |                     |          |           |                |
| 2-methyl-2H-isothiazol-3- | (613-326-00- | 2682-20-4 | Skin Corr. 1B (H314)     | Skin Sens. 1A ::    | 10       | 1         | 01-2120764690- |
| one [MIT]                 | 9)           |           | Eye Dam. 1 (H318)        | C>=0.0015%          |          |           | 50-xxxx        |
| 0.0025 - <0.01 %          | 220-239-6    |           | Skin Sens. 1A (H317)     |                     |          |           |                |
|                           |              |           | Acute Tox. 3 (H301)      |                     |          |           |                |
|                           |              |           | Acute Tox. 3 (H311)      |                     |          |           |                |
|                           |              |           | Acute Tox. 2 (H330)      |                     |          |           |                |
|                           |              |           | Aquatic Acute 1 (H400)   |                     |          |           |                |
|                           |              |           | Aquatic Chronic 1 (H410) |                     |          |           |                |

Full text of H- and EUH-phrases: see section 16

#### **Acute Toxicity Estimate**

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

| Chemical name                          | EC No (EU<br>Index No)      | CAS No    | Oral LD50<br>mg/kg | Dermal LD50<br>mg/kg | LC50 - 4 hour - | Inhalation<br>LC50 - 4 hour -<br>vapour - mg/L |   |
|--|-----------------------------|-----------|--------------------|----------------------|-----------------|--|---|
| 2-methyl-2H-isothiazol-<br>3-one [MIT] | (613-326-00-9)<br>220-239-6 | 2682-20-4 | 285                | 243                  | 0.11            | -  | - |

Ireland - BE Page 2/11

**BOSTIK CEMENTONE MORTAR PLASTICISER** 

Revision date 28-Feb-2023 Supercedes Date: 25-Jan-2023 Revision Number 1.05

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention.

Eye contact In case of eye contact, remove contact lens and rinse immediately with plenty of water,

also under the eyelids, for at least 15 minutes. If symptoms persist, call a doctor.

Skin contact Wash with soap and water. May cause an allergic skin reaction. In the case of skin

irritation or allergic reactions see a doctor.

Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never Ingestion

give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** Itching, Rashes, Hives.

4.3. Indication of any immediate medical attention and special treatment needed

May cause sensitisation in susceptible persons. Treat symptomatically. Note to doctors

# SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing media No information available.

5.2. Special hazards arising from the substance or mixture

chemical

Specific hazards arising from the Product is or contains a sensitiser. May cause sensitisation by skin contact.

Sulphur oxides. **Hazardous combustion products** 

5.3. Advice for firefighters

precautions for fire-fighters

Special protective equipment and Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

# SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal Personal precautions

protective equipment as required. Evacuate personnel to safe areas. Keep people away

Ireland - BE Page 3 / 11

**BOSTIK CEMENTONE MORTAR PLASTICISER** 

Supercedes Date: 25-Jan-2023

Revision date 28-Feb-2023 Revision Number 1.05

from and upwind of spill/leak.

6.2. Environmental precautions

**Environmental precautions** See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

**Reference to other sections**See section 8 for more information. See section 13 for more information.

## SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact

with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product.

Take off contaminated clothing and wash it before reuse.

**General hygiene considerations** Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Recommended storage

temperature

Keep at temperatures between 5 and 35 °C.

7.3. Specific end use(s)

Specific use(s)

Building and construction work.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

# SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

**Exposure Limits** 

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration (PNEC)

8.2. Exposure controls

Ireland - BE Page 4/11

**BOSTIK CEMENTONE MORTAR PLASTICISER** 

Revision date 28-Feb-2023 Supercedes Date: 25-Jan-2023 Revision Number 1.05

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Wear safety glasses with side shields (or goggles). Avoid contact with eyes. Eye Eye/face protection

protection must conform to standard EN 166

Hand protection Wear protective gloves. Gloves must conform to standard EN 374. Ensure that the

breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time of the gloves

depends on the material and the thickness as well as the temperature.

Skin and body protection Suitable protective clothing.

During spraying wear suitable respiratory equipment. Respiratory protection

**Environmental exposure controls** No information available.

# SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid **Appearance** Liquid Colour Brown Odour Odourless. **Odour threshold** Not applicable

Property Values Remarks • Method

No data available Melting point / freezing point None known Initial boiling point and boiling No data available None known

range

**Flammability** Not applicable for liquids .

Flammability Limit in Air None known

Upper flammability or explosive No data available

Lower flammability or explosive No data available

limits

Flash point No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** None known

No data available None known pH (as aqueous solution) Kinematic viscosity No data available None known

**Dvnamic viscosity** No data available Water solubility Soluble in water.

No data available Solubility(ies) None known Partition coefficient No data available None known Vapour pressure No data available None known

Relative density 1.01

**Bulk Density** No data available Density No data available

No data available None known Relative vapour density

Particle characteristics

**Particle Size** No information available No information available **Particle Size Distribution** 

9.2. Other information

Solid content (%) No information available

**VOC** content No data available

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics

No information available

Ireland - BE Page 5/11

**BOSTIK CEMENTONE MORTAR PLASTICISER** 

Supercedes Date: 25-Jan-2023 Revision Number 1.05

Revision date 28-Feb-2023

# **SECTION 10: Stability and reactivity**

10.1. Reactivity

**Reactivity** No information available.

10.2. Chemical stability

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical

None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

**Conditions to avoid**None known based on information supplied.

10.5. Incompatible materials

**Incompatible materials**None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition

products

Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

# **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

**Product Information** 

**Inhalation** Based on available data, the classification criteria are not met.

**Eye contact** Based on available data, the classification criteria are not met.

**Skin contact** May cause sensitisation by skin contact. Specific test data for the substance or mixture is

not available. Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons. (based on components).

**Ingestion** Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Itching. Rashes. Hives.

Acute toxicity

#### **Numerical measures of toxicity**

Ireland - BE Page 6/11

**BOSTIK CEMENTONE MORTAR PLASTICISER** 

Supercedes Date: 25-Jan-2023 Revision Number 1.05

Revision date 28-Feb-2023

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) >5000 mg/kg
ATEmix (dermal) >5000 mg/kg
ATEmix (inhalation-gas) >20000 ppm
ATEmix (inhalation-dust/mist) >5 mg/l
ATEmix (inhalation-vapour) >20 mg/l

#### **Component Information**

| Chemical name                | Oral LD50                | Dermal LD50              | Inhalation LC50         |
|------------------------------|--------------------------|--------------------------|-------------------------|
| 2-methyl-2H-isothiazol-3-one | LD50 =285 mg/Kg (Rattus) | LD50 >242 mg/Kg (Rattus) | =0.11 mg/L (Rattus) 4 h |
| [MIT]                        |                          |                          |                         |

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation** May cause an allergic skin reaction.

2-methyl-2H-isothiazol-3-one [MIT] (2682-20-4)

| Method                  | Species    | Exposure route | Results     |
|-------------------------|------------|----------------|-------------|
| OECD Test No. 406: Skin | Guinea pig | Dermal         | sensitising |
| Sensitisation           | -          |                | -           |

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT - single exposure** Based on available data, the classification criteria are not met.

**STOT - repeated exposure**Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

# **SECTION 12: Ecological information**

Ireland - BE Page 7/11

**BOSTIK CEMENTONE MORTAR PLASTICISER** 

Supercedes Date: 25-Jan-2023 Revision Number 1.05

Revision date 28-Feb-2023

#### 12.1. Toxicity

#### **Ecotoxicity**

| Chemical name           | Algae/aquatic      | Fish          | Toxicity to    | Crustacea   | M-Factor | M-Factor    |
|-------------------------|--------------------|---------------|----------------|-------------|----------|-------------|
|                         | plants             |               | microorganisms |             |          | (long-term) |
| 2-methyl-2H-isothiazol- | EC50 (72hr)        | EC50 (96hr)   | -              | EC50 (48hr) | 10       | 1           |
| 3-one [MIT]             | 0.157 mg/l         | 5.71 mg/l     |                | 1.68 mg/l   |          |             |
| 2682-20-4               | (Pseudokirchner    | (Oncorhynchus |                | (Daphnia)   |          |             |
|                         | iella subcapitata) | mykiss) OECD  |                | (OECD 202)  |          |             |
|                         | (OECD 201)         | 203           |                |             |          |             |

### 12.2. Persistence and degradability

Persistence and degradability No information available.

2-methyl-2H-isothiazol-3-one [MIT] (2682-20-4)

| Method                              | Exposure time | Value                    | Results                   |  |  |
|-------------------------------------|---------------|--------------------------|---------------------------|--|--|
| OECD Test No. 308: Aerobic and      |               | Half-life                | 1.28-2.1 days             |  |  |
| Anaerobic Transformation in Aquatic |               |                          |                           |  |  |
| Sediment Systems                    |               |                          |                           |  |  |
| OECD Test No. 309: Aerobic          |               | biodegradation Half-life | Readily biodegradable 4.1 |  |  |
| Mineralization in Surface Water -   |               | _                        | days                      |  |  |
| Simulation Biodegradation Test      |               |                          |                           |  |  |

# 12.3. Bioaccumulative potential

## Bioaccumulation

**Component Information** 

| Chemical name                      | Partition coefficient |
|------------------------------------|-----------------------|
| 2-methyl-2H-isothiazol-3-one [MIT] | -0.32                 |

# 12.4. Mobility in soil

Mobility in soil No information available.

## 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB above the

threshold of declaration.

| Chemical name                      | PBT and vPvB assessment         |
|------------------------------------|---------------------------------|
| 2-methyl-2H-isothiazol-3-one [MIT] | The substance is not PBT / vPvB |

# 12.6. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

## 12.7. Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Ireland - BE Page 8/11

**BOSTIK CEMENTONE MORTAR PLASTICISER** 

Revision date 28-Feb-2023 Supercedes Date: 25-Jan-2023 Revision Number 1.05

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

## SECTION 14: Transport information

#### Land transport (ADR/RID)

14.1 UN number or ID number Not regulated 14.2 Proper Shipping Name Not regulated Not regulated 14.3 Transport hazard class(es) 14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable None 14.6 Special Provisions

#### IMDG

Not regulated 14.1 UN number or ID number 14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Marine pollutant NP

14.6 Special Provisions None

14.7 Maritime transport in bulk Not applicable

according to IMO instruments

## Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number Not regulated 14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated Not regulated 14.4 Packing group 14.5 Environmental hazards Not applicable

14.6 Special Provisions None

## Section 15: REGULATORY INFORMATION

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

#### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

## **SVHC: Substances of Very High Concern for Authorisation:**

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Ireland - BE Page 9/11

**BOSTIK CEMENTONE MORTAR PLASTICISER** 

Supercedes Date: 25-Jan-2023

Revision date 28-Feb-2023 Revision Number 1.05

#### Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

#### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

#### **Persistent Organic Pollutants**

Not applicable

#### **National regulations**

#### 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

### SECTION 16: Other information

#### Key or legend to abbreviations and acronyms used in the safety data sheet

## Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H330 - Fatal if inhaled

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

SVHC: Substances of Very High Concern for Authorisation:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

vPvB: Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE: Specific target organ toxicity - Repeated exposure

STOT SE: Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

LOW: List of Wastes (see http://ec.europa.eu/environment/waste/framework/list.htm)

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IATA: International Air Transport Association

ICAO: ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air

IMDG: International Maritime Dangerous Goods

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

### Legend SECTION 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

AGW Occupational exposure limit value BGW Biological limit value Ceiling Maximum limit value \* Skin designation

| Classification procedure  |                    |
|---|--------------------|
| Classification according to Regulation (EC) No. 1272/2008 [CLP] | Method Used        |
| Acute oral toxicity   | Calculation method |
| Acute dermal toxicity   | Calculation method |
| Acute inhalation toxicity - gas                                 | Calculation method |

Ireland - BE Page 10 / 11

**BOSTIK CEMENTONE MORTAR PLASTICISER** 

Supercedes Date: 25-Jan-2023 Revision Number 1.05

Revision date 28-Feb-2023

| Acute inhalation toxicity - Vapour    | Calculation method |  |
|---------------------------------------|--------------------|--|
| Acute inhalation toxicity - dust/mist | Calculation method |  |
| Skin corrosion/irritation             | Calculation method |  |
| Serious eye damage/eye irritation     | Calculation method |  |
| Respiratory sensitisation             | Calculation method |  |
| Skin sensitisation                    | Calculation method |  |
| mutagenicity                          | Calculation method |  |
| Carcinogenicity                       | Calculation method |  |
| Reproductive toxicity                 | Calculation method |  |
| STOT - single exposure                | Calculation method |  |
| STOT - repeated exposure              | Calculation method |  |
| Acute aquatic toxicity                | Calculation method |  |
| Chronic aquatic toxicity              | Calculation method |  |
| Aspiration hazard                     | Calculation method |  |
| Ozone                                 | Calculation method |  |

#### Key literature references and sources for data used to compile the SDS

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA\_RAC)

European Chemicals Agency (ECHA) (ECHA\_API)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

NIOSH (National Institute for Occupational Safety and Health)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

Prepared By Product Safety & Regulatory Affairs

Revision date 28-Feb-2023

**Revision note** SDS sections updated 2

Training Advice No information available

Further information No information available

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

Ireland - BE Page 11/11