

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

EVO-STIK MORTAR PLASTICISER Supercedes Date: 24-Jun-2021 Revision date 25-Jun-2021 Revision Number 1.01

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product Name Pure substance/mixture	EVO-STIK MORTAR PLASTICISER Mixture
1.2. Relevant identified uses o	f the substance or mixture and uses advised against
Recommended use Uses advised against	Building and construction work. None known
1.3. Details of the supplier of t	he safety data sheet
<u>Company Name</u> Bostik Industries Limited Newtown, Swords Co. Dublin Ireland Tel: +353 (1) 8624900 Fax: +353 (1) 8402186	
E-mail address	SDS.box-EU@bostik.com
1.4. Emergency telephone nun	nber
United Kingdom Ireland	+44 (1785) 272650 <b>NPIC - National Poison Information Centre</b> Members of the Public: +353 (01) 8092166 (8.00 am to 10.00 pm - 7 days a week) Healthcare Professionals: +353 (01) 8092566 (24 hour service)

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

#### Skin sensitisation

2.2. Label elements

Contains 2-methyl-2H-isothiazol-3-one [MIT]



Signal word Warning

Hazard statements H317 - May cause an allergic skin reaction.

Precautionary Statements - EU (§28, 1272/2008)

Category 1 - (H317)

**EVO-STIK MORTAR PLASTICISER** 

Supercedes Date: 24-Jun-2021

Revision date 25-Jun-2021 Revision Number 1.01

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P280 - Wear protective gloves and eye/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P501 - Dispose of contents/ container to an approved waste disposal plant

P261 - Avoid breathing vapours

#### 2.3. Other hazards

No information available.

#### PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable

### 3.2 Mixtures

Chemical name	EC No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
2-methyl-2H-isothiazol-3 -one [MIT]	220-239-6	2682-20-4	0 - 10%	Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 2 (H330) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) M Factor Acute =10 M Factor Chronic = 1	Skin Sens. 1 :: C>=0.0015%	01-2120764690- 50-xxxx

#### Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

# EVO-STIK MORTAR PLASTICISER

Supercedes Date: 24-Jun-2021

General advice	Show this safety data sheet to the doctor in attendance.			
Inhalation	Remove to fresh air. IF exposed or concerned: Get medical advice/attention.			
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.			
Skin contact	Wash with soap and water. May cause an allergic skin reaction. In the case of skir irritation or allergic reactions see a doctor.			
Ingestion	Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person.			
4.2. Most important symptoms and	d effects, both acute and delayed			
Symptoms	Itching. Rashes. Hives.			
4.3. Indication of any immediate m	nedical attention and special treatment needed			
Note to doctors	May cause sensitisation in susceptible persons. Treat symptomatically.			
SECTION 5: Firefighting me	asures			
5.1. Extinguishing media				
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.			
Unsuitable extinguishing media	No information available.			
5.2. Special hazards arising from t	he substance or mixture			
Specific hazards arising from the chemical	Product is or contains a sensitiser. May cause sensitisation by skin contact.			
5.3. Advice for firefighters				
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnou gear. Use personal protection equipment.			
SECTION 6: Accidental relea	ase measures			
6.1. Personal precautions, protect	ive equipment and emergency procedures			
Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people awa from and upwind of spill/leak.			
For emergency responders	Use personal protection recommended in Section 8.			
6.2. Environmental precautions				
Environmental precautions	See Section 12 for additional Ecological Information.			
6.3. Methods and material for cont	ainment and cleaning up			
Methods for containment	Prevent further leakage or spillage if safe to do so.			
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.			
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulation			

## EVO-STIK MORTAR PLASTICISER

Supercedes Date: 24-Jun-2021

6.4. Reference to other sections	
Reference to other sections	See section 8 for more information. See section 13 for more information.
SECTION 7: Handling and st	orage
7.1. Precautions for safe handling	-
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children. Keep from freezing.
7.3. Specific end use(s)	
<b>Specific use(s)</b> Building and construction work.	
ldentified uses Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.
Other information	Observe technical data sheet.
SECTION 8: Exposure control	ols/personal protection
8.1. Control parameters	
8.1. Control parameters	
	No information available
	No information available
Exposure Limits Derived No Effect Level (DNEL) Predicted No Effect Concentration	No information available
Exposure Limits Derived No Effect Level (DNEL) Predicted No Effect Concentration (PNEC)	No information available
Exposure Limits Derived No Effect Level (DNEL) Predicted No Effect Concentration (PNEC) 8.2. Exposure controls	No information available No information available. Ensure adequate ventilation, especially in confined areas. Ensure that enough fresh air is supplied to dilute and remove dusts, fumes or vapours. Between 5 and 15 air changes
Exposure Limits Derived No Effect Level (DNEL) Predicted No Effect Concentration (PNEC) 8.2. Exposure controls Engineering controls Personal protective equipment Eye/face protection	No information available No information available No information available. Ensure adequate ventilation, especially in confined areas. Ensure that enough fresh air is supplied to dilute and remove dusts, fumes or vapours. Between 5 and 15 air changes per hour are recommended, with a through draught. Tight sealing safety goggles. Gloves must conform to standard EN 374
Exposure Limits Derived No Effect Level (DNEL) Predicted No Effect Concentration (PNEC) 8.2. Exposure controls Engineering controls Personal protective equipment Eye/face protection Skin and body protection	No information available No information available. Ensure adequate ventilation, especially in confined areas. Ensure that enough fresh air is supplied to dilute and remove dusts, fumes or vapours. Between 5 and 15 air changes per hour are recommended, with a through draught. Tight sealing safety goggles. Gloves must conform to standard EN 374 Wear appropriate personal protective clothing to prevent skin contact. No information available.

Physical state	Liquid
Appearance	Aqueous solution

EVO-STIK MORTAR PLASTICISER Supercedes Date: 24-Jun-2021 Revision date 25-Jun-2021 Revision Number 1.01

Colour	dark brown		
Odour	Slight		
Odour threshold	No information available		
Property	Values	Remarks	Method
рН	7		
pH (as aqueous solution)	No data available		
Melting point / freezing point	No data available		
Initial boiling point and boiling	100 °C		
range			
Flash point	No data available		
Evaporation rate	No data available		
Flammability	Not applicable for liquids .		
Flammability Limit in Air			
Upper flammability or explosive	No data available		
limits			
Lower flammability or explosive	No data available		
limits			
Vapour pressure	No data available		
Relative vapour density	No data available		
Relative density	No data available		
Water solubility	No data available		
Solubility(ies)	No data available		
Partition coefficient	No data available		
Autoignition temperature	No data available		
Decomposition temperature	No data available		
Kinematic viscosity	No data available		
Dynamic viscosity	No data available		
Explosive properties	No data available		
Oxidising properties	No data available		
Oxidising properties			
0.2 Other information			
9.2. Other information	No information available		
Solid content (%)	No information available		
VOC Content (%)	Ne dete eveileble		
Density	No data available		
SECTION 10: Stability and re			
SECTION TO. Stability and R	eactivity		
10.1. Reactivity			
Reactivity	No information available.		
10.2. Chemical stability			
Stability	Stable under normal conditions.		
-	Stable under normal conditions.		
Explosion data			
Sensitivity to mechanical	None.		
impact			
Sensitivity to static discharge	None.		
- · · · · · · · · · · · · · · · · · · ·			

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Do not freeze.

#### **EVO-STIK MORTAR PLASTICISER**

Supercedes Date: 24-Jun-2021

Incompatible materials None known based on information supplied.

#### 10.6. Hazardous decomposition products

Hazardous decomposition None under normal use conditions. Stable under recommended storage conditions. products

## **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

#### Information on likely routes of exposure

#### Product Information

Inhalation	Based on available data, the classification criteria are not met.		
Eye contact	Based on available data, the classification criteria are not met.		
Skin contact	May cause sensitisation by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components).		
Ingestion	Based on available data, the classification criteria are not met.		
Symptoms related to the physical,	chemical and toxicological characteristics		
Symptoms	Itching. Rashes. Hives.		
Numerical measures of toxicity			

# Acute toxicity

### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50			
2-methyl-2H-isothiazol-3-one [MIT] 2682-20-4	LD50 =285 mg/Kg (Rattus)	LD50 >242 mg/Kg (Rattus)	=0.11 mg/L (Rattus) 4 h			
Delayed and immediate effects as well as chronic effects from short and long-term exposure						

Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.
Respiratory or skin sensitisation	May cause sensitisation by skin contact.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.

#### EVO-STIK MORTAR PLASTICISER Supercedes Date: 24-Jun-2021

Reproductive toxicity	Based on available data, the classification criteria are not met.				
STOT - single exposure	Based on available data, the classification criteria are not met.				
STOT - repeated exposure	Based on available data, the classification criteria are not met.				
Aspiration hazard	Based on available data, the classification criteria are not met.				
11.2. Information on other hazards					
11.2.1. Endocrine disrupting prop	perties				
Endocrine disrupting properties	No information available.				
11.2.2. Other information					

Other adverse effects

No information available.

# **SECTION 12: Ecological information**

### 12.1. Toxicity

## Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
2-methyl-2H-isothiazol- 3-one [MIT] 2682-20-4	EC50 (72hr) 0.157 mg/l (Pseudokirchner iella subcapitata) (OECD 201)	EC50 (96hr) 5.71 mg/l (Oncorhynchus mykiss) OECD 203		EC50 (48hr) 1.68 mg/l (Daphnia) (OECD 202)	10	1

### 12.2. Persistence and degradability

Persistence and degradability No information available.

Component Information					
2-methyl-2H-isothiazol-3-one [MIT] (2682-20-4)					
Method	Exposure time	Value	Results		
OECD Test No. 308: Aerobic and Anaerobic Transformation in Aquatic Sediment Systems		Half-life	1.28-2.1 days		
OECD Test No. 309: Aerobic Mineralization in Surface Water - Simulation Biodegradation Test		biodegradation Half-life	Readily biodegradable 4.1 days		

#### 12.3. Bioaccumulative potential

### Bioaccumulation

There is no data for this product.

#### **Component Information**

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
2-methyl-2H-isothiazol-3-one [MIT]	-0.32	3.16

#### EVO-STIK MORTAR PLASTICISER

Supercedes Date: 24-Jun-2021

Revision date 25-Jun-2021 Revision Number 1.01

2682-20-4

12.4. Mobility in soil

Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

### PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
2-methyl-2H-isothiazol-3-one [MIT]	The substance is not PBT / vPvB
2682-20-4	

#### 12.6. Other adverse effects

Other adverse effects

No information available.

# SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

# **SECTION 14: Transport information**

Note:	Keep from freezing.	
Land transport (ADR/RID) 14.1 UN number or ID number 14.2 Proper Shipping Name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special Provisions	Not regulated Not regulated Not regulated Not regulated Not applicable None	
IMDG 14.1 UN number or ID number	Not regulated	
14.2 Proper Shipping Name	Not regulated	
14.3 Transport hazard class(es)	Not regulated	
14.4 Packing group	Not regulated	
14.5 Marine pollutant	NP	
14.6 Special Provisions	None	
14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable		
<u>Air transport (ICAO-TI / IATA-DGR</u> 14.1 UN number or ID number	) Not regulated	

All dallopolit (locko III/ IATA Dol)	
14.1 UN number or ID number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special Provisions	None

EVO-STIK MORTAR PLASTICISER Supercedes Date: 24-Jun-2021

### Section 15: REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

#### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

#### SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

#### Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

#### **Persistent Organic Pollutants**

Not applicable

#### 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

### **SECTION 16: Other information**

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

- H311 Toxic in contact with skin
- H314 Causes severe skin burns and eye damage
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H330 Fatal if inhaled
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects

# Legend

TWA

TWA (time-weighted average)

# EVO-STIK MORTAR PLASTICISER

Supercedes Date: 24-Jun-2021

Revision date 25-Jun-2021 Revision Number 1.01

STEL Ceiling * SVHC PBT vPvB STOT RE STOT RE STOT SE EWC	STEL (Short Term Exposure Limit) Ceiling Limit Value Skin designation Substance(s) of Very High Concern Persistent, Bioaccumulative, and Toxic (PBT) Chemicals Very Persistent and very Bioaccumulative (vPvB) Chemicals Specific target organ toxicity - Repeated exposure Specific target organ toxicity - Single exposure European Waste Catalogue	
Key literature references and sources for data No information available		
Prepared By	Product Safety & Regulatory Affairs	
Revision date	25-Jun-2021	
Indication of changes		
Revision note	SDS sections updated, 2, 8, 11.	
Training Advice	No information available	
Further information	No information available	

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### End of Safety Data Sheet