

**iHealth Labs, Inc.: iHealth COVID-19 Antigen Rapid Test  
9-month to 12-month self-life extension granted by the FDA July 8, 2022**

<b>Lot Number</b>	<b>Tests with this printed expiration date (Year-month-day)</b>	<b>Now have this extended expiration date (Year-month-day)</b>
211CO21105	2022-05-04	2022-11-04
211CO21106	2022-05-05	2022-11-05
211CO21108	2022-05-07	2022-11-07
211CO21112	2022-05-11	2022-11-11
211CO21117	2022-05-16	2022-11-16
211CO21118	2022-05-17	2022-11-17
211CO21119	2022-05-18	2022-11-18
211CO21120	2022-05-19	2022-11-19
211CO21121	2022-05-20	2022-11-20
211CO21122	2022-05-21	2022-11-21
211CO21123	2022-05-22	2022-11-22
211CO21124	2022-05-23	2022-11-23
211CO21125	2022-05-24	2022-11-24
211CO21126	2022-05-25	2022-11-25
211CO21127	2022-05-26	2022-11-26
211CO21128	2022-05-27	2022-11-27
211CO21129	2022-05-28	2022-11-28
211CO21203	2022-06-02	2022-12-02
211CO21212	2022-06-11	2022-12-11
211CO21215	2022-06-14	2022-12-14
211CO21216	2022-06-15	2022-12-15
211CO21220	2022-06-19	2022-12-19
213CO21223	2022-06-22	2022-12-22
211CO21224, 213CO21224	2022-06-23	2022-12-23
211CO21227	2022-06-26	2022-12-26
212CO21228, 213CO21228	2022-06-27	2022-12-27
211CO21229	2022-06-28	2022-12-28
221CO20101, 213CO21231	2022-06-30	2022-12-30
221CO20103	2022-07-02	2023-01-02
221CO20105	2022-07-04	2023-01-04
221CO20107	2022-07-06	2023-01-06

<b>Lot Number</b>	<b>Tests with this printed expiration date (Year-month-day)</b>	<b>Now have this extended expiration date (Year-month-day)</b>
221CO20108, 222CO20108	2022-07-07	2023-01-07
221CO20110	2022-07-09	2023-01-09
221CO20111, 222CO20111	2022-07-10	2023-01-10
223CO20112	2022-07-11	2023-01-11
223CO20113	2022-07-12	2023-01-12
222CO20114, 223CO20114	2022-07-13	2023-01-13
223CO20115	2022-07-14	2023-01-14
222CO20117	2022-07-16	2023-01-16
221CO20120, 222CO20120	2022-07-19	2023-01-19
221CO20121, 222CO20121, 223CO20121	2022-07-20	2023-01-20
223CO20122	2022-07-21	2023-01-21
222CO20123	2022-07-22	2023-01-22
221CO20124, 223CO20124	2022-07-23	2023-01-23
222CO20125	2022-07-24	2023-01-24
221CO20127, 222CO20127	2022-07-26	2023-01-26
221CO20129, 222CO20129	2022-07-28	2023-01-28
221CO20130	2022-07-29	2023-01-29
221CO20201	2022-07-31	2023-01-31
221CO20203	2022-08-02	2023-02-02
221CO20204	2022-08-03	2023-02-03
223CO20207	2022-08-06	2023-02-06
222CO20208	2022-08-07	2023-02-07
222CO20210	2022-08-09	2023-02-09
221CO20211	2022-08-10	2023-02-10
222CO20212	2022-08-11	2023-02-11

<b>Lot Number</b>	<b>Tests with this printed expiration date (Year-month-day)</b>	<b>Now have this extended expiration date (Year-month-day)</b>
221CO20214, 222CO20214, 223CO20214	2022-08-13	2023-02-13
221CO20215	2022-08-14	2023-02-14
221CO20216	2022-08-15	2023-02-15
221CO20217	2022-08-16	2023-02-16
221CO20220, 223CO20220	2022-08-19	2023-02-19
221CO20221, 223CO20221	2022-08-20	2023-02-20
221CO20222, 222CO20222	2022-08-21	2023-02-21
221CO20629	2023-03-28	2023-06-28