

**YOU MUST READ THE
QUICK GUIDE
BEFORE YOU START!**



For FAQs and more information, please visit:
xprousa.com/pages/support

STOP! MUST READ

PLEASE REMEMBER TO VIEW THE ASSEMBLY VIDEO BEFORE PROCEEDING!

For Assembly video and Troubleshooting Tips, please visit below link or scan the QR code below with your mobile phone. tinyurl.com/xpro199



We want to thank you for choosing us. We are committed to making sure you are happy with your purchase, so we would love to hear your experience with your new product!

Please give us a chance to make it right before you leave negative feedback. If you are not satisfied with your experience, we will do whatever needs to be done to make it right. Please visit our website for assembly guide, product maintenance, product support, replacement parts, and any other questions or concerns.

If you are missing a piece or there is shipping damage, need instructions or require help with other issues, please reach out to our customer care team by e-mailing us at [**support@motopro.freshdesk.com**](mailto:support@motopro.freshdesk.com).

If you have any question, please send us a video no less than 30 seconds showing the problem so that we can forward it to the manufacturer for tech support. We would also like to offer an additional 1 month warranty after receiving your video.

You can email us the video at [support@motopro.freshdesk.com**](mailto:support@motopro.freshdesk.com).**

Your engagement and support are our greatest motivation to provide the best customer service possible. We highly appreciate your cooperation. Hope you have a pleasant shopping experience.

Please register your warranty service by visiting our official website directly or scan the QR code below by mobile phone. Thank you and we are always here to help you!



Upon receiving your vehicle (and after reviewing the video) we recommend that you heed the following tips:

Tip 1

Perform your first **oil change** by replacing the engine oil with 10W40 motor oil prior to starting. Always remember to check your oil level.



Tip 2

Fill the tank with new **unleaded gasoline**. If gasoline has been left in your tank for an extended period of time, replace it with some fresh unleaded gasoline. After adding gasoline, squeeze the **oil bubble** according to the instructions in the manual until there is no air in the oil inlet pipe.



Tip 3

Please ensure that the brakes and steering system are in good condition by checking and testing them before use.




Tip 4

Make sure the **choke** is in the UP position when your vehicle is in use. When starting the gasoline engine, turn the choke OFF/DOWN after the engine gets warmed up enough. Return the choke to the UP position and the vehicle begin riding.



Tip 5

Lightly tug on the **pull-start** cord to start. Pull a little bit when you feel resistance and then reset and pull again.



Tip 6

Please be sure to fully release the **throttle** before you hold brake lever. This will effectively reduce the braking distance and make your ride safer.



If you have any questions or issues, just feel free to contact us, we are always here to help. Thank you!