



**YOU MUST READ
THE QUICK GUIDE
BEFORE YOU START**

X-PRO

LY40MT-10 VICTOR/DB-Z011



For FAQs and more information, please visit:
xprousa.com/pages/support

STOP!MUST READ

PLEASE REMEMBER TO VIEW THE ASSEMBLY VIDEO BEFORE PROCEEDING!

For Assembly video and Troubleshooting Tips, please visit below link or scan the QR code below with your mobile phone. tinyurl.com/xpro220victor



We want to thank you for choosing us. We are committed to making sure you are happy with your purchase, so we would love to hear your experience with your new product!

Please give us a chance to make it right before you leave negative feedback. If you are not satisfied with your experience, we will do whatever needs to be done to make it right. Please visit our website for assembly guide, product maintenance, product support, replacement parts, and any other questions or concerns.

If you are missing a piece or there is shipping damage, need instructions or require help with other issues, please reach out to our customer care team by e-mailing us at support@motopro.freshdesk.com

If you have any question, please send us a video no less than 30 seconds showing the problem so that we can forward it to the manufacturer for tech support. We would also like to offer an additional 1 month warranty after receiving your video.

You can email us the video at support@motopro.freshdesk.com

Your engagement and support are our greatest motivation to provide the best customer service possible. We highly appreciate your cooperation. Hope you have a pleasant shopping experience.

Please register your warranty service by visiting our official website directly or scan the QR code below by mobile phone. Thank you and we are always here to help you!



Upon receiving your vehicle (and after reviewing the video) we recommend that you heed the following tips:

Tip 1 Engine oil

Check engine oil level by dipstick marks, and add recommended oil to the specified level if necessary. Normally you are supposed to use SAE10W/40 synthetic oil in the engine.



Tip 2 Helmet and protective gear

Never Ride without a Helmet and Protective Gear.

Helmets and Protective Gear will effectively reduce the severity of injuries in case of accident.



Tip 3 Steering column and brake check

Please ensure that the brakes can be applied successfully and there are no missing brake components. The steering column can turn smoothly and flexibly. Please check carefully before each ride.



Tip 4 Throttle check

Make sure the throttle is working well before your ride. Ensure that you can accelerate and decelerate smoothly without any stickiness. If necessary, lubricate the cable and lever housing.

If the bike is stuck, you can adjust either the throttle holder on the handlebar or the throttle cable connecting to the carburetor.


You can control the maximum speed through the speed limiter on handlebar.



Upon receiving your vehicle (and after reviewing the video) we recommend that you heed the following tips:

Tip 5 Squeeze the oil bubble under the carburetor


Fill the tank with new unleaded gasoline. If gasoline has been left in your tank for an extended period of time, replace it with some fresh unleaded gasoline. Before starting the gasoline engine, squeeze the oil bubble until there is no air in the oil inlet pipe.



Tip 6 Air filter choke lever


Choke will help you start the vehicle much easier, especially when the vehicle is cold.

Please put the choke lever in DOWN position when you try to start the bike, after it warms up, please put the choke lever UP to run the bike.



Tip 7 Pull-start check

Lightly tug on the pull-start cord to start. Pull a little bit when you feel resistance and then reset and pull again.



Tip 8 Wheel check

Make sure there is no air leak on wheels before your ride.

Double check if the stem valve is in good condition and to be tightened after pumping air.

Confirm if any spokes have punctured the tire or any loose.

No holes on tires and the rim is in good shape without bent.

