



**YOU MUST READ THE
QUICK GUIDE
BEFORE YOU START!**



For FAQs and more information, please visit:
xprousa.com/pages/support

STOP! MUST READ

PLEASE REMEMBER TO VIEW THE ASSEMBLY VIDEO BEFORE PROCEEDING!

For Assembly video and Troubleshooting Tips, please visit below link or scan the QR code below with your mobile phone. tinyurl.com/xpro201



We want to thank you for choosing us. We are committed to making sure you are happy with your purchase, so we would love to hear your experience with your new product!

Please give us a chance to make it right before you leave negative feedback. If you are not satisfied with your experience, we will do whatever needs to be done to make it right. Please visit our website for assembly guide, product maintenance, product support, replacement parts, and any other questions or concerns.

If you are missing a piece or there is shipping damage, need instructions or require help with other issues, please reach out to our customer care team by e-mailing us at support@motopro.freshdesk.com.

If you have any question, please send us a video no less than 30 seconds showing the problem so that we can forward it to the manufacturer for tech support. We would also like to offer an additional 1 month warranty after receiving your video.

You can email us the video at support@motopro.freshdesk.com.

Your engagement and support are our greatest motivation to provide the best customer service possible. We highly appreciate your cooperation. Hope you have a pleasant shopping experience.

Please register your warranty service by visiting our official website directly or scan the QR code below by mobile phone. Thank you and we are always here to help you!



Upon receiving your vehicle (and after reviewing the video) we recommend that you heed the following tips:


Tip 1

When locking the **upper and lower block**, it is important to pay attention to the method used. Start by tightening half of the four bolts and check the alignment as you proceed. It is crucial to ensure a balanced tightening between the front and back to avoid warping, hole offs, interrupted blocks, or loose tooth lock. Do not completely tighten one side first, as this may cause uneven pressure and lead to problems with the block's stability.




Tip 2

Perform your first **oil change** by replacing the Engine oil with 10W40 motor oil prior to starting. Always remember to check the oil level on your dipstick after adding new oil to see if the oil is at the right level. It is better to use fresh unleaded gasoline. If your vehicle has been unused for an extended period of time, remember to replace the gasoline before use.




Tip 3

Remember to **connect and double check the battery wires**. The battery will take charge itself during riding. Disconnect the battery if you will not intend to use the vehicle for an extended period of time.




Tip 4

Make sure the **fuel valve** under the fuel tank is in the ON position. If it is in the OFF position, there will be no gas flow and the unit will not start.



Tip 5

Please be sure to fully release the **throttle** before you hold brake lever. This will effectively reduce the braking distance and make your ride safer.



Tip 6

Always make sure the front and rear chain sprockets are on a straight line. And then adjust your **chain** to proper tension if necessary. After the bike is used for a period of time, check whether the chain is too dirty and lack of lubricating oil. If so, please clean and add special **lubricating oil** in time.



If you have any questions or issues, just feel free to contact us, we are always here to help. Thank you!