# SAFETY DATA SHEET

Issue Date 03-Feb-2015

Revision Date 03-Feb-2015

Version 3

### **1. PRODUCT AND COMPANY IDENTIFICATION**

Product identifier Product Name

Foaming Instant Hand Sanitizer

Other means of identification SDS#

147NOVOFSALC / 999NOVOFSALC

### 2. HAZARDS IDENTIFICATION

#### **Classification**

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Not classified
Acute toxicity - Dermal	Not classified
Flammable liquids	Category 2

#### Label elements

#### **Emergency Overview**

#### **Hazard statements**

Harmful to aquatic life with long lasting effects Highly flammable liquid and vapor



Appearance Clear

Physical state Liquid

Odor Alcohol

**Precautionary Statements - Prevention** Avoid release to the environment

**Precautionary Statements - Response** Specific Treatment (See Section 4 on the SDS)

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Other Information

Unknown Acute Toxicity

71.65% of the mixture consists of ingredient(s) of unknown toxicity

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Ethanol	64-17-5	60-90	*
2-Propanol	67-63-0	1-5	*
Chlorhexidine Gluconate	18472-51-0	1-5	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

### First aid measures General advice Immediate medical attention is required. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). **Skin Contact** Wash off immediately with plenty of water. Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician. Inhalation Remove to fresh air. Ingestion Clean mouth with water and drink afterwards plenty of water. Self-protection of the first aider Remove all sources of ignition. Most important symptoms and effects, both acute and delayed Symptoms Any additional important symptoms and effects are described in Section 11: Toxicology Information. Indication of any immediate medical attention and special treatment needed Note to physicians Treat symptomatically. **5. FIRE-FIGHTING MEASURES**

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical No Information available.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

	6. ACCIDENTAL RELEASE MEASURES	
Personal precautions, protective eq	uipment and emergency procedures	
Personal precautions	Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate ventilation, especially in confined areas.	
Environmental precautions		
Environmental precautions	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.	
Methods and material for containme	ent and cleaning up	
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Dam up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Pick up and transfer to properly labeled containers.	
7. HANDLING AND STORAGE		
Precautions for safe handling		
Advice on safe handling	Ensure adequate ventilation, especially in confined areas. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Take precautionary measures against static discharges. Use spark-proof tools and explosion-proof equipment. All equipment used when handling the product must be grounded.	
Conditions for safe storage, includi	ng any incompatibilities	
Storage Conditions	Keep tightly closed in a dry and cool place. Keep in properly labeled containers.	
Incompatible materials	None known based on information supplied.	
8. EXPOSURE CONTROLS/PERSONAL PROTECTION		

### **Control parameters**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethanol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
64-17-5		TWA: 1900 mg/m <sup>3</sup>	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m <sup>3</sup>
		(vacated) TWA: 1900 mg/m <sup>3</sup>	C C
2-Propanol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m <sup>3</sup>	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m <sup>3</sup>
		(vacated) TWA: 980 mg/m <sup>3</sup>	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m <sup>3</sup>
		(vacated) STEL: 1225 mg/m <sup>3</sup>	C C

NIOSH IDLH Immediately Dangerous to Life or Health

**Other Information** 

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir. 1992).

Appropriate engineering controls	
Engineering Controls	Showers, Eyewash stations & Ventilation systems.
Individual protection measures, su	ch as personal protective equipment
Eye/face protection	No special technical protective measures are necessary.
Skin and body protection	No special technical protective measures are necessary.
Respiratory protection	No protective equipment is needed under normal use conditions.
General Hygiene	Handle in accordance with good industrial hygiene and safety practice. When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Remarks** • Method

### Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Clear
Color	Clear
Odor	Alcohol
Odor threshold	No Information available

Property_	<u>Values</u>
рН	6.5 - 7.5
Specific Gravity	.85
Viscosity	10 cP @ 25°C
Melting point/freezing point	No Information available
Flash point	21 °C 70 °F
Boiling point / boiling range	No Information available
Evaporation rate	No Information available
Flammability (solid, gas)	
Flammability Limits in Air	
Upper flammability limit:	Not Applicable
Lower flammability limit:	Not Applicable
Vapor pressure	No Information available
Vapor density	No Information available
Water solubility	Complete
Partition coefficient	No Information available
Autoignition temperature	No Information available
Decomposition temperature	No Information available

7.09

74.5

### **Other Information**

Density Lbs/Gal VOC Content (%)

### **10. STABILITY AND REACTIVITY**

#### **Reactivity**

No data available

<u>Chemical stability</u> Stable under recommended storage conditions.

#### Possibility of Hazardous Reactions

None under normal processing.

#### Conditions to avoid

Heat, flames and sparks.

#### Incompatible materials

None known based on information supplied.

#### Hazardous Decomposition Products

None known based on information supplied.

### **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

#### Product Information

Inhalation	Avoid breathing vapors or mists.
Eye contact	No data available. Avoid contact with eyes.
Skin Contact	No known hazard in contact with skin.
Ingestion	No data available. Do not taste or swallow.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ethanol 64-17-5	= 7060 mg/kg (Rat)	Yes	= 124.7 mg/L (Rat)4 h
2-Propanol 67-63-0	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	= 72600 mg/m <sup>3</sup> (Rat)4 h

#### Information on toxicological effects

Symptoms

No Information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity	on available. ow indicates whether each been shown to be carcinog	agency has listed any ing enic in long-term studies c	
Chamical Nama	IADC	NTD	

Chemical Name	ACGIH	IARC	NTP	OSHA
2-Propanol 67-63-0	Yes	Group 3	Yes	Х

 ACGIH (American Conference of Governmental Industrial Hygienists)

 A3 - Animal Carcinogen

 IARC (International Agency for Research on Cancer)

 Not classifiable as a human carcinogen

 Group 1 - Carcinogenic to Humans

 NTP (National Toxicology Program)

 Known - Known Carcinogen

 OSHA (Occupational Safety and Health Administration of the US Department of Labor)

 X - Present

 Reproductive toxicity
 No Information available.

 STOT - single exposure
 No Information available.

 STOT - repeated exposure
 No Information available.

Chronic toxicity	Ethanol has been shown to be a reproductive toxin only when consumed as an alcoholic beverage. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage. May cause adverse effects on the bone marrow and blood-forming system. May cause adverse liver effects. Contains a known or suspected reproductive toxin.	
Target organ effects	EYES, Respiratory system, Skin, Blood, Central nervous system, Liver, Reproductive System.	
Aspiration hazard	No Information available.	
Numerical measures of toxicity - Product Information		

Unknown Acute Toxicity 71.65% of the mixture consists of ingredient(s) of unknown toxicity

### **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

72.65% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Ethanol	Yes	12.0 - 16.0: 96 h Oncorhynchus	9268 - 14221: 48 h Daphnia magna
64-17-5		mykiss mL/L LC50 static 100: 96 h	mg/L LC50 2: 48 h Daphnia magna
		Pimephales promelas mg/L LC50	mg/L EC50 Static 10800: 24 h
		static 13400 - 15100: 96 h	Daphnia magna mg/L EC50
		Pimephales promelas mg/L LC50	
		flow-through	
2-Propanol	1000: 96 h Desmodesmus	9640: 96 h Pimephales promelas	13299: 48 h Daphnia magna mg/L
67-63-0	subspicatus mg/L EC50 1000: 72 h	mg/L LC50 flow-through 11130: 96	EC50
	Desmodesmus subspicatus mg/L	h Pimephales promelas mg/L LC50	
	EC50	static 1400000: 96 h Lepomis	
		macrochirus µg/L LC50	
2-Phenoxyethanol	500: 72 h Desmodesmus	337 - 352: 96 h Pimephales	500: 48 h Daphnia magna mg/L
122-99-6	subspicatus mg/L EC50	promelas mg/L LC50 flow-through	EC50
		366: 96 h Pimephales promelas	
		mg/L LC50 static 220 - 460: 96 h	
		Leuciscus idus mg/L LC50 static	
Benzalkonium Chloride	Yes	0.223 - 0.46: 96 h Lepomis	Yes
8001-54-5		macrochirus mg/L LC50 static 1.3:	
		96 h Poecilia reticulata mg/L LC50	
		semi-static 0.823 - 1.61: 96 h	
		Oncorhynchus mykiss mg/L LC50	
		static 2.4: 96 h Oryzias latipes mg/L	
		LC50 semi-static	

### Persistence and degradability

No Information available.

#### **Bioaccumulation**

No Information available.

Chemical Name	Partition coefficient
2-Propanol	0.05
67-63-0	

Other adverse effects

No Information available

### **13. DISPOSAL CONSIDERATIONS**

Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

2-Propanol	
El lopalio	Toxic
67-63-0	Ignitable

### 14. TRANSPORT INFORMATION

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

UN1170
Ethanol solutions
3
II

15. REGULATORY INFORMATION			
International Inventories			
TSCA	Complies		
DSL/NDSL	Complies		
	•		

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values % 1.0	
2-Propanol - 67-63-0		
SARA 311/312 Hazard Categories		
Acute health hazard	No	
Chronic Health Hazard	No	
Fire hazard	No	
Sudden release of pressure hazard	No	
Reactive Hazard	No	

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

### US State Regulations

#### California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65

Ethanol - 64-17-5	Carcinogen
	Developmental

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethanol 64-17-5	Х	X	Х
2-Propanol 67-63-0	Х	X	Х
2-Phenoxyethanol 122-99-6	Х	Yes	Х

**U.S. EPA Label Information** 

EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION				
NFPA	Health hazards 2	Flammability 3	Instability 0	Physical and Chemical Properties Yes
HMIS	Health hazards 2	Flammability 3	Physical hazards 0	Personal protection A
Issue Date Revision Date Revision Note	03-Feb-2015 03-Feb-2015			
No Information available				

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### End of Safety Data Sheet