

NIMBLEBACK | ______



BASIC INFORMATION



Keyboard

400

Keycap & Switch Puller




Type-C Cable



User Manual


BT MODE



Slide the switch to BT

BT MODE


Long Press FN+1/2/3 Three Seconds For Pairing Mode






BT MODE

Short Press FN+1/2/3 Alone To **Switch BT Devices**



2.4GHZ MODE



Slide the switch to 2.4G

2.4GHZ MODE

● Short Press FN+4 To Switch To 2.4GHz Mode.




• Long Press FN+4 Three Seconds If You Need To Re-pair The Dongle.




Place the keyboard as closely as possible to the USB receiver.

WIRED CONNECT



Slide the switch to TYP-C


WIRED CONNECT



System Requirements

- Computer with available USB ports
- Compatible with Windows 2000 or above and Mac operating system

BASIC CONTROL




MULTIMEDIA KEY FOR WINDOWS

Windows System: Press Fn+A



MULTIMEDIA KEY FOR WINDOWS



MULTIMEDIA KEY FOR MAC

Mac System: Press Fn+5









Mission control



Backlight Brightness -



Backlight Brightness +

MULTIMEDIA KEY FOR MAC













KEYBOARD STATE



Check the Battery



KEYBOARD STATE

BT Mode




2.4G Mode



Wired Mode





FCC WARNING

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.





THANK YOU FOR YOUR PURCHASE OF LTC.

We are looking forward to your feedback and hope you enjoy your LTC Product!

YOUR PRODUCT IS UNDER





If you have any questions, please feel free to contact us via business@ltcofficial.com.