

**CERTIFICATE OF ANALYSIS**

 Prepared for:  
**BLUEBIRD BOTANICALS**


 410 South Arthur Avenue  
 Louisville, CO USA 80027

**718-CBD**

Batch ID or Lot Number: <b>718-CBD</b>	Test: <b>Microbial Contaminants</b>	Reported: <b>11Apr2022</b>	USDA License: N/A
Matrix: Finished Product	Test ID: T000201499	Started: 07Apr2022	Sampler ID: N/A
	Method(s): TM25 (qPCR) TM24, TM26, TM27 (Culture Plating): Microbial (Colorado Panel)	Received: 06Apr2022	Status: N/A

**Microbial**
**Contaminants**

	Method	LOD	Quantitation Range	Result	Notes
STEC	TM25: PCR	10 <sup>0</sup> CFU/25g	NA	Absent	Free from visual mold, mildew, and foreign matter
<i>Salmonella</i>	TM25: PCR	10 <sup>0</sup> CFU/25g	NA	Absent	
Total Yeast and Mold*	TM24: Culture Plating	10 <sup>1</sup> CFU/g	1.0x10 <sup>2</sup> - 1.5x10 <sup>4</sup>	None Detected	
Total Aerobic Count*	TM26: Culture Plating	10 <sup>2</sup> CFU/g	1.0x10 <sup>3</sup> - 1.5x10 <sup>5</sup>	None Detected	
Total Coliforms*	TM27: Culture Plating	10 <sup>1</sup> CFU/g	1.0x10 <sup>2</sup> - 1.5x10 <sup>4</sup>	None Detected	

**Final Approval**


 Eden Thompson-Wright  
 10Apr2022  
 12:55:00 PM MDT



 Brett Hudson  
 11Apr2022  
 02:32:00 PM MDT


PREPARED BY / DATE

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/10d3e7b4-4dc3-466f-b246-eadb840cd711>
**Definitions**

\* Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form. Examples: 10<sup>2</sup> = 100 CFU, 10<sup>3</sup> = 1,000 CFU, 10<sup>4</sup> = 10,000 CFU, 10<sup>5</sup> = 100,000 CFU  
 CFU/g = Colony Forming Units per Gram, LOD = Limit of Detection  
 ULOQ = Upper Limit of Quantitation, LLOQ = Lower Limit of Quantitation  
 STEC = Shiga Toxin-Producing E. coli

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/ IEC 17025:2005 Accredited A2LA.



Cert #4329.02

CDPHE Certified

10d3e7b44dc3466fb246eadb840cd711.1