www.bluebirdbotanicals.com

F03.019aa.02

Specification Sheet: Companion CBD Oil 5mg

Companion CBD Oil 5 mg is an oil meant for oral ingestion. It consists of hemp extract blended with fractionated coconut Oil

Application and Use	Dietary Supplement	Appearance	oily liquid
Composition	Proprietary Blend of Hemp extract, fractionated coconut oil		Grassy, earthy odor
Organic status	Extract: certified organic Fractionated coconut oil: certified organic	Consistency	Viscous below 32 degrees Fahrenheit
Organic Certification	Not certified organic	Density	.945 mg/mL955 mg/ mL
Storage and Shelf Life	2 years (730 days) from the date of production in original packaging. Store cool dark and dry.	Solubility	Soluble in oils and ethanol
Packaging	30ml amber glass essence bottle with tamper-evident glass dropper cap and label.	Inventory Part	15C-30

Ingredient	Organic Fractionated Coconut Oil (MCT)	Item Code	FCO
Botanical Name Cocos nucifera		Organic Certification	Certified Organic
Plant parts used in oil	Nut	Country of Origin	Singapore

Ingredient	Decarboxylated Hemp Extract	Item Code	OGDECARB
Botanical Name	Cannabis sativa	Organic Certification	Certified Organic
Plant parts used in oil	Leaves, Flowers	Country of Origin	USA

Ingredient	Hemp broad-spectrum distillate	Item Code	BSDIST
Botanical Name	Cannabis sativa	Organic Certification	Not certified
Plant parts used in oil	Leaves, Flowers	Country of Origin	USA

Our Low THC Hemp Extract Product is manufactured by Bluebird Botanicals according to cGMP practices.

Batch: 3310493123 15C-30		
Manufacturing Date: 4/19/2023	Batch Size: 70,740 mL	
30 ml bottle: 2,358	Supplier Lot Codes: Primary Ingredient: 1749-OGDECARB, LFD-O-30262	

Potency Method: HPLC-DAD		
Total Cannabidiol (CBD)	29.25 - 36 mg/mL	
Tetrahydrocannabinol (THC)	< 0.2%	
Tetrahydrocannabinol (THC) per serving (mg)	≤ 0.95 mg/serving	
Tetrahydrocannabinol (THC) per container (mg)	30 ml: ≤ 57 mg	

Heavy Metals - Method : ICP-MS or AOAC 2013.06		
Arsenic	< 0.42 ppm	
Cadmium	< 0.27 ppm	
Mercury	< 0.4 ppm	
Lead	< 0.5 ppm	



www.bluebirdbotanicals.com

Mycotoxins - Method: GC-MS, LC-MS/MS or UHPLC-MS/MS		
Total Aflatoxin (B1, B2, G1, and G2) < 20 ppb		
Aflatoxin B1	< 5 ppb	
Total Ochratoxin	< 5 ppb	

Microbiological Contamination - Method:Petrifilm, RAPID, Plating, or PCR		
Total Aerobic Bacteria	< 10,000 CFU/g	
Total E. coli / Coliforms	< 100 CFU/g	
Total Yeast & Mold	< 1,000 CFU/g	
Salmonella	Absent/25 g	
E. coli (STEC)	Absent/25 g	

Solvents Test Method: GC/MS, HPLC				
1-Butanol	< 5000 ppm	1-Pentanol	< 5000 ppm	
1,2-Dichloroethane	< 1.0 ppm	1,2-Dimethoxyethane	< 100 ppm	
1,4-Dioxane	< 380 ppm	2-Butanol	< 5000 ppm	
2-Ethoxyethanol	< 160 ppm	2,2-Dimethylbutane (Neohexane)	< 290 ppm	
2-Methylbutane (Isopentane)	< 5000 ppm	2,3-Dimethylbutane	< 290 ppm	
2-Propanol (Isopropyl Alcohol)	< 500 ppm	2-Methylpentane	< 290 ppm	
2,2-Dimethylpropane (neo-pentane)	< 200 ppm	Isopentane (2-Methylbutane)	< 290 ppm	
Acetone	< 5000 ppm	3-Methylpentane	< 290 ppm	
Total Butanes	< 500 ppm	Acetonitrile	< 410 ppm	
Chloroform	< 1.0 ppm	Benzene	< 1.0 ppm	
Dimethyl sulfoxide (DMSO)	< 5000 ppm	Cyclohexane	< 500 ppm	
Ethyl acetate	< 1000 ppm	Ethanol	< 1000 ppm	
Ethyl ether	< 5000 ppm	Ethylbenzene	< 2170 ppm	
Ethylene glycol	< 620 ppm	Ethylene oxide	< 1.0 ppm	
Isopropylbenzene (Cumene)	< 70 ppm	Total Hexanes	< 290 ppm	
Dichloromethane (Methylene Chloride)	< 10 ppm	Isopropyl acetate	< 5000 ppm	
n-Heptane	< 500 ppm	Methanol	< 500 ppm	
n-Pentane	< 1000 ppm	2-Butanone (Methylethyl ketone)	< 5000 ppm	
N,N-Dimethylacetamide	< 1090 ppm	Isopentane (2-Methylbutane)	< 5000 ppm	



www.bluebirdbotanicals.com

Total Pentantes	< 500 ppm	n-Butane	< 2000 ppm
Tetrahydrofuran	< 720 ppm	n-hexane	< 60 ppm
Total Xylenes	< 217 ppm	1-Propanol (n-Propanol)	< 5000 ppm
Total Heptanes	< 1000 ppm	N,N-Dimethylformamide	< 880 ppm
1,2-Dimethylbenzene (o-Xylene)	< 2170 ppm	Propane	< 500 ppm
1,3-Dimethylbenzene (m-Xylene)	< 2170 ppm	Pyridine	< 100 ppm
1,4-Dimethylbenzene (p-Xylene)	< 2170 ppm	Toluene	< 180 ppm
1,1-Dichloroethene	< 8 ppm	Trichloroethylene	< 1.0 ppm
1,2-Dichloroethene	< 5 ppm	Sulfolane	< 160 ppm

Pesticides - Method: AOAC 2007.01, LCMS/MS		
Abamectin	< 0.25 ppm	
Acephate	< 0.05 ppm	
Acequinocyl	< 0.2 ppm	
Acetamiprid	< 0.05 ppm	
Aldicarb	< 0.09 ppm	
Allethrin	< 0.092 ppm	
Atrazine	< 0.5 ppm	
Azadirachtin	< 0.5 ppm	
Azoxystrobin	< 0.01 ppm	
Benzovindiflupyr	< 0.01 ppm	
Bifenazate	<0.01 ppm	
Bifenthrin	< 0.2 ppm	
Boscalid	< 0.01 ppm	
Buprofezin	< 0.02 ppm	
Carbaryl	< 0.025 ppm	
Chlorantraniliprole	< 0.2 ppm	
Chlorfenapyr	< 0.1 ppm	
Chlorpyrifos	< 0.2 ppm	
Clofentezine	< 0.01 ppm	
Clothianidin	< 0.025 ppm	
Coumaphos	< 0.01 ppm	
Cyantraniliprole	< 0.01 ppm	
Cyfluthrin	< 1 ppm	
λ-Cyhalothrin	< 1 ppm	
Cypermethrin	< 1 ppm	
Cyprodinil	< 0.01 ppm	
Daminozide	< 0.1 ppm	
Deltamethrin	< 1 ppm	
Diazinon	< 0.2 ppm	
Dichlorvos (DDVP)	< 0.05 ppm	



www.bluebirdbotanicals.com

Pesticides - Method: A	OAC 2007.01, LCMS/MS
Dimethoate	< 0.01 ppm
Dimethomorph	< 3 ppm
Dinotefuran	< 0.05 ppm
Diuron	<1 ppm
Dodemorph	< 1 ppm
Endosulfan I (alpha)	< 2.5 ppm
Endosulfan II (beta)	< 2.5 ppm
Endosulfan sulfate	< 2.5 ppm
Ethoprophos	< 0.01 ppm
Etofenprox	< 0.1 ppm
Etoxazole	< 0.02 ppm
Etridiazole	< 0.15 ppm
Fenhexamid	< 3 ppm
Fenoxycarb	< 0.01 ppm
Fenpyroximate	< 0.4 ppm
Fensulfothion	< 0.01 ppm
Fenthion	< 0.01 ppm
	<1 ppm
Fipronil	< 0.01 ppm
Flonicamid	< 0.025 ppm
Fludioxonil	< 0.01 ppm
Fluopyram	< 0.01 ppm
Hexythiazox	< 1 ppm
· Imazalil	< 0.01 ppm
lmidacloprid	< 0.01 ppm
Iprodione	< 0.50 ppm
Kinoprene	< 1.25 ppm
Kresoxim Methyl	< 0.15 ppm
Malathion	< 0.01 ppm
Metalaxyl	< 0.01 ppm
Methiocarb	< 0.01 ppm
Methomyl	< 0.025 ppm
Methoprene	< 1 ppm
Methyl Parathion (parathion-methyl)	< 0.1 ppm
Mevinphos	< 0.025 ppm
MGK-264	< 0.2 ppm
Myclobutanil	< 0.01 ppm
Naled	< 0.5 ppm
Novaluron	< 0.025 ppm
Oxamyl	< 0.2 ppm
Paclobutrazol	< 0.01 ppm
Pentachloronitrobenze (Quintozene)	< 0.2 ppm
Permethrin	< 0.2 ppm
Phenothrin	< 1 ppm
Phosmet	< 0.02 ppm



www.bluebirdbotanicals.com

F03.019aa.02

Pesticides - Method: AOAC 2007.01, LCMS/MS		
Piperonyl butoxide	< 1.25 ppm	
Pirimicarb	< 0.01 ppm	
Prallethrin	< 0.2 ppm	
Propiconazole	< 0.4 ppm	
Propoxur	< 0.01 ppm	
Pyraclostrobin	< 0.01 ppm	
Pyrethrins	< 1 ppm	
Pyridaben	< 0.02 ppm	
Pyriproxyfen	< 1 ppm	
Resmethrin	< 0.05 ppm	
Spinetoram	< 0.01 ppm	
Spinosad	< 0.01 ppm	
Spirodiclofen	< 1 ppm	
Spiromesifen	< 0.2 ppm	
Spirotetramat	< 0.01 ppm	
Spiroxamine	< 0.4 ppm	
Tebuconazole	< 0.01 ppm	
Tebufenozide	< 0.01 ppm	
Teflubenzuron	< 0.025 ppm	
Tetrachlorvinphos	< 0.01 ppm	
Tetramethrin	< 1 ppm	
Thiabendazole	< 1 ppm	
Thiacloprid	< 0.01 ppm	
Thiamethoxam	< 0.01 ppm	
Thiophanate-Methyl	< 1 ppm	
Trifloxystrobin	< 0.01 ppm	

DISCLOSURE OF PRODUCT COMPONENTS: OUR LOW THE HEMP EXTRACT PRODUCTS ARE BLENDED USING A COMBINATION OF FULL SPECTRUM CANNABINOID EXTRACT AND ORGANIC CARRIER OILS, THE CONTENTS, IDENTITY AND PURITY OF WHICH HAVE BEEN TESTED USING A VARIETY OF METHODS, INCLUDING AOAC-APPROVED METHODS OF ANALYSIS. AOAC INTERNATIONAL IS AN INDEPENDENT, INTERNATIONALLY RECOGNIZED 501(C)(3) NOT-FOR-PROFIT ASSOCIATION WHOSE ANALYTICAL STANDARDS APPLY TO A BROAD RANGE OF INDUSTRIES INCLUDING FOODS, BEVERAGES AND DIETARY SUPPLEMENTS. INGREDIENT AND SERVICE PROVIDERS HAVE BEEN QUALIFIED BY AN INTERNAL QUALITY MANAGEMENT TEAM ACCORDING TO A CGMP-COMPLIANT PROTOCOL. THE QUALIFICATION OF A SUPPLIER ENTAILS INGREDIENT TESTING INCLUDING BUT NOT LIMITED TO THE FOLLOWING ASSAYS: FATTY ACIDS (OFFICIAL METHODS OF ANALYSIS OF AOAC INTERNATIONAL, 18TH ED., METHODS 922.06 AND 954.02), PEROXIDE VALUE (AOAC INTERNATIONAL, OFFICIAL METHODS 965.33 AND 983.23), YEAST AND MOLD ANALYSIS (AOAC INTERNATIONAL, OFFICIAL METHOD 997.02), AEROBIC PLATE COUNT (AOAC INTERNATIONAL, OFFICIAL METHOD 990.12), ELEMENTS (AOAC INTERNATIONAL, OFFICIAL METHODS 2011.19 AND 993.14), REGULATED MYCOTOXINS (CITATION: ANALYTICAL AND BIOANALYTICAL CHEMISTRY, 402:2675-2686), E. COLI AND COLIFORMS (AOAC INTERNATIONAL, OFFICIAL METHOD 991.14), MULTI-RESIDUE ANALYSIS (AOAC INTERNATIONAL, OFFICIAL METHOD 2007.01), GLUTEN (AOAC INTERNATIONAL, OFFICIAL METHOD 2012.01), RESIDUAL SOLVENTS (UNITED STATES PHARMACOPEIA METHOD 467). THE AFOREMENTIONED METHODS OF ANALYSIS UTILIZE BUT ARE NOT NECESSARILY LIMITED TO QUANTIFICATION BY HPLC, UPLC/MS, GC/MS, IAC, SFC, ICP-MS. INGREDIENT CONSISTENCY IS ADDITIONALLY EVALUATED THROUGH REGULAR ORGANOLEPTIC SCREENING TO CONTROL TASTE, ODOR, COLOR AND CONSISTENCY. THE FOLLOWING SUPPLIERS/ MANUFACTURERS/SERVICE PROVIDERS HAVE BEEN QUALIFIED BY INTERNAL QUALITY MANAGEMENT: JEDWARDS INTERNATIONAL, SUPPLIER OF ORGANIC FRACTIONATED COCONUT OIL, ZIVO INC., MANUFACTURER/SUPPLIER OF HEMP EXTRACTS. PROPRIETARY LOW THE HEMP EXTRACT PRODUCTS ARE MANUFACTURED BY BLUEBIRD BOTANICALS ACCORDING TO CGMP PRACTICES. ALL PRODUCTS ARE TESTED FOR MYCOTOXINS, PESTICIDES, ELEMENTS, RESIDUAL SOLVENTS, TERPENE PROFILES AND CANNABINOID POTENCY TO CONTROL ADHERENCE TO PRODUCT SPECIFICATIONS AND GUARANTEE CONFORMITY TO THE STRICT DEFINITION OF INDUSTRIAL HEMP (<0.3% DELTA9-THC, INCLUDING PRECURSORS). THIRD PARTY LABORATORY ANALYSIS IS CONDUCTED BY BOTANACOR SERVICES, ACS LABORATORIES AND EUROFINS ISO ACCREDITED (ISO 17025) ASSAYS ARE PROVIDED BY BOTANACOR LABORATORIES, ACS LABORATORIES AND EUROFINS. SEE PRODUCT SPECIFICATION SHEET ABOVE FOR PRODUCT/INGREDIENT BATCH INFORMATION AND PROJECTED PACKAGING PLAN. ALL SUPPLIERS OF PACKAGING SUPPLIES HAVE BEEN QUALIFIED ACCORDING TO CGMP STANDARDS.

Version #	Date Revised	Revised By	Revision
0	11/15/2021	КІ	Original, added to document registry
1	07/21/2022	SB	Updated to match new lab and state analyte limits, added Inventory Part, updated Description, updated Ingredients
2	10/31/2022	НВ	Minor update to pesticide and solvents/pesticide analytes and limits, update all inventory parts to match fishbowl asnd contract manufacturer, added fill level specification and label part #, add BSDIST as ingredient



www.bluebirdbotanicals.com