


# Hydrofera Blue READY and Hydrofera Blue READY-Transfer Dressings




## Bioburden and Exudate Control at Your Fingertips

- Available with or without film backing
- Antibacterial properties to help manage bioburden
  - No hydration required prior to application
  - Up to 7-day wear time

*Hydrofera*<sup>®</sup>

# When the Management of Bioburden Is a Priority



## Broad-spectrum antibacterial protection<sup>1</sup>

- Provided by two organic pigments, methylene blue and gentian violet
- Noncytotoxic<sup>2</sup>

## Absorption

- Absorbs and retains bacteria-laden exudate

Available with or without waterproof film backing

## Hydrofera Blue READY Dressings Provide Broad-Spectrum Antibacterial Protection<sup>1</sup>

### Bacteria

- *Methicillin-resistant Staphylococcus aureus (MRSA)*
- *Staphylococcus aureus*
- *Staphylococcus epidermidis (coagulase negative)*
- *Pseudomonas aeruginosa*
- *Pseudomonas fluorescens*
- *Escherichia coli*
- *Enterococcus faecalis*
- *Vancomycin-resistant Enterococcus (VRE)*
- *Streptococcus pneumoniae*
- *Streptococcus pyogenes*
- *Klebsiella pneumoniae*
- *Proteus mirabilis*
- *Proteus vulgaris*
- *Enterobacter aerogenes*
- *Enterobacter cloacae*
- *Bacillus subtilis*
- *Yersinia enterocolitica*
- *Serratia marcescens*

### Yeast

- *Candida albicans*
- *Candida krusei*
- *Candida glabrata*

## Hydrofera Blue READY



- Waterproof film backing
- No secondary dressing required
- Exudate is absorbed and retained
- Up to 7-day wear time

## Hydrofera Blue READY-Transfer




- No film backing increases exudate management options
- Exudate is transferred into secondary absorbent dressing
- Suitable for use on partial and full thickness wounds
- Up to 7-day wear time

### Performance Data

#### Absorption Comparison

**Hydrofera Blue READY** foam dressing has absorption comparable to other antimicrobial foam dressings, based on in vitro testing<sup>3</sup>




(Error bars represent one standard deviation)

### Performance Data

#### In Vitro Fluid Transfer Study

**Hydrofera Blue READY-Transfer** has a high rate of exudate transfer to a secondary dressing<sup>4</sup>



(Error bars represent one standard deviation)

**Hydrofera Blue READY-Transfer** antibacterial dressings



No hydration required


Stock No	Product Size	Quantity/Box	HCPCS*
<b>Standard Dressings</b>			
HBRT2525	2.5" x 2.5" (6.4 cm x 6.4 cm)	10	A6209
HBRT4050	4" x 5" (10.2 cm x 12.7 cm)	10	A6210
HBRT8080	8" x 8" (20.3 cm x 20.3 cm)	10	A6211



No hydration required

**Hydrofera Blue READY** antibacterial dressings

Stock No	Product Size	Quantity/Box	HCPCS*
<b>Standard Dressings</b>			
HBRS2520	2.5" x 2.5" (6.4 cm x 6.4 cm)	10	A6209
HBRS4520	4" x 5" (10.2 cm x 12.7 cm)	10	A6210
HBRS8820	8" x 8" (20.3 cm x 20.3 cm)	10	A6211



Hydrate before use

**Hydrofera Blue CLASSIC** antibacterial dressings

Stock No	Product Size	Quantity/Box	HCPCS*
<b>Standard Dressings</b>			
HB2214	2" x 2" (5 cm x 5 cm)	10	A6209
HB4414	4" x 4" (10 cm x 10 cm)	10	A6209
HB6614	6" x 6" (15 cm x 15 cm)	10	A6210
HBT0906	9-mm Tunneling Dressing (1.2 g)	10 pair	A6215
<b>Heavy Drainage Dressings</b>			
HBHD4450	4" x 4" x .5" thick (10 cm x 10 cm x 1.2 cm)	5	A6209
HBHD6675	6" x 6" x .75" thick (15 cm x 15 cm x 1.9 cm)	5	A6210
<b>Dressings With Moisture-Retentive Film</b>			
HBRF4414	4" x 4" (10 cm x 10 cm)	10	A6209
HBRF2258	2.25" x 8" (5.7 cm x 20 cm)	10	A6210
HBRF4475	4" x 4.75" (10 cm x 12 cm) Island Dressing; <i>pad size 2" x 2.75" (5 cm x 6.5 cm)</i>	10	A6212
HBRF2650	2.5" (6 cm) Diameter Ostomy Dressing	10	A6209