## Genomic DNA Isolation Kit (Paraffin-embedded tissue)

## 1. IDENTIFICATION OF THE PREPARATION/SUBSTANCE AND OF THE COMPANY

**Preparation Name:** 

Genomic DNA Isolation Kit (Paraffin-embedded tissue)

Catalogue number of the product: PDC12-0100 Use of the preparation: For laboratory use.

Suitable as for preparing genomic DNA from paraffin-embedded tissue

Company identification: BIO-HELIX Co.,LTD.

Site: http://www.bio-helix.com E-mail: info@bio-helix.com

## 2. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Component 1: Buffer TL: 0.5-2% Sodium Dodecyl Sulphate; CAS-No. 151-21-3 Component 2: Buffer TB: 5-10% Guanidine Hydrochloride; CAS-No. 50-01-1 Component 3: Buffer W1: 5-10% Guanidine Hydrochloride; CAS-No. 50-01-1,

0.5-2% Sodium Dodecyl Sulphate; CAS-No. 151-21-3

Component 4: Buffer W2: No hazardous substances in concentrations to be declared Component 5: Buffer EL: No hazardous substances in concentrations to be declared Component 6: Column TC: No hazardous substances in concentrations to be declared Component 7: Collection Tubes: No hazardous substances in concentrations to be declared Other components:

Components not listed here are not dangerous or their concentrations do not exceed the limits specified in the EU directive 1999/45/EC

### 3. HAZARD IDENTIFICATION

Sodium Dodecyl Sulphate:

WARNING! HARMFUL IF SWALLOWED OR INHALED. CAUSES IRRITATION TO SKIN, EYES AND RESPIRATORY TRACT. MAY CAUSE ALLERGIC SKIN OR RESPIRATORY REACTION. FLAMMABLE

SOLID. Health Rating: 1 - Slight

Flammability Rating: 3 - Severe (Flammable)

Reactivity Rating: 1 - Slight Contact Rating: 3 - Severe (Life)

Lab Protective Equip: GOGGLES & SHIELD; LAB COAT & APRON; VENT HOOD; PROPER

GLOVES Storage Color Code: Red (Flammable)

Potential Health Effects Inhalation:

Causes irritation to the respiratory tract. Symptoms may include coughing, shortness of breath.

May cause allergic reaction in sensitive individuals.

Ingestion:

Large doses may cause gastrointestinal distress, nausea and diarrhea.

Skin Contact:

Mildly irritating to skin, causes dryness and a rash on continued exposure.

May cause allergic skin reactions.





Eye Contact:

Causes irritation, redness, and pain.

Chronic Exposure:

Chronic exposure may cause skin effects.

Aggravation of Pre-existing Conditions:

Persons with pre-existing skin disorders or impaired respiratory function may be more susceptible to the effects of the substance.

Guanidine Hydrochloride:

WARNING! CAUSES IRRITATION TO SKIN, EYES AND RESPIRATORY TRACT. HARMFUL IF SWALLOWED OR INHALED.

Health Rating: 2 - Moderate Flammability Rating: 1 - Slight Reactivity Rating: 0 - None Contact Rating: 2 - Moderate

Lab Protective Equip: GOGGLES; LAB COAT; VENT HOOD; PROPER

GLOVES Storage Color Code: Green (General Storage)

Potential Health Effects Inhalation:

Causes irritation to the respiratory tract. Symptoms may include coughing, shortness of breath.

Ingestion:

Toxic. May cause neurological disturbances. Causes irritation to the gastrointestinal tract.

Symptoms may include nausea, vomiting and diarrhea.

Skin Contact:

Causes irritation to skin. Symptoms include redness, itching, and pain.

Eye Contact:

Causes irritation, redness, and pain.

## 4. FIRST-AID MEASURES

#### Sodium Dodecyl Sulphate:

Inhalation:

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Ingestion:

Give large amounts of water to drink. Never give anything by mouth to an unconscious person. Get medical attention.

Skin Contact:

Immediately flush skin with plenty of soap and water. Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.

Eye Contact:

Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Get medical attention immediately.

## Guanidine Hydrochloride:

Inhalation:

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Ingestion:

BIO-HELIX III

Induce vomiting immediately as directed by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention.





Skin Contact:

Immediately flush skin with plenty of water for at least 15 minutes.

Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.

**Eye Contact:** 

Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Get medical attention immediately.

### 5. FIRE-FIGHTING MEASURES

Extinguishing media: No restriction. Decomposition: Dangerous decomposition is not anticipated.

#### 6. ACCIDENTAL RELEASE MEASURES

Actions to be taken on spillage:

Dilute spilled liquids with plenty of water and adsorb.

Absorbent material: No restriction.

Actions to be taken to limit

Damage: Special measures to limit damage are not necessary.

## 7. HANDLING AND STORAGE

Handling: Open and handle vessels carefully.

Storage: Store at room temperature other than RNase A (-20°C)

Storage Procedures: Do not store together with acids.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory protection: No personal respiratory protective equipment normally

required. Eye protection: Safety glasses Hand protection: One-way gloves

Hygiene measures: Wash hands before and after use.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Buffer TL:** 

Form:

liquid

Miscibility with water:

immiscible pH:8.5

**Buffer TB:** 

Form:

liquid

Miscibility with water:

immiscible pH:5.5

Buffer W1

Form:

liquid

Miscibility with water:

immiscible pH:7.0

Buffer W2

Form:

liquid

BIO-HELIX !!!

Miscibility with water:

immiscible pH:7.5



Buffer EL Form: liauid

Miscibility with water: immiscible pH:8.5

#### 10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Conditions to Avoid: Reacts with alkalis and oxidizing agents.

Hazardous Decomposition Products: Danger of toxic pyrolysis products.

## 11. TOXICOLOGICAL INFORMATION

Buffer TL:

Sodium Dodecyl Sulphate

Oral toxicity: LD50 rat 1.288 mg/kg

**Buffer TB:** 

Guanidine Hydrochloride

Oral toxicity: LD50 rat 475 mg/kg

Toxicity (inhalation): LD50 rat 5.3 mg/l (4 h)

Toxicity (others): LD50 intra peritoneal mouse 500 mg/kg

**Buffer W1:** 

Guanidine Hydrochloride

Oral toxicity: LD50 rat 475 mg/kg

Toxicity (inhalation): LD50 rat 5.3 mg/l (4 h)

Toxicity (others): LD50 intra peritoneal mouse 500 mg/kg

Sodium Dodecyl Sulphate

Oral toxicity: LD50 rat 1.288 mg/kg

### 12. ECOLOGICAL INFORMATION

Water hazard class: 2 (hazardous to water and ground)

#### 13. DISPOSAL CONSIDERATIONS

Waste disposal route: Used reagent can be disposed in accordance with local regulations. Disposal of empty packaging: Dispose of empty packs by local recycling or waste disposal routes. Clean thoroughly prior to disposal.

### 14. TRANSPORT INFORMATION

**DOT** regulations:

Hazard class: -

Land transport ADR/RID (cross-border):

ADR/RID class: -

Maritime transport IMDG:

IMDG Class: -

BIO-HELIX III

Marine pollutant: No

Air transport ICAO-TI and IATA-DGR

ICAO/IATA Class: -

### 15. REGULATORY INFORMATION

SARA (Superfund and Reauthorization Act)

Section 355 (extremely hazardous substances): None of the ingredients are listed. Section 313 (Specific toxic chemical listings): None of the ingredients are listed.

TSCA (Toxic Substances Control Act): All ingredients are listed.





**Proposition 65** 

BIO-HELIX

Chemicals known to cause cancer: None of the ingredients are listed.

Chemicals known to cause reproductive toxicity: None of the ingredients are listed.



## 16. OTHER INFORMATION

The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guide. PureDireX (Bio-Helix) shall not be held liable for any damage resulting from handling or from contact with the above product.



BIO-HELIX III