Plasmid miniPREP Kit

1. IDENTIFICATION OF THE PREPARATION/SUBSTANCE AND OF THE COMPANY

Preparation Name: Plasmid miniPREP Kit Catalogue number of the product: PDP01-0100 Use of the preparation:For laboratory use. Suitable for use as DNA Purification for DNA electrophoresis Company identification:BIO-HELIX Co.,LTD. Site: http://www.bio-helix.com E-mail: info@bio-helix.com

2. COMPOSITION/ INFORMATION ON INGREDIENTS

Ingredients:

Buffer S1: 1 piece(s) Contains no hazardous substances in concentrations to be declared Buffer S2: 1 piece(s) 0.5-2% Sodium Dodecyl Sulfate; CAS-No. 151-21-3 0.2-1% Sodium Hydroxide; CAS-No. 1310-73-2 Buffer S3: 1 piece(s) 5-10% Guanidine Hydrochloride; CAS-No. 50-01-1 Buffer W1: 1 piece(s) 5-10% Guanidine Hydrochloride; CAS-No. 50-01-1 Buffer W2: 1 piece(s) No hazardous substances in concentrations to be declared. Buffer E: 1 piece(s) No hazardous substances in concentrations to be declared. RNase A: 1 piece(s) 2.5-10% Nuclease, ribo; CAS-No. 900-1-99-4 Components not listed here are not dangerous or their concentrations do not exceed the limits specified in the EU directive 1999/45/EC.

3. HAZARDS IDENTIFICATION

Sodium Hydroxide:

POISON! DANGER! CORROSIVE. MAY BE FATAL IF SWALLOWED. HARMFUL IF INHALED. CAUSES BURNS TO ANY AREA OF CONTACT. REACTS WITH WATER, ACIDS AND OTHER MATERIALS.

Health Rating:	3 - Severe (Poison)
Flammability Rating:	0 - None
Reactivity Rating:	2 - Moderate
Contact Rating:	4 - Extreme (Corrosive)
Lab Protective Equip:	GOGGLES; LAB COAT; VENT HOOD; PROPER GLOVES
Storage Color Code:	White Stripe (Store Separately)
Potential Health Effects	
Inhalation:	Severe irritant.
	Effects from inhalation of dust or mist vary from mild irri

Effects from inhalation of dust or mist vary from mild irritation to serious damage of the upper respiratory tract, depending on severity of exposure. Symptoms may include sneezing, sore throat or runny nose. Severe pneumonitis may occur.





Ingestion:

Corrosive! Swallowing may cause severe burns of mouth, throat, and stomach. Severe scarring of tissue and death may result. Symptoms may include bleeding, vomiting, diarrhea, fall in blood pressure. Damage may appear days after exposure.

Skin Contact:

Corrosive! Contact with skin can cause irritation or severe burns and scarring with greater exposures. Eye Contact:

Corrosive! Causes irritation of eyes, and with greater exposures it can cause burns that may result in permanent impairment of vision, even blindness.

Chronic Exposure:

Prolonged contact with dilute solutions or dust has a destructive effect upon tissue. Aggravation of Pre-existing Conditions:

Persons with pre-existing skin disorders or eye problems or impaired respiratory function may be more susceptible to the effects of the substance.

Sodium Dodecyl Sulphate:

WARNING! HARMFUL IF SWALLOWED OR INHALED. CAUSES IRRITATION TO SKIN, EYES AND RESPIRATORY TRACT. MAY CAUSE ALLERGIC SKIN OR RESPIRATORY REACTION.

Health Rating: 1 - Slight

Flammability Rating: 3 - Severe (Flammable)

Reactivity Rating: 1 - Slight

Contact Rating: 3 - Severe (Life)

Lab Protective Equip: GOGGLES & SHIELD; LAB COAT & APRON; VENT HOOD; PROPER GLOVES Storage Color Code: Red (Flammable)

Potential Health

Effects Inhalation:

Causes irritation to the respiratory tract. Symptoms may include coughing, shortness of breath. May cause allergic reaction in sensitive individuals.

Ingestion:

Large doses may cause gastrointestinal distress, nausea and diarrhea.

Skin Contact:

Mildly irritating to skin, causes dryness and a rash on continued exposure.

May cause allergic skin reactions.

Eye Contact:

Causes irritation, redness, and pain.

Chronic Exposure:

Chronic exposure may cause skin effects.

Aggravation of Pre-existing Conditions:

Persons with pre-existing skin disorders or impaired respiratory function may be more susceptible to the effects of the substance.





Guanidine Hydrochloride: WARNING! CAUSES IRRITATION TO SKIN, EYES AND RESPIRATORY TRACT. HARMFUL IF SWALLOWED OR INHALED. Health Rating: 2 - Moderate Flammability Rating: 1 - Slight Reactivity Rating: 0 - None Contact Rating: 2 - Moderate Lab Protective Equip: goggles, lab coat, vent hood, proper gloves Storage Color Code: Green (General Storage) **Potential Health Effects** Inhalation: Causes irritation to the respiratory tract. Symptoms may include coughing, shortness of breath. Toxic. May cause neurological disturbances. Ingestion: Causes irritation to the gastrointestinal tract. Symptoms may include nausea, vomiting and diarrhea. Skin Contact: Causes irritation to skin. Symptoms include redness, itching, and pain. Eye Contact: Causes irritation, redness, and pain.

4. FIRST AID MEASURES

Sodium Hydroxide:

Inhalation:

Remove to fresh air. If not breathing, give artificial

respiration. If breathing is difficult, give oxygen. Call a

physician. Ingestion:

DO NOT INDUCE VOMITING!

Give large quantities of water or milk if available.

Never give anything by mouth to an unconscious person.

Get medical attention immediately.

Skin Contact:

Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.

Call a physician, immediately.

Wash clothing before reuse.

Eye Contact:

Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally.

Get medical attention immediately.

Note to Physician:

Perform endoscopy in all cases of suspected sodium hydroxide ingestion.

In cases of severe esophageal corrosion, the use of therapeutic doses of steroids should be considered.

General supportive measures with continual monitoring of gas exchange, acid-base balance, electrolytes, and fluid intake are also required.



PureDireX

Sodium Dodecyl Sulphate:

Inhalation: Remove to fresh air. If not breathing, give artificial respiration.

If breathing is difficult, give oxygen. Get medical attention.

Ingestion: Give large amounts of water to drink.

Never give anything by mouth to an unconscious person.

Get medical attention.

Skin Contact: Immediately flush skin with plenty of soap and water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally.

Get medical attention immediately.

Guanidine Hydrochloride:

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Ingestion: Induce vomiting immediately as directed by medical personnel.

Never give anything by mouth to an unconscious person. Get medical attention.

Skin Contact: Immediately flush skin with plenty of water for at least 15 minutes.

Remove contaminated clothing and shoes.

Get medical attention. Wash

clothing before reuse.

Thoroughly clean shoes before reuse.

Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally.

Get medical attention immediately.

5. FIRE FIGHTING MEASURE

Extinguishing media: No restriction.

Decomposition: Dangerous decomposition is not anticipated.

6. ACCIDENTAL RELEASE MEASURES

Actions to be taken on spillage:

Dilute spilled liquids with plenty of water and adsorb.

Absorbent material: No restriction.

Actions to be taken to limit

Damage: Special measures to limit damage are not necessary.

7. HANDLING AND STORAGE

Handling: Open and handle vessels carefully. Storage: Store at room temperature. Storage Procedures: Do not store together with acids.





8. EXPOSURE CONTROLS, PERSONAL PROTECTION

Respiratory protection: No personal respiratory protective equipment normally required.
Eye protection: Safety glasses
Hand protection: One-way gloves
Hygiene measures: Wash hands before and after use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Buffer	Form	Miscibility with water	рН
S1	liquid	immiscible	7.6
S2	liquid	immiscible	13
S3	liquid	immiscible	4.5
W1	liquid	immiscible	7.0
W2	liquid	immiscible	7.5
E	liquid	immiscible	8.5
RNase A	liquid	immiscible	6.8

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions. Conditions to Avoid: Reacts with alkalis and oxidizing agents. Hazardous Decomposition Products: Danger of toxic pyrolysis products.

11. TOXICOLOGICAL INFORMATION

S2 Buffer Sodium Hydroxide Toxicity (others): LD50 intra peritoneal mouse 40 mg/kg LDLO (oral, rabbit) 500 mg/kg Sodium Dodecyl Sulfate Oral toxicity: LD50 rat 1.288 mg/kg S3 Buffer Guanidine Hydrochloride Oral toxicity: LD50 rat 475 mg/kg Toxicity (inhalation): LD50 rat 5.3 mg/l (4 h) Toxicity (others): LD50 intra peritoneal mouse 500 mg/kg W1 Buffer Guanidine Hydrochloride Oral toxicity: LD50 rat 475 mg/kg Toxicity (inhalation): LD50 rat 5.3 mg/l (4 h) Toxicity (others): LD50 intra peritoneal mouse 500 mg/kg Acute toxicity: Primary irritant effect: On the skin: irritant to skin and mucous membranes. On the eye: irritating effect. Sensitization: No sensitizing effects known.





12. ECOLOGICAL INFORMATION

Water hazard class: 2 (hazardous to water and ground)

13. DISPOSAL CONSIDERATIONS

Waste disposal route: Used reagent can be disposed in accordance with local regulations. Disposal of empty packaging: Dispose of empty packs by local recycling or waste disposal routes. Clean thoroughly prior to disposal.

14. TRANSPORT INFORMATION

DOT regulations: Hazard class: -Land transport ADR/RID (cross-border): ADR/RID class: -Maritime transport IMDG: IMDG Class: -Marine pollutant: No Air transport ICAO-TI and IATA-DGR ICAO/IATA Class: -

15. REGULATORY INFORMATION

SARA (Superfund and Reauthorization Act) Section 355 (extremely hazardous substances): Section 313 (Specific toxic chemical listings): TSCA (Toxic Substances Control Act): Proposition 65 Chemicals known to cause cancer: Chemicals known to cause reproductive toxicity:

None of the ingredients are listed. None of the ingredients are listed. All ingredients are listed.

None of the ingredients are listed. None of the ingredients are listed.

16. OTHER INFORMATION

The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guide. PureDireX (Bio-Helix) shall not be held liable for any damage resulting from handling or from contact with the above product.



