

Lab Results

Independent 3rd Party Analytical Testing and Validation

Product: MagSRT B-Free

Lot #: 1909016

Report Date: 01/13/2020

Ingredient Analysis	Claim	Result	Method
Magnesium	500 mg	567 mg	ICP-AOAC
Malic Acid	1436 mg	1436 mg	HPLC-AOAC

Microbial Testing		Result	Method
Total Plate Count	-	< 10 cfu/g	USP61
Coliform	-	< 10 cfu/g	AOAC
Yeasts	-	< 10 cfu/g	USP61
Molds	-	< 10 cfu/g	USP61
E. coli	-	Not Detected	USP62
Salmonella	-	Not Detected	USP62
Staph-aureus	-	Not Detected	USP62
Pseudomonas aeruginosa	-	Not Detected	USP62
Enterobacteriaceae	-	< 10 cfu/g	CMMEF
General Screening for GMO	-	Not Detected	NA

Heavy Metals Analysis	Not To Exceed	Detected	Method
Arsenic	10 mcg	< 0.0386 mcg	AOAC
Lead	5 mcg	0.1030 mcg	AOAC
Cadmium	4.1 mcg	< 0.0193 mcg	AOAC
Mercury	2 mcg	< 0.0193 mcg	AOAC



Tests performed in accordance with ISO/IEC 17025 Chemical Scope of Accreditation

