




thanks for opening the box!

IT WAS SO DARK IN THERE...
I'M HAPPY TO BE HOME!

I'VE BEEN WAITING FOR YOU FOR SOME TIME, SO MY FABRIC COULD BE WRINKLED, PLEASE GIVE ME A COUPLE OF DAYS TO HEAL.

THE
sofa
IS MADE
UP OF:




1 X RIGHT ARM
1 X LEFT ARM



2 X SEAT CUSHION
2 X BACK CUSHION





1 X BASE WITH MATTRESS



1 X BACK REST




1

We suggest two people assemble me – it just makes things easier! Align the metal bits on my base unit and my back rest. Apply pressure and **push down** until they are completely fixed.



2


On my arms, there are metal **Snugfit clips** and **thumb screws** protected by a cardboard cover. To remove this card you need to remove my thumb screws. Take the thumb screws off by turning them anti-clockwise. Keep these in a safe place! You will need them later. When I am delivered my Snugfit clips are in the **downward lock position**. Pull up, rotate my clips to the **upward lock position** and then pull up into the stop lock position before moving onto step 3.



DOWNWARD
LOCK POSITION

SNUG FIT CLIPS - UPWARD LOCK POSITION

Pull up, rotate 180 degrees and pull up into stop/lock position.




IF YOU NEED ANY HELP, **call us:** 020 3095 6555 OR **email us:** ORDERS@SNUGSOFA.COM

thanks for opening the box!

IT WAS SO DARK IN THERE...
 I'M HAPPY TO BE HOME!

I'VE BEEN WAITING FOR YOU FOR SOME TIME, SO MY FABRIC COULD BE WRINKLED, PLEASE GIVE ME A COUPLE OF DAYS TO HEAL.

THE
sofa
 IS MADE
 UP OF:




1 X RIGHT ARM
 1 X LEFT ARM



2 X SEAT CUSHION
 2 X BACK CUSHION




1 X BASE WITH MATTRESS



1 X BACK REST


3

Take my right arm and locate my crocodile clip that is on the base. Turn the clip so it is facing outwards. I might be a little stiff! Do the same with my seat base. The clip is located on the left hand side on the bottom.



4

I have small metal triangles on the right hand side of the bottom of my seat base, and the bottom of my left arm. Go ahead take a feel! There are also stickers to help you locate them. The clip that looks like a crocodile mouth attaches to these metal triangles. Line my arm with my sofa base and push my arm inwards. It makes things a lot easier if someone holds me steady while the arms are fitted





5

My Snugfit clips need to be rotated into the **downwards lock position** to keep arms secure. Start with the **front** clip first! This makes it easier for you. Apply moderate inward pressure to outside arm when locking the Snugfit clip into it's downwards lock position. Push down, rotate 180 degrees, push down again so the front snugfit clip is hook onto my seat base. My Snugfit clips should line up with the pre drilled holes on the inside of my base. If they don't, give my arm a tap forwards or backwards. **Do step 6 before rotating the rear Snugfit clip.**



SNUG FIT CLIPS - DOWNWARD LOCK POSITION

Push down and rotate 180 degrees, push down again into stop/lock position






thanks for opening the box!

IT WAS SO DARK IN THERE...
I'M HAPPY TO BE HOME!

I'VE BEEN WAITING FOR YOU FOR SOME TIME, SO MY FABRIC COULD BE WRINKLED, PLEASE GIVE ME A COUPLE OF DAYS TO HEAL.

THE
sofa
IS MADE
UP OF:




1 X RIGHT ARM
1 X LEFT ARM



2 X SEAT CUSHION
2 X BACK CUSHION




1 X BASE WITH MATTRESS



1 X BACK REST


6

To secure the Snugfit clip into position insert the thumb screw and turn clockwise to hand tighten. Once this has been done **repeat step 5 and 6 for my rear** Snugfit clip. do this for both of my arms.




7

Finally put the cushions on. I look great, right? You can also find assembly videos at www.snugsofa.com/assembly




8

If you want to use as a bed, remove all cushions. Lift the seat cover so that it reveals the sofa bed underneath.



9

Find the bar closest to you on my sofabed, I'm labelled up as lift one! Pull up and towards you and my sofabed (as a whole) will slip out towards you.




IF YOU NEED ANY HELP, **call us:** 020 3095 6555 OR **email us:** ORDERS@SNUGSOFA.COM

thanks for opening the box!

IT WAS SO DARK IN THERE...
 I'M HAPPY TO BE HOME!

I'VE BEEN WAITING FOR YOU FOR SOME TIME, SO MY FABRIC COULD BE WRINKLED, PLEASE GIVE ME A COUPLE OF DAYS TO HEAL.

THE
sofa
 IS MADE
 UP OF:




1 X RIGHT ARM
 1 X LEFT ARM



2 X SEAT CUSHION
 2 X BACK CUSHION




1 X BASE WITH MATTRESS




1 X BACK REST


10 Lift the rear bar and my bed will begin to fold out.



11 Place the middle support bar on the floor. Just make sure it's an even surface! This forms the central leg for the bed, place it firmly onto the floor and fold out the last bed section by lifting the last bar.



12 Unfold the mattress and place the metal feet onto the floor. Now the bed is ready for your guests!






thanks for opening the box!

IT WAS SO DARK IN THERE...
I'M HAPPY TO BE HOME!

I'VE BEEN WAITING FOR YOU FOR SOME TIME, SO MY FABRIC COULD BE WRINKLED, PLEASE GIVE ME A COUPLE OF DAYS TO HEAL.

THE
sofa
IS MADE
UP OF:




1 X RIGHT ARM
1 X LEFT ARM



2 X SEAT CUSHION
2 X BACK CUSHION




1 X BASE WITH MATTRESS




1 X BACK REST

1 Disassembling me is just as easy as putting me together. Firstly you need to remove my cushions.



2 Untighten my thumb screws by turning anti-clockwise. Do this for both of my arms. Keep my thumb screws together in a safe place, as you will need them to reassemble me.




IF YOU NEED ANY HELP, **call us:** 020 3095 6555 OR **email us:** ORDERS@SNUGSOFA.COM

thanks for opening the box!

IT WAS SO DARK IN THERE...
 I'M HAPPY TO BE HOME!

I'VE BEEN WAITING FOR YOU FOR SOME TIME, SO MY FABRIC COULD BE WRINKLED, PLEASE GIVE ME A COUPLE OF DAYS TO HEAL.


THE
sofa
 IS MADE
 UP OF:




1 X RIGHT ARM
 1 X LEFT ARM



2 X SEAT CUSHION
 2 X BACK CUSHION



1 X BASE WITH MATTRESS





1 X BACK REST

3

To remove my arm, we need to turn my snug fit clips into the upwards lock position, so they unclip from my base. Apply moderate inwards pressure to the outside arm, Pull up, rotate my clips to the **upward lock position** and pull up into the stop lock position.




SNUG FIT CLIPS - UPWARD LOCK POSITION
 Pull up, rotate 180 degrees and pull up into stop/lock position.




4

Remove my left hand facing arm first. Place your hand under the base of my arm and lift upwards to release my arm from the crocodile clip. It makes things a lot easier if someone holds me steady while you remove my arm.



5

My right hand facing arm is a little different. Get someone to apply weighted pressure to the top of the arm. Place your hand under my base unit and lift up. This will release my base from my arms crocodile clip.






thanks for opening the box!

IT WAS SO DARK IN THERE...
I'M HAPPY TO BE HOME!

I'VE BEEN WAITING FOR YOU FOR SOME TIME, SO MY FABRIC COULD BE WRINKLED, PLEASE GIVE ME A COUPLE OF DAYS TO HEAL.


THE
sofa
IS MADE
UP OF:




1 X RIGHT ARM
1 X LEFT ARM



2 X SEAT CUSHION
2 X BACK CUSHION




1 X BASE WITH MATTRESS



1 X BACK REST

6

Remove my back rest by applying weighted pressure to my base. Place your hand under the base of my back rest and lift upwards.



IF YOU NEED ANY HELP, **call us:** 020 3095 6555 OR **email us:** ORDERS@SNUGSOFA.COM