
Case Study #1: Nursing Home

Shanghai, China (n = 25 patients) (Data as of June 1, 2021) Study Protocol: 20 minute use, 2x daily, 2-5 weeks

Backgro	und	
n (patients)	25	
Male	14	56%
Female	11	44%
Mean Age (Years)	77	
Range Age (Years)	71 - 83	
Conditi	ons	
Arthritis	13	52%
Back Pain	4	16%
loint Pain	4	16%
Knee Pain	3	12%
Muscle Pain	1	4%
Clinical Be	enefits	
Pain Reduced	18	72%
Pain Eliminated	3	12%
Medication Reduced	6	24%
Medication Eliminated	2	8%
Mobility Increased	7	28%
No Result	4	16%




*Note: Categories not mutually exclusive



Case Study #2: Nursing Home

Kuanshan, China (n = 60 patients) (Data as of June, 2021) Study Protocol: 20 minute use, 2x daily

Background			
n (patients)	60		
Male	28	47%	
Female	32	53%	
Mean Age (Years)	72		
Range Age (Years)	64 - 92		
Years in Pain Range	2 - 20		
Conditions			
Arthritis	32	53%	
Back Pain	27	45%	
Body Pain	1	2%	
Clinical Benefits			
Pain Reduced	47	78%	
Pain Eliminated	10	17%	
Medication Reduced	11	18%	
Medication Eliminated	5	8%	
Mobility Increased	11	18%	
No Result	3	5%	



*Note: Categories not mutually exclusive

