

Material Safety Data Sheet

Section 1 –Product and Company Identification

MSDS Name: Royal Bond

Use: For professional use only

Company Identification:

London Lash, Quinton Court, Plough Way, London, SE16 7FA, UK

Section 2 – Composition, Information on Ingredients

Component	CAS No.	% wt(Approx.)
Ethyl Cyano Acrylate	7085-85-00	96.8%
Poly(methyl methacrylate)	9011-14-7	2.2%
Carbon Black	1333-86-4	1%

Section 3 – Hazards Identification

Inhalation: Vapor can cause headache, nausea and irritation of the nose, throat and lungs.

Eye: Contact with vapor or liquid may irritate the eyes.

Skin: Slightly irritating to the skin

Ingestion: May cause pain, nausea and vomiting.

Section 4 – First Aid Measures

Inhalation: Evacuate from further exposure and get medical attention immediately. If unconsciousness occurs, seek immediate medical assistance and call a physician. Give artificial respiration if not breathing.

Eye Contact: Immediately flush eyes with running water for at least 15 minutes. If redness, itching or burning sensation develops, see a physician.

Skin Contact: Remove contaminated clothing/shoes and wipe off excess from skin. Wash exposed area with soap and water. If redness, itching or burning sensation develops, get medical attention.

Ingestion: Get medical attention immediately.

Get medical attention if symptoms persist

Section 5 – Fire-Fighting Measures

Extinguishing Media: Use dry chemical, carbon dioxide, foam or spray as appropriate for surrounding fire.

Fire-Fighting Instructions: Do not enter any enclosed or confined fire space without full protective equipment. Use self-contained breathing apparatus and full protective gear to protect against the hazardous effects of combustion products and oxygen deficiency.

Section 6 – Accidental Release Measures

Small Spills: Dike and absorb with inert material such as sand and remove all liquid with the use of a vacuum system. If unable to remove liquid, then begin to absorb with sand, saw dust or commercial absorbent, and scoop up and place in containers for proper disposal. Keep spills and cleaning runoff out of the municipal sewers and open bodies of water. Decontaminate all clothing and the spill area with a detergent and large amounts of water.

Large Spills: Use same procedure as small spill.

Section 7 – Handling and Storage

Handling Precautions: Do not get in eyes, on skin or on clothing. This product is for advanced lash stylist's use. Avoid prolonged or repeated breathing of vapors and mists. Use only in a well-ventilated area. Shake well before use (30-60 seconds.) Keep out of the reach of children.

Storage Requirements: The temperature for the glue is 65-80F (18-27°C) with humidity 30-80%. After using make sure you clean the nozzle and close the cap tightly. Monomer vapors can evolve with material if heated. Containers, even those that have been emptied, will retain product residue vapors and are subject to proper waste disposal, as above. Store it in a cool, dark, and dry place for prolonged shelf life. Also, put it in the resealable package to help preserve freshness. The unopened adhesive should have a shelf life of up to 6 months. Remember to replace within 4-6 weeks after opening.

Section 8 – Exposure Controls / Personal Protection

Protective Clothing/Equipment: The use of gloves impermeable to the specific material handled is advised to prevent skin contact and possible irritation. Use Chemical Goggles if splashing may occur.

Section 9 – Physical and Chemical Properties

Physical State:

Liquid pH: N/A Water Solubility: N/A Boiling Point: 100°C Flash Point: 95°C

Section 10 – Stability and Reactivity

Hazardous Decomposition Products: Thermal decomposition may yield acrylic monomer, carbon monoxide and carbon dioxide. Unidentified organic compounds in fumes and smoke may be formed during combustion.

Section 11 – Toxicological Information

Toxicity: Skin contact may cause burns. Bonds skin rapidly and skin and eye irritant.

Routes of Entry: Inhalation (Yes), Skin (Yes), Ingestion (Yes)

Section 12 – Ecological Information

No data available.

Section 13 – Disposal Consideration

Disposal: Dispose of unused product or contaminated product and materials used in cleaning up spills or leaks in a manner approved for this material. Follow domestic and local environmental regulations to ascertain proper disposal procedures.

Section 14 – Transport Information

Class: Unlisted

UN Number: Unlisted

Section 15 – Regulatory Information

No information available.

Section 16 – Other Information

The information contained herein is based upon data and information available to us, and reflects our best professional judgment, but is offered without guarantee or warranty. Neither our company nor any subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. All materials may present unknown. This information is furnished upon the condition that the person receiving it shall make their own determination of the suitability of the material for their particular use.

DISCLAIMER: User should follow the instructions above. This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent exposures, property damage or release to the environment. It is the user's responsibility to determine suitability for the product or of any production methods mentioned herein and adopt such precautions as may be advisable for the protection of property and of persons against any hazards that may be involved in the use thereof. OjiRyouhin assumes no responsibility for the personal injury or property damage caused by the material. Users assume all risks associated with the use of the material. OjiRyouhin further specially disclaims all warranties of merchantability or fitness for a particular purpose arising from sale or use of this product.
