

CERA PRODUCTS CLINICAL REFERENCES AND BIBLIOGRAPHY December 2015

1. Oral Rehydration Therapy (ORT): A safer option to intravenous therapy in older people: Can ORT reduce dependence on intravenous hydration in older people?" Greenough III WB, Sheikh F, Colburn J, Shapiro A. In press 2015
2. Oral Rehydration Therapy and Feeding Replaces Total parenteral Nutrition: A Clinical Vignette. Wright SM, Noon MJ, Greenough III, WB. 16 May 2015
3. Studies in progress (List)
4. Gerold KB, Greenough WB III, Yasar S. Rice-Based Electrolyte Drinks More Effective Than Water in Replacing Sweat Losses During Hot Weather Training and Operations. *Jrnl Spec Oper Medi* 2013;13:12-14
5. Milner SM, Greenough WB, III, Asuku ME, Feldman M, Makam R, Noppenberger D, Price LA, Prosciak M, vanLoon IN. "From Cholera to Burns: A Role for Oral Rehydration Therapy". *Jrnl Health Pop and Nutr.* 2011;29(6):648-651.
6. Abstracts Presented at Digestive Disease Week, USA, 2002, with CeraLyte and Histidine, Peterson, JW, et al at U Texas and Rabbani, Golam, at ICDDR, Dhaka.
7. Scolapio, James S. Short Bowel Syndrome, *Journal of Parenteral and Enteral Nutrition*, September-October 2002, Vol 26, No 5
8. Sarker SA, Mahalanabis D, Alam NH, Sharmin S, Khan AM, Fuchs GJ. Reduced osmolarity oral rehydration solution for persistent diarrhea in infants: a randomized controlled clinical trial. *J.Pediatr.* 2001;138(4):532-8.
9. Zaman K, Yunus M, Rahman A, Chowdhury HR, Sack DA. Efficacy of a packaged rice oral rehydration solution among children with cholera and cholera-like illness. *Acta Paediatr.* 2001;90(5):505-510.
10. Rabbani GH, Teka T, Zaman B, Majid N, Khatun M, Fuchs GJ. Clinical studies in persistent diarrhea: dietary management with green banana or pectin in Bangladeshi children. *Gastroenterology* 2001;121(3):554-60.
11. Sirivichayakul C, Chokejindachai W. Vithayasai N, Chanthavanich P, Pengsaa K, Wisetsing P et al. Effects of rice powder salt solution and milk-rice mixture on acute watery diarrhea in young children. *Southeast Asian J.Trop.Med.Public Health* 2000;31(2):354-9.
12. Ramakrishna BS, Venkataraman S, Srinivasan P, Dash P, Young GP, Binder HJ. Amylase-resistant starch plus oral rehydration solution for cholera. *N.Engl.J.Med.* 2000;342(5):308-13.
13. Bhattacharya MK, Bhattacharya SK, Dutta D, Deb AK, Deb M, Dutta A et al. Efficacy of oral hyposmolar glucose-based and rice-based oral rehydration salt solutions in the treatment of cholera in adults. *Scand.J.Gastroenterol.* 1998;33(2):159-63.
14. Goepf JG, Katz S, Cuervo E, Reid R, Moran JR, Santosham M. Comparison of two regimens of feeding and oral electrolyte solutions in infants with diarrhea. *J.Pediatr.Gastroenterol.Nutr.* 1997;24(4):374-9.
15. Field M. New strategies for treating watery diarrhea. *N.Engl.J.Med* 1997; 297(20):1121-22.

16. Goldberg ED, Saltzman JR. Rice inhibits intestinal secretions. *Nutri.Rev.* 1996;54(1 Pt 1):36-7.
17. Molla A, Bari A, Greenough WB, III. Rice oral rehydration solution hastens recovery from dysentery. *J.Diarrhoeal Dis.Res.* 1995;13(1):8-11.
18. MacLeod RJ, Bennet HP, Hamilton JR. Inhibition of intestinal secretion by rice. *Lancet* 1995;346(8967):90-92.
19. Lebenthal E, Khin MU, cer, Rolston DD, Melman S, Jirapinyo P et al. Composition and preliminary evaluation of a hydrolyzed rice-based oral rehydration solution for the treatment of acute diarrhea in children. *J.Am.Coll.Nutr.* 1995;14(3):299-303.
20. Lebenthal E, Khin MU, Rolston DD, Khin MT, Tin NS, Thein TM et al. Thermophilic amylase-digested rice-electrolyte solution in the treatment of acute diarrhea in children. *Pediatrics* 1995;95(2):198-202.
21. Lebenthal E, Khin MU, Khin MT, Tin NS, Thein TM, Jirapinyo P et al. High-calorie, rice-derived, short-chain, glucose polymer-based oral rehydration solution in acute watery diarrhea. *Acta Pediatr* 1995;84(2):165-72.
22. Thillainayagam AV, Carnaby S, Dias JA, Clark ML, Farthing MJ. Evidence of a dominant role for low osmolality in the efficacy of cereal based oral rehydration solutions: studies in a model of secretory diarrhoea. *Gut* 1993;34(7):920-5.
23. Bennett RG, Greenough WB, III. Approach to acute diarrhea in the elderly. *Gastroenterol.Clin.North Am.* 1993; 22(3):517-33.
24. Sabchareon A, Chongsuphajaisiddhi T, Kittikoon P, Chanthavanich P. Rice-powder salt solution in the treatment of acute diarrhea in young children. *Southeast Asian J.Trop.Med.Public Health* 1992;23(3):427-32.
25. Gore SM, Fontaine O, Pierce NF. Impact of rice-based oral rehydration solution on stool output and duration of diarrhea: meta-analysis of 13 clinical trials. *BMJ* 1992;304(6822):287-91.
26. Rahman AS, Bari A, Molla AM. Rice-ORS shortens the duration of watery diarrhoeas. Observation from rural Bangladesh. *Trop.Geogr.Med.* 1991;43(1-2):23-7.
27. Rabbani GH, Lu RB, Horvath K, Lebenthal E. Short-chain glucose polymer and anthracene-9-carboxylic acid inhibit water and electrolyte secretion induced by dibutyryl cyclic AMP in the small intestine. *Gastroenterology* 1991;101(4):1046-53.
28. Khin MU and Greenough WB, III. Cereal-based oral rehydration therapy. I. Clinical studies. *J.Pediatr.* 1991;118(4 (Pt 2)):S72-S79.
29. Hirschhorn N, Greenough WB, III. Progress in oral rehydration therapy. *Sci.Am.* 1991;264(5):50-6.
30. Greenough WB, III, Khin MU. Cereal-based oral rehydration therapy. II. Strategic issues for its implementation in national diarrheal disease control programs. *J.Pediatr.* 1991;118 (4 (Pt 2)):S80-S85.
31. Azad MA, Lebenthal E. Role of rat intestinal glucoamylase in glucose polymer hydrolysis and absorption. *Pediatr.Res.* 1990;28(2):166-70.

32. Rahman AM, Bari A. Feasibility of home treatment of diarrhoea with packaged rice—ORS. *J.Diarrhoeal Dis.Res.* 1990;8(1-2):18-23.
33. Bari A, Rahman A, Molla A, Greenough W, III. Rice-based oral rehydration solution shown to be better than glucose-ORS as treatment of non-dysenteric diarrhoea in children in rural Bangladesh. *J.Diarrhoeal Dis.Res.* 1989;7(1-2):1-7. Ref ID: 7742
34. Molla AM, Molla A, Rohde J, and Greenough WB, III. Turning off the diarrhea: the role of food and ORS. *J.Pediatr.Gastroenterol.Nutr.* 1989;8(1):81-4.
35. Carpenter CC, Greenough WB, Pierce NF. Oral-rehydration therapy--the role of polymeric substrates. *N.Engl.J.Med.* 1988;319(20):1346-8. Ref ID: 7761
36. Mohan M, Sethi JS, Daral TS, Sharma M, Bhargava SK, Sachdev HP. Controlled trial of rice powder and glucose rehydration solutions as oral therapy for acute dehydrating diarrhea in infants. *J.Pediatr.Gastroenterol.Nutr.* 1986;5(3):423-7.
37. Mehta MN, Subraminiam S. Comparison of rice water, rice electrolyte solution, and glucose electrolyte solution in the management of infantile diarrhea. *Lancet* 1986;1(8485):843-5.
38. Sathanakrishnan BR, Sankaranarayanan VS. Rice water solution in diarrheal dehydration. *Indian J.Pediatr.* 1985;52(418):479-82.
39. Wong HB. Rice gruel in the management of infantile diarrhoea. *J.Singapore Paediatr.Soc.* 1985;27 Suppl 2:53-62
40. Wong HB. Rice gruel in the management of infantile diarrhoea. *Singapore Med.J.* 1985;26(4-5):329-36.
41. Molla AM, Ahmed SM, Greenough WB, III. Rice-based oral rehydration solution decreases the stool volume in acute diarrhoea. *Bull.World Health Organ* 1985;63(4):751-6. Ref ID: 7747
42. Jones BJ, Brown BE, Loran JS, Edgerton D, Kennedy JF, Stead JA et al. Glucose absorption from starch hydrolysates in the human jejunum. *Gut* 1983;24(12):1152-60. Ref ID: 7775
43. Molla AM, Sarker SA, Hossain M, Molla A, Greenough WB, III. Rice-powder electrolyte solution as oral-therapy in diarrhoea due to *Vibrio cholerae* and *Escherichia coli*. *Lancet* 1982;1(8285):1317-9.
44. Wong HB. Gastroenteritis: III. Rice-water in the management of infantile gastroenteritis in Singapore. *J.Singapore Paediatr.Soc.* 1981;23(3-4):113-7.
45. Crapo PA, Reaven G, Olefsky J. Plasma glucose and insulin responses to orally administered simple and complex carbohydrates. *Diabetes* 1976;25(9):741-7.