

3970 Varsity Dr Ann Arbor, MI 48108 (734) 369-6273 info@psilabs.org ISO/IEC 17025:2017: 84351 MMFLA #Walkin

Cherry Wine

Sample ID: 2310PS10099.07788 Strain: N/A Matrix: Plant Type: Hemp METRC Batch ID:

METRC Sample:

Produced: Date Received: 10/16/2023 Completed: 10/20/2023 Sample Size: - ; Batch: - Pott Farms Lic. # 12280 Bunton Rd Willis, MI 48191

Cannabinoids

0.18

Total THC (%)


Total CBD (%)

3.40

Testing Method: HPLC-DAD / SOP - PSIMTDA

Date Tested: 10/18/2023 1 Unit =

Analyte	LOQ	Mass	Mass	
	%	%	mg/g	
THCa	0.08	0.20	2.0	
∆9-THC	0.08	ND	ND	
∆8-THC	0.08	ND	ND	
THCVa	0.08	ND	ND	
THCV	0.08	ND	ND	
CBDa	0.08	3.88	38.8	
CBD	0.08	ND	ND	
CBDVa	0.08	ND	ND	
CBDV	0.08	ND	ND	
CBN	0.08	ND	ND	
CBGa	0.08	0.32	3.2	
CBG	0.08	ND	ND	
CBCa	0.08	ND	ND	
CBC	0.08	ND	ND	
		4.40	44.0	



Total THC = THCa * 0.877 + d9-THC + d8-THC Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Safety

Foreign Matter

Visual Exam / SOP - PSIMTDF

Pass











This product has been tested by PSI Labs using valid testing methodologies in compliance with state law. Values reported relate only to the product tested. PSI Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of PSI Labs.



3970 Varsity Dr Ann Arbor, MI 48108 (734) 369-6273 info@psilabs.org ISO/IEC 17025:2017: 84351 MMFLA #Walkin

Cherry Wine

Sample ID: 2310PSI0099.07788 Strain: N/A Matrix: Plant Type: Hemp METRC Batch ID:

METRC Sample:

Produced: Date Received: 10/16/2023 Completed: 10/20/2023 Sample Size: - ; Batch: -

Pott Farms Lic. # 12280 Bunton Rd Willis, MI 48191

Foreign Matter



Date Tested: 10/17/2023 Testing Method: Visual Exam / SOP - PSIMTDF







This product has been tested by PSI Labs using valid testing methodologies in compliance with state law. Values reported relate only to the product tested. PSI Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of PSI Labs.

CSO

2 of 2

Pass