



RESISTANCE VALUES ARE IN OHMS
CAPACITANCE VALUES ARE IN MICROFARADS
UNLESS OTHERWISE SPECIFIED

MR J-2690	B	862-02690	2 OF 5
VOLTAGES PROCESSING			
2/S	MFI ENTERPRISES INC		
8/11/2020	900 INDUSTRIAL PARK RD		
JB	STARKVILLE, MS 39759		



RESISTANCE VALUES ARE IN OHMS
CAPACITANCE VALUES ARE IN MICROFARADS
UNLESS OTHERWISE SPECIFIED

MFJ-2690	8	862-02690	4 OF 5
SIGNAL SWITCH, PRESCALER			
4.5		MFJ ENTERPRISES INC 300 INDUSTRIAL PARK RD STARKVILLE, MS 39759	
8/11/2024	JB		



RESISTANCE VALUES ARE IN OHMS
CAPACITANCE VALUES ARE IN MICROFARADS
UNLESS OTHERWISE SPECIFIED

MF-J-2691D	8	862-02691D	50FS
* USING BPF WITH 1" STL. INT. SPEC. FILTERS			
B/11/2024	S-5	MFJ ENTERPRISES INC.	
JB		300 INDUSTRIAL PARK RD.	
		STARKVILLE, MS 39759	