

Prepared for:
Leaf Remedys
1 N Oplaine RD #8291
Gurnee, IL USA 60031

1000mg/4oz FS Cooling Gel

Batch ID or Lot Number: 85502-03	Test: Potency	Reported: 09Jan2023	USDA License: N/A
Matrix: Concentrate	Test ID: T000232159	Started: 06Jan2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 05Jan2023	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.009	0.033	0.050	0.50	
Cannabichromenic Acid (CBCA)	0.008	0.030	ND	ND	
Cannabidiol (CBD)	0.036	0.087	0.920	9.20	
Cannabidiolic Acid (CBDA)	0.037	0.089	ND	ND	
Cannabidivarin (CBDV)	0.009	0.021	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.016	0.037	ND	ND	
Cannabigerol (CBG)	0.005	0.019	0.030	0.30	
Cannabigerolic Acid (CBGA)	0.022	0.079	ND	ND	
Cannabinol (CBN)	0.007	0.025	ND	ND	
Cannabinolic Acid (CBNA)	0.015	0.054	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.026	0.094	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.024	0.085	<LOQ	<LOQ	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.021	0.076	ND	ND	
Tetrahydrocannabivarin (THCV)	0.005	0.017	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.018	0.067	ND	ND	
Total Cannabinoids			1.000	10.00	
Total Potential THC			0.000	0.00	
Total Potential CBD			0.920	9.20	

Final Approval


Sam Smith
09Jan2023
12:46:00 PM MST

PREPARED BY / DATE


Karen Winternheimer
09Jan2023
12:48:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/75a4686a-6b47-4d09-bafd-1d077e598cb0>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
75a4686a6b474d09bafd1d077e598cb0.1