

MEGA LITE®

LUPA-7



Product Description:

The Lupa-7 is equipped with 7 60W LEDs with individual beam effects allowing the user a wide range of potential looks. Including 28 X .5W pixel mappable LEDs that add ambiance to any lighting experience. With rotating lenses that expand the amazing possibilities for looks you can achieve this fixture is packed full of features.

7 60W LEDS

Equipped with seven 60W LEDs the lupa-7 floods your stage with vibrant colors, ensuring a visually captivating experience.

BEYOND MEDIA

With 28 X .5W Pixel mappable back LED's that add depth and ambiance to your show with eye catching video playback and macros go beyond lights.

LENS ROTATION

Take control with dynamic lens rotation, directing beams of light to create sweeping effects tailored to your performance.

Mechanical Specifications

| | |
|--------------------|---|
| Housing: | Die-cast Aluminum |
| Mounting System: | 2 Quick Release Clamp Mounts |
| Power Connection: | Seetronics SAC3FPX Input & SAC3MPX output (Nema 5-15 to SAC3FX-67 cable included) |
| Signal Connection: | 5 Pin XLR In and Out (IP Rated) |
| Zoom Angle: | 3° to 32° |

Electrical Specifications

| | |
|--------------------|------------------------------|
| Light Source: | 7 X 60W RGBW 28 X .5W RGB |
| Color Temperature: | 9090K |
| CRI (Warm White): | 75 @ full |
| Lumen Output: | 3207Lm |
| Power Supply: | Electronic 100-240V AC 50/60 |
| Power Consumption: | 512 Watts 4.4 Amps @110V |


Control System

| | |
|--------------------|---|
| Control Protocols: | DMX 512, Artnet, sACN, RDM |
| RDM: | Yes |
| Channel Modes: | 27 Channel Mode 139 Channel Mode 134 Channel Mode |
| Display: | Digital |

Main Power Connection

| | |
|----------|-----|
| DMX-512: | Yes |
|----------|-----|

Size and Weight



Fixture Size:

12.5" X 9.5" X 17.25"

Fixture Weight:

29lb

Packaged Size:

16.4" X 13.9" X 24.61"

Packaged Weight:

35.27lb

Photometrics

Lumens @ Full Output (Narrow):

2,700

Efficacy:

6 lm/W

Lumens @ Full Output (Wide):

3,207

Efficacy:

7 lm/W

Red Emitter Peak Wavelength:

636 nm

Green Emitter Peak Wavelength:

522 nm

Blue Emitter Peak Wavelength:

449 nm


White Emitter Peak Wavelength:

447 nm

Nominal Beam Angle:

3°

Color Rendering



Included Items

Lupa-7 1315
Power Cable
2pc Quick Release Clamp Mount

Customer Service

MEGA-Lite has a customer support line to provide set-up help and answer any questions should you encounter a problem. Please visit our website for any other related technical documents. For service-related issues, please contact our service department at service@mega.lighting

Operating Hours:
Phone:
Email:

Monday - Friday 9AM - 6PM CST
(210) 684-2600
Sales@mega.lighting



18662 Bandera Rd
Helotes, TX 78023
Phone (210)684-2600 / Fax (210)855-6279
www.mega.lighting / info@mega.lighting