



JMD OBD

User Manual



Living for the locksmith
Saving for the locksmith



Catalogue

I . Product Brief.....	1
II . Security Information.....	2
III. Instrument Components.....	3
IV. Installation of APP program:.....	3
1. Parameter requirements:.....	3
2. Download address.....	3
V. Brief introduction of operation.....	4
1. User registration.....	4
2. Functional selection.....	9
3. Program upgrade:.....	12
4. OBD Information.....	13
5. Password Retrieval Function.....	16
VI. After-sales service description.....	16
VII.JMD OBD IMMO type list.....	17

I. Product Brief

Thank you for choosing JMD OBD car anti-theft matching instrument!

JMD OBD is a car anti-theft matching instrument developed by JMD company. Cooperate with JMD Mobile App. Mainly supports five functions: anti-theft matching, odometer adjustment, remote control manual matching, automobile diagnosis, Assistant.

Powerful and easy to operate, it is the most ideal matching equipment for your car maintenance.



Special performance:

The Bluetooth function of JMD OBD enables JMD APP to access vehicle electronic control system conveniently through wireless communication.

Handy-baby App mobile phones are installed and connected wirelessly through Bluetooth, which is very suitable for modern car locksmiths.



Due to the continuous development of products, updates will involve JMD OBD display interface, which may be slightly different from the diagrams in this article. Please refer to JMD OBD display interface.

Difference description**Product differentials:**

JMD OBD is a car anti-theft matching equipment, which can be used to match car keys, instrument adjustment, automobile diagnosis and other fields.

JMD assistant is a special data collector for Handy-baby single-machine copy VW/Skoda 4th generation, Audi 4th generation and 5th generation, online copy VW all lost.

Use differences:

JMD assistant can be used with Handy-baby or Handy-baby II. Handy-baby coil reads data collected by JMD assistant.

JMDOBD only supports the use of Handy-baby II. It needs Bluetooth to transmit data.

	JMD OBD	JMD assistant
Assistant function	support	not support
MQB (Charge authorization)	support	not support
Anti-theft matching	support	not support
Automobile diagnosis	support	not support
Odometer adjustment	support	not support
Remote manual matching	support	not support
Handy-baby	not support	support
Handy-baby II	support	support

II. Security Information

1. Because JMD OBD is a precise electronic integrated system, it is strictly forbidden to fall and avoid high temperature and humidity.
2. In order to ensure the safety of the use process, please follow the instructions in the relevant chapters step by step.
3. Do not open the shell of JMD OBD by yourself, otherwise you will lose the warranty qualification. If there is any malfunction or damage, please contact the manufacturer for repair in time.
4. Please use the original parts of this machine.
5. Don't forget to unplug JMD OBD from the diagnostic interface of the vehicle after testing the vehicle.

III. Instrument Components



Note: The following illustrations are for reference only. Please refer to the final object.



IV. Installation of APP program:

1. Parameter requirements:

1. Android System: 4.0 and above
2. IOS System: Not on-line yet
3. Recommended screen size above 4.0

2. Download address

2.1 Official website:

http://www.handy-baby.net/download.html?lang=en_US

2.2 Scanning QR Download:




Downloaded without duplication

V. Brief introduction of operation

1. User registration


- Click on the icon of the JMD application, enter the main login interface, and click on [Register] to register according to the prompt.



NOTE:

- If you have registered a JMD account, please skip this step directly.
- Enter the correct and available information.
- Fill in the captured validation code and click [Next].

- Set the password of the account according to the requirement and click on **【Next】** to complete the registration.




The image shows a mobile registration form titled "Registe" (partially visible as "Registe" in the header). The form has a red header bar with a back arrow on the left and the text "Registe" in the center. Below the header, there are several input fields, each with a small icon on the left and text on the right:

- Account(can use it to login) - icon: person
- Password - icon: envelope
- Enter the password again - icon: envelope
- Nickname - icon: person
- E-mail box(can use it to login) - icon: envelope
- phone or whatsapp - icon: phone

At the bottom of the form, there is a red button labeled "NEXT". Below the button, there is a line of text: "Accept protocol 《To accept protocol of JMD》".




- Register successfully back to the login interface, enter the registered mobile phone number or mailbox, password into the APP home page, click on the [OBD function] - [JMD OBD]



- New Binding OBD Device


Note:

- JMD OBD needs to be energized to use Bluetooth function to connect properly.
- New binding OBD devices need to obtain OBD information first.
- JMD OBD can bind only one Handy-baby II





2. Functional selection

- Bind successfully, go to the home page of APP, select [OBD Function]-[JMD OBD]




- Selection of Vehicle Types

You can choose the vehicle manually or search the vehicle intelligently.



■ System function (anti-theft system for example):

Anti-theft matching can quickly select the corresponding anti-theft system of vehicles.



3. Program upgrade:


- If the program is updated, it will be prompted on the home page and click on "OBd Upgrade" to upgrade.




4. OBD Information

How do I view device information for JMD OBD?

- Open JMD APP, Select **【OBD info】**




■ JMD OBD Connection JMD APP



■ Refresh OBD information

中国电信 113 B/s 100% 下午1:22

← OBD Info OBD测试



OBD ID
1090526976-173034293-1177695264 [Copy](#)

Bluetooth Name
JMD-OBD:3C71BF424822

Hardware Information
Now Voltage 4.48V,Hardware version 10

Firmware Version
MCU Version:1.4.26,Bluetooth Version:0.0.27

Activation State
Already activated Activatation data 20190506

Authorization
MQB Unauthorized, Volkswagen Audi Copies Unauthorized

REFRESH OBD INFORMATION



5. Password Retrieval Function

Note: If the mobile phone number and password are forgotten, you need to contact JMD company to provide information and inquire account password.

- Get the authentication code according to the registered mobile phone, and renew the password.

VI. After-sales service description

After-sales contact information (Whats app):

JMD-Jacky: +86 18801810915

JMD-Wayne: +86 13702455971

JMD-Holly: +86 18406691667

JMD-Marry: +86 18406692079

VII. JMD OBD IMMO type list (As of June 6)

Vehicle system	Brand	Vehicle type
CHINA	BISU	M3
		T3
		T5
	BESTURN	B30
		X40
		X40F
		B50
		B70
		X80
		X80F
		B90
	BYD	SURUI
		SIRUI
		NEW F3
		QIN
		QIN EV
		SONG
		TONG
		YUAN
		E5
		E6
		F0
		F3
F3R		
F3CK		



JMD OBD

		F6	
		G3	
		G3R	
		K9A	
		K9B	
		VA	
		G5	
		G6	
		L3	
		M6	
		S6	
		S7	
		S8	
		BAOJUN	630
	610		
	560		
	530		
	510		
	730		
	360		
	330		
	310 Wagon		
	310		
	BAIC	E100	
		JEEP	
		HUANSU	
		SHENBAO	
			WEIWANG



JMD OBD		
		NEW ENERGY
		PROGRAM ECU
	CHERY	TIGGO
		TIGGO 3
		TIGGO 3X
		TIGGO 5
		TIGGO 7
		TIGGO Facelifi
		COWN
		COWN1
		COWN2
		COWN3
		COWN5
		THE EAST SON
		NEW THE EAST SON
		THE EAST SON CROSS
		FULWIN 2
		A1
		A13T
		A3
		A5
		E3
		E5
		QQ3
		QQ6
		QQme
		NEW QQ
		KARRY



JMD OBD

		RIICH M1
		RIICH M2
		RIICH M3
		RIICH M5
		RIICH X1
		RIICH G2
		RIICH G3
		RIICH G5
		RIICH G6
		ARRIZO 3
		ARRIZO 5
		ARRIZO 7
		ARRIZO m7
		ARRIZO M7 (PHEV)
		H3 Series
		H5 Series
		V5 Series
		X5 Series
		Elegance series
		EQ
		C3
		C3R
		X3
		K50
		K50S
		K60
		K70
		M16PHEV



JMD OBD

	CHANGFENG	CS4
		CS6
		CS7
		CS9
		CS9EV
		CS10
		Q6
		V6
	CHANGHE	LIANA
		X5
		SPLASH
		125
		Q35
	CHANGAN	YUEXIANG V3
		YUEXIANG V5
		V7
		B301
		BENBEN
		CV6
		RAYMOND
		LINGXUAN
		HONOR
		EADO
		EADO CLECCTRIC
		EADO HYBRID
	ZHIXIANG	
	A600	
	A800	



JMD OBD

		CM8
		C207
		C301
		CS15
		CS35
		CS55
		CS75
		CS95
		CX20
		CX30
		CX70
		X70A
		V301
		RAETON
		EADO XT
		AUCHAN
		VOSS
		DONGFEN AUTO
	MODEL JING YI (B12)	
	BX5A/S50/CM7	
	S500	
	FENGXING F600	
	MODEL JING YI (VX)	
	MODEL JING YI (BX3)	
	SX5/SX6	
	MODEL JING YI (X3)	
	MODEL JING YI (X5)	
	DONGFENG FENGSHEN	A30



JMD OBD

		A600
		AX7
		S30
		AX3
		ELECTRIC CARS
		L60
	FENGGUANG	580
		370
		S560
	FUTIAN	TUNLAND
		SAUVANA
	GEELY	JINYING
		ZIYOUJIAN
		NEW ZIYOUJIAN
		VISION
		NEW VISION
		EC7
		EC8
		EV
		EV8
		EX8
		FC-2
		GC9
		GL
		GS
	HEV	
	NULL	
PHEV		



JMD OBD

		S1
		X1
		X3
		X6
		GX2
		GC7
		GX7
		GX9
		PANDA
	GREATWALL	H1
		H2
		H2S
		H3 Series
		H4
		H5 Series
		H6
		H6 COUPE
		H7
		H8
		H9
		M1
		M2
		M4
		M6
		C20R
		C30
C50		
V80		



JMD OBD

		GWPERI
		COWRY
		WINGLE
		WINGLE 6
		FLORID
		COOLBEAR
		PHENOM
	HAFEI	SAIBAO
		SAIMA
	HUATAI	SANTAFE (domestic)
		SANTAFE (Imported)
		B11
		B21
		B35
		TERRACAN
		BOLIGER
	HAIMA	FAMILY
		SEA STAR
		KNIGHT
		CUPID
		PREMA
		S5
		S7
		M3
		M5
		M6
		M7
	M8	



JMD OBD

		V7
		V70
	HANTENG	X7
	JIABAO	V80/V80L/T80
	JINBEI	SEALION
	JAC	BINYUE
		HEYUE
		TONGNYUE
		XINGYUE
		RUIFENG
		RUIFENG S3
		RUIFENG S5
		RUIFENG S7
		RUIFENG A60
		HEYUE A30 (CVT)
		RUIFENG S2
		RUIFENG S2 mini
		RUIFENG M3
		RUIFENG M4
		RUIFENG M5
		RUIFENG HECHANG
		IEV5
		IEV6E
	JIANGLING	fengshang
		fenghua
		X5
		X6
		X7



JMD OBD

		X8	
		X9	
		yushengS350	
		yushengS330	
		newyushengs350	
		MU-X	
	LIFAN	320	
		520	
		620	
		620CNG	
		620 2	
		620 EV	
		720	
		820	
		X50	
		X60	
		X70	
		CA 10	
		CY02C	
		CP08C	
		Marvell	
		Feng Shun	
		Fu Shun	
		xing Shun	
		Xuan Lang	
		LUXGEN	U6
			BIG 7
			NEW BIG 7



JMD OBD

		5 SEDAN
		S5
		MASTER CEO
	MAPLE	HAIJING
		HAISHANG
		HAIFENG
		HAIYUE
		HAIYU
		HAIYUN
	MG	MG7
		MG6
		MG5
		MG3
		GS
		GT
		ZS
	ROEWE	950
		750
		550
		360
		350
		W5
		RX5
		ERX5
		i6
		RX3
E50		
SOUTHEAST	DX7	



JMD OBD

	SWMMO-TORS	DX3
		X3
		X7
		G01
	TRUMPCHI	GA3
		GA4
		GA5
		GA6
		GA8
		GE3
		GM8
		GS3
		GS4
		GS5
		GS7
		GS8
		EV
		TRAUM
	WILD HORSE	T70
	WEY	VV7
		VV5
		P8
	WULING	HONGGUANG S1
		HONGGUANG S3
	ZHONGHUA	GRANDEUR
		JUNJIE
		JUNJIE CROSS
JUNJIE FRV		



JMD OBD

		JUNJIE FSV	
		JUNJIE WAGON	
		COUPE	
		V3	
		V5	
		FEIXUAN	
		H3 Series	
		H220	
		H230	
		H320	
		H530	
		H330	
		SUCCE	
		OTING	
	ZHENZHOUNISSAN	MX5	
		MX6	
		NV200	
		ZOTYE	5008
			Z200HB
	M300		
	Z200 (OLD)		
	T200		
	T500		
	T600		
	Z100		
	Z200		
	Z300		
	Z500		



JMD OBD

		Z700
		X5
		SR7
		E30
	ZASTAVA	H7
		HQ300
	TIANJINFAW	N5
		NEW V5
		N7
		JUNPAI D60
		XENIA S80
		WEIZHI V2
		WEIZHI V5
		WEILE (MT34 DEF) KEY
	WEIZHI (MT34 DEF) KEY	
EUROPE	AUDI	AUDI A4
		AUDI A6
	BMW	CAS3
		CAS4
		K LINE
	BORGWARD	BX5
		BX7
	CITIRON	ELYSEE
		FUKANG
		SEGA
		SENNA
		PICASSO
	TRIUMPH	



JMD OBD

		C1
		C2
		C3-XR
		C4
		C4L
		C5
		C6
		C8
		Berlingo
		C-Crosser
		Dispatch
		Evasion
		Jumpy
		Nemo
		Relay
		Relay2
		Relay3
		Synergie
		Xantia
	DS	DS 4S
		DS 5
		DS 5LS
		DS 6
	FIAT	FREEMONT
	IVECO	CHAOYUE
		POWER DAILY
	JAGUAR	XF
		XJ



JMD OBD

	LOTUS	F-type
		JINGSU
		JINGYUE
		L3
		L5
	LAND ROVER	DISCOVERY3
		DISCOVERY4
		RangRove
		Range Rover Sport
		EVOQUE
		FREELANDER2
	MASERATI	Ghibli
		Quattroporte
	OPEL	Agila
		Agila B
		Antara
		Astra-F
		Astra-G
		Astra-H
		Astra-J
Calibra		
Combo		
Corsa-B		
Corsa-C		
Corsa-D		
Corsa-E		
Insignia		
Meriva-A		



JMD OBD

		Meriva-B
		Mokka
		Movano
		Omega-B
		Sintra
		Tigra-B
		Vectra-B
		Vectra-C
		Vivaro
		Zafira-A
		Zafira-B
		PEUGEOT
	106	
	206	
	207	
	207CC	
	307	
	308	
	308S	
	407	
408		
508		
607		
3008		
2008		
308S		
301		
Partner		



JMD OBD

		RCZ
		Ranch
		Boxer3
		lon
		Expert
	RENAULT	KOLEOS
		SCENIC
		MEGANE
	SMART	Smart451
	VW	JETTA
		SANTANA
		GOL
		POLO
		GOLF
		BORA
		PASSAT
	SKODA	second, third and third generation anti-theft
	SEATTLE	second, third and third generation anti-theft
	RENAULT	Laguna
		Cleo
		Master
		Twingo
		Valsatis
	DACIA	Duster
		Logan
		Sandero



		Symbol
AMERICA	BUICK	NEW LACROSSE
		NEW REGAL
		VERANO
		EXCELLE GT/XT
		EXCELLE GX
		EXCELLE
		ENCORE
		ENVISION
		ENCLAVE
		GL6
		NEW GL8
		PARK AVENUE
		REGAL
		LACROSSE
		FIRST LAND
		CHEVROLET
	AVEO (OLD)	
	EPICA	
	CRUZE	
	CAVALIER	
	AVEO	
	MALIBU	
	Trax	
	Equinox	
	CAPTIVA	
	Camaro	
SAIL		



JMD OBD

		Aveo
		Avalanche
		Camaro
		Captiva
		Cobalt
		Corvette
		Cruze
		Equinox
		Express
		HHR
		Impala
		Malibu
		M. te Carlo
		Orlando
		Silverado
		Sonic
		Spark
		Suburban
		Tahoe
		Traverse
		Uplander
		Agile
		Astra
		Blazer
		Captiva
		Chevy
		Celta
		Corsa



JMD OBD

		Corsa hatch	
		Cruze	
		Meriva	
		Montana	
		Omega	
		Prisma	
		S-10	
		Vectra	
		Zafira	
		Aveo	
		Matiz	
		Spark	
		Evanda	
		Kalos	
		Lacetti	
		Leganza	
		Matiz	
		Nubira	
		AMERICA some Vehicle type	
		SOUTH AMERICA some Vehicle type	
		MEXICO some Vehicle type	
		ASIA some Vehicle type	
		Tacuma	
		CADILLAC	SRX
			XTS
ATS			
ATS-L			



JMD OBD

		SLS
		ESCALADE
		CTS
		XT5
		CT6
	CHRYSLER	Aspen
		PT cruise
		Sebring C
		Sebring
		Carboplatin sharp
		Town and Country
		200C
		300C
		200
		300
	DODGE	Avenger
		Caliber
		Caravan
		Nitro
		Charger
		Dakota
		Ram/Ram truck
		Durango
		Journey
		Magnum
	Nitro	
	Viper	
FORD	EDCORT	



JMD OBD

		NEW MONDEO
		EVEREST
		FOCUS
		FIESTA
		MONDEO WINNING
		OLD MONDEO
		ECOSPORT
		KUGA
		EDGE
		RAPTOR
		MUSTANG
		EXPLORER
		TRANSIT
		FLEX
		MAX
		TAURUS
		FALCON
		E-Series
		Expedition
		Expl. Start
		F-150
		F-250
		F-350 SD
		Figo
		Fusion
		Ranger
		Cougar
		Courier



JMD OBD

		Five Hund	
		Freestart	
		Freestyle	
		Windstar	
		Escape ZD	
		Fairlane	
		Fairmont	
		AU Falcon	
		BF Falcon	
		KA	
		LTD	
		Maverick	
		Puma	
		Territory	
		BA Falcon	
		MERCURY	Cougar
			Grand Marqui
			Marauder
	Mariner		
	Milan		
	Montego		
	Monterey		
	GMC	Mountaineer	
		Sable	
		Acadia	
		Savnan	
			Sierra
			Yukon



	HUMMER	H2
	JEEP	Compass
		Commander
		G. cherokee
		Liberty
		Patriot
		Wrangl. R/Wrangl. U
		G. cherokee
		Cherokee
		Renegade
		Compass
		LINCOLN
	MKZ	
	MKS	
	MKX	
	MKT	
	Navigator	
	Aviator	
	Mark LT	
	Town car	
Zephyr		
Navigator		
ASIA	ACURA	CDX
		TLX-L
		MDX
		RDX
	HYUNDAI	ELANTRA
		SONATA



JMD OBD

		ELANTRA HDC
		TUSCON
		SONATA NF
		SONATA NFC
		ACCENT
		SANTAFE
		I30
		IX35
		AVANTE
		VERNA
		MOINCA
		COUPE
		NEW SANTAFE
		MISTRA
		IX25
		ELANTRA NEW
		VERACRUZ
	VERNA	
	HONDA	ACCORD
	CR-V	
CIVIC		
ODYSSEY		
FIT		
CITY		
SPIRIOR		
CROSSTOUR		
ELYSION		
CRIDER		



JMD OBD

		JADE
		XR-V
		GREIZ
		VEZEL
		AVANCIER
		UR-V
		GIENIA
		CIIMO
		S1
	INFINITI	JX
		FX
		G SERIES
		EX
		M SERIES
		QX
		Q50
	ISUZU	D-MAX
		MU-X
	KIA	FREDDY
		K2
		K3
		KX3
		K4
		K5
		KX5
		CERATO
		SPORTAGE R
		SPORTAGE R



JMD OBD

		SOUL
		OPTIMA
		SORENTO (JC)
		CARENS
	LEXUS	RX
		ES
		CT
		GS
		GX
		LX
		LS
	MAZDA	Mazda2
		Mazda3
		Mazda3 (2012-)
		AXELA
		Mazda5
		Mazda5 (2012-)
		Mazda6
		Mazda6 (RUIYI)
		ATENZA
		CX-3
		CX-4
		CX-5
		CX-7
		CX-9
		Mazda8
		Mx5
RX-8		



JMD OBD

	MITSUBISHI	B-
		OUTLANDER
		LANCEREX
		ASX
		GRANDIS
		LANCEREX
		PAJERO
		GALANT
		L200
		TRITON
	NISSAN	TEANA
		SUNNY
		TIIDA
		SYLPHY
		X-TRAIL
		QASHQAI
		MAXIMA
		R50
		LIVINA
		D50
		MURANO
		MARCH
		TIIDA (SEDAN)
		BLUEBIRD
		GENISS
		GEFIRO
		PATROL
		FUGA



JMD OBD

	SUBARU	QUEST
		FORESTER
		OUTBACK
		TRIBECA
		LEGACY
		IMPREZA
		Crosstrek
		Levorg
		XV
		XV Crosstrek
		WRX
		BRZ
		SSANGYONG
	ACTYON	
	REXTON	
	CHAIRMAN	
	SUZUKI	SWIFT
		SX4
		ALIVIO
		VITARA
		SCROSS
		LIANA
		JIMNY
		NGNTS
		XL7
		WAGON
	ALTO	
BALENO		



JMD OBD

	TOYOTA	CAMRY
		COROLLA
		LEVIN
		PRADO
		LAND CRUISER
		HIGHLANDER
		CROWN
		COROLLA EX
		RAV4
		REIZ
		PRIUS
		YARIS
		VIOS
		SEQUOIA
	ALPHARD	
MITSUOKA	HIMIKO	

• END •