

Analytica Laboratories Limited Ruakura Research Centre 10 Bisley Road Hamilton 3214, New Zealand Ph +64 (07) 974 4740 sales@analytica.co.nz www.analytica.co.nz

Certificate of Analysis

 Lab Reference:
 21-36977

 Date Received:
 27/08/2021

 Testing Initiated:
 27/08/2021

 Date Completed:
 30/08/2021

Report Comments

Samples were collected by yourselves (or your agent) and analysed as received at Analytica Laboratories. Samples were in acceptable condition unless otherwise noted on this report.

Specific testing dates are available on request.

Results Summary

3in1

Laboratory ID	Sample ID	Dihydroxyacetone (DHA)	Methylglyoxal (MG)	Non-Peroxide Activity* (NPA)	Hydroxymethylfurfural (HMF)
	Units Reporting Limit	mg/kg 40	mg/kg 8	%w/v phenol eq. 1.3	mg/kg 1
21-36977-1	213027	1,400	556	15.7	15.4

3in1 Approver:

Kasey Calvert, B.Sc.

Technician

Leptosperin

Laboratory ID	Sample ID	Leptosperin	
	Units Reporting Limit	mg/kg 20	
21-36977-1	213027	489	

Leptosperin Approver:

Kasey Calvert, B.Sc.

Technician



Method Summary

3in1 Determination of Dihydroxyacetone (DHA), Methylglyoxal (MG) and Hydroxymethylfurfural (HMF) by aqueous extraction,

derivatisation, and UPLC analysis in accordance with in-house procedures.

NPA Non-Peroxide Activity (NPA) values are not directly measured by the laboratory, but are calculated from the measured

methylglyoxal concentration in the honey according to the requirements of the client. The calculation is based on published data(†) comparing the NPA and methylglyoxal concentration measured in a range of honey samples. These calculated values are not accredited by IANZ and do not imply that the honey is or is not manuka honey.

NPA values less than 5 are an estimate based on extrapolation of the relationship between methylglyoxal and NPA

(†) Isolation by HPLC and characterisation of the bioactive fraction of New Zealand manuka (Leptospermum scoparium) honey. C. J. Adams, et al. Carbohydrate Research 343 (2008) 651-659. And, Corrigendum to "Isolation by HPLC and characterization of the bioactive fraction of New Zealand manuka (Leptospermum scoparium) honey" [Carbohydr. Res.

343 (2008) 651]. Carbohydrate Research 344 (2009) 2609. C. J. Adams, et al.

Aqueous extraction, dilution, analysis by UPLC in accordance with in-house procedures.

Leptosperin



Frankton 3204 Private Bag 3205 Hamilton 3240 New Zealand

T 0508 HILL LAB (44 555 T +64 7 858 2000 E mail@hill-labs.co.nz W www.hilllaboratories.com

Certificate of Analysis

Page 1 of 2

HMM5ASP-1v1

Lab No: Date Received: **Date Reported:** 2687628 27-Aug-2021

30-Aug-2021

Sample Type: Honey						
Sample	e Name:	213027				
Lab Number:		2687628.1				
MPI Manuka 5 Attributes Analysis						
MPI Manuka Honey Classification		Monofloral Manuka Honey				
3-Phenyllactic acid (3-PA)	mg/kg	750				
2'-Methoxyacetophenone (2'-MAP)	mg/kg	23				
2-Methoxybenzoic acid (2-MBA)	mg/kg	7.2				
4-Hydroxyphenyllactic acid (4-HPA)	mg/kg	7.1				
Manuka DNA	Cq	26.00				

Supplementary Report: This report is a supplement to an earlier report. It may represent a subset of the requested tests.

Summary of Methods

The following table(s) gives a brief description of the methods used to conduct the analyses for this job. The detection limits given below are those attainable in a relatively simple matrix. Detection limits may be higher for individual samples should insufficient sample be available, or if the matrix requires that dilutions be performed during analysis. A detection limit range indicates the lowest and highest detection limits in the associated suite of analytes. A full listing of compounds and detection limits are available from the laboratory upon request Unless otherwise indicated, analyses were performed at Hill Laboratories, 28 Duke Street, Frankton, Hamilton 3204

Sample Type: Honey								
Test	Method Description	Default Detection Limit	Sample No					
MPI 5 Attributes Tests								
MPI Manuka Honey Classification	Evaluation of results against Ministry of Primary Industries (MPI) criteria for classification of monofloral and multifloral Manuka honey. General Export Requirements for Bee Products - 29 January 2018.	-	1					
Manuka Honey Chemistry Profile								
3-Phenyllactic acid (3-PA)	Aqueous solvent extraction, dilution. LC-MSMS analysis. RLP Official Test 10.05.	5 mg/kg	1					
2'-Methoxyacetophenone (2'-MAP)	Aqueous solvent extraction, dilution. LC-MSMS analysis. RLP Official Test 10.05.	0.5 mg/kg	1					
2-Methoxybenzoic acid (2-MBA)	Aqueous solvent extraction, dilution. LC-MSMS analysis. RLP Official Test 10.05.	0.5 mg/kg	1					
4-Hydroxyphenyllactic acid (4-HPA)	Aqueous solvent extraction, dilution. LC-MSMS analysis. RLP Official Test 10.05.	0.5 mg/kg	1					
Manuka Honey PCR Profile								
Manuka DNA	Quantification of Manuka (<i>Leptospermum scoparium</i>) DNA by real time PCR. MPI Technical - Paper No: 2017/31 (modified). RLP Official Test 10.04.	1.00 Cq	1					





These samples were collected by yourselves (or your agent) and analysed as received at the laboratory.

Testing was completed on 30-Aug-2021. For completion dates of individual analyses please contact the laboratory.

Samples are held at the laboratory after reporting for a length of time based on the stability of the samples and analytes being tested (considering any preservation used), and the storage space available. Once the storage period is completed, the samples are discarded unless otherwise agreed with the customer. Extended storage times may incur additional charges.

This certificate of analysis must not be reproduced, except in full, without the written consent of the signatory.

Helen McGowan BSc (Tech)

Operations Support - Food & Bioanalytical